

Combination Hammer

HR2631F

800 W • SDS-Plus • 26 mm • 2,9 J

Professional three-mode, anti-vibration rotary hammer

An efficient combination hammer with AVT anti-vibration system for SDS-Plus bits. Suitable for impact and unstressed drilling and chipping. Motor capacity of 800 W and speed can be adjusted between 0 and 1 200 min-1 from a switch. Impact energy of 2,9 J and optimal drilling range of 8 – 18 mm in concrete, with a max. capacity of 26 mm.



TECHNICAL

SPECIFICATIONS

MAXIMUM OUTPUT POWER NO LOAD SPEED

IMPACT

MAX. DRILLING DIAMETER IN WOOD MAX. DRILLING DIAMETER IN CONCRETE MAX. DRILLING DIAMETER IN STEEL

OPTIMUM DRILLING DIAMETER RANGE IN CONCRETE

IMPACT ENERGY

DRILLING DIAMETER WITH TCT CORE BIT

POWER SUPPLY CORD SOUND POWER LEVEL (LWA) SOUND PRESSURE LEVEL (LPA) NOISE UNCERTAINTY (K FACTOR) VIBRATION LEVEL (3 AXES), DRILLING

VIBRATION LEVEL (3 AXES), IMPACT DRILLING

VIBRATION: CHISELLING

VIBRATION UNCERTAINTY (K FACTOR)

WEIGHT WITHOUT CABLE (EPTA-PROCEDURE

01/2003)

PRODUCT DIMENSIONS (L X W X H):

HR2631F 800W

0-1200min?¹ 0-4600min?¹

32mm 26mm 13mm 8-18mm 2,4J 68mm 2,5m 101dB(A) 90dB(A) 3dB(A) ?2,5m/s² 12,0m/s² 9,0m/s²

1,5m/s² 3.0ka

385x77x209mm

USER BENEFITS

- AVT (Anti-Vibration Technology) ensures extra-low vibration performance
- LED light illuminates the work site
- The rubber coating on the handle ensures a firm working grip

Link to Product page - https://makitauae.com/product/hr2631f-combination-hammer/