



Combination Hammer

HR3200C

850 W • SDS-Plus • 32 mm • 5,5 J

Three-mode, anti-vibration combination hammer with quick-change chuck for heavy-duty use

An efficient combination hammer for SDS-Plus bits. Suitable for impact and unstressed drilling, plus chipping. 850 W output and speed can be adjusted between 315 and 630 min⁻¹. Impact energy of 5,1 J and optimal drilling range of 10 – 22 mm in concrete. Max. drilling capacity of 32 mm in concrete.



TECHNICAL

SPECIFICATIONS

MAXIMUM OUTPUT POWER	HR3200C
NO LOAD SPEED	850W
■ IMPACT	315-630min ⁻¹
MAX. DRILLING DIAMETER IN WOOD	1650-3300min ⁻¹
MAX. DRILLING DIAMETER IN CONCRETE	32mm
MAX. DRILLING DIAMETER IN STEEL	32mm
OPTIMUM DRILLING DIAMETER RANGE IN CONCRETE	13mm
IMPACT ENERGY	10-22mm
DRILLING DIAMETER WITH TCT CORE BIT	5,1J
POWER SUPPLY CORD	90mm
SOUND PRESSURE LEVEL (LPA)	5,0m
NOISE UNCERTAINTY (K FACTOR)	89dB(A)
VIBRATION LEVEL (3 AXES), DRILLING	3dB(A)
VIBRATION LEVEL (3 AXES), IMPACT DRILLING	?2,5m/s ²
VIBRATION: CHISELLING	18,0m/s ²
VIBRATION UNCERTAINTY (K FACTOR)	12,5m/s ²
WEIGHT WITHOUT CABLE (EPTA-PROCEDURE 01/2003)	1,5m/s ²
PRODUCT DIMENSIONS (L X W X H):	4,8kg
EAN	398x108x239mm
	88381088732

USER BENEFITS

- Dust-protected tool holder
- 24-fache MeiÄelverstellung
- Kontrollleuchte meldet Betriebsbereitschaft und KohlebÄrstenverschleiÄ
- (blank)

Link to Product page - <https://makitauae.com/product/hr3200c-combination-hammer/>