



Rotary Hammer

HR5202C

1 510 W • SDS-Max • 52 mm • 21J

Dual-action combi hammer for demanding professional use

Efficient 1 510 W combi hammer for SDS-MAX blades. Masonry drilling capacity of 52 mm and impact energy of 21 J. With its drilling and chipping functions, this tool is an ideal choice for renovation and building work.



TECHNICAL

SPECIFICATIONS

MAXIMUM OUTPUT POWER	HR5202C
NO LOAD SPEED	1510W
■ IMPACT	150-310min ^{?1}
MAX. DRILLING DIAMETER IN CONCRETE	1100-2250min ^{?1}
OPTIMUM DRILLING DIAMETER RANGE IN CONCRETE	52mm
IMPACT ENERGY	25-40mm
DRILLING DIAMETER WITH TCT CORE BIT	19,1J
POWER SUPPLY CORD	160mm
PLASTIC CARRYING CASE	4,0m
SIDE GRIP	Yes
SOUND POWER LEVEL (LWA)	Yes
SOUND PRESSURE LEVEL (LPA)	110dB(A)
NOISE UNCERTAINTY (K FACTOR)	99dB(A)
VIBRATION LEVEL (3 AXES), IMPACT DRILLING	3dB(A)
VIBRATION: CHISELLING	17,0m/s ²
VIBRATION LEVEL (3 AXES), CHISELLING WITH D-TYPE SIDE HANDLE	10,5m/s ²
VIBRATION UNCERTAINTY (K FACTOR)	10,5m/s ²
WEIGHT WITHOUT CABLE (EPTA-PROCEDURE 01/2003)	1,5m/s ²
PRODUCT DIMENSIONS (L X W X H):	10,9-11,1kg
EAN	599x134x287mm
	88381677592

USER BENEFITS

Link to Product page - <https://makitauae.com/product/hr5202c-rotary-hammer/>