



## Nibbler

### JN1601

550 W • 2 200 min<sup>-1</sup>

#### Clean and precise cutting of metal and other sheets

A slimline nibbler that achieves precise, clean-edged curved and straight cuts. Ideal for cutting profile sheets, such as roofing materials. The nibbler die rotates 360 degrees. A cutting capacity of 2,5 mm for aluminium and 1,6 mm for steel. A motor capacity of 550 W and a stroke rate of 2 200 min<sup>-1</sup>.



#### TECHNICAL

### SPECIFICATIONS

MAXIMUM OUTPUT POWER	550 W
IMPACT	2200 min <sup>-1</sup>
POWER SUPPLY CORD	2,0 m
SOUND POWER LEVEL (LWA)	94 dB(A)
SOUND PRESSURE LEVEL (LPA)	83 dB(A)
NOISE UNCERTAINTY (K FACTOR)	3 dB(A)
VIBRATION LEVEL (3 AXES)	7,0 m/s <sup>2</sup>
VIBRATION UNCERTAINTY (K FACTOR)	1,5 m/s <sup>2</sup>
WEIGHT WITHOUT CABLE (EPTA-PROCEDURE 01/2003)	1,6 kg
PRODUCT DIMENSIONS (L X W X H):	261 x 75 x 177 mm
EAN	88381015448
CUTTING CAPACITY MILD STEEL (UP TO 400N/MM <sup>2</sup> )	1,6 mm
CUTTING CAPACITY STAINLESS STEEL (UP TO 600N/MM <sup>2</sup> )	1,2 mm
MIN. INTERNAL CUTTING RADIUS	45 mm
MIN. EXTERNAL CUTTING RADIUS	50 mm
CUTTING CAPACITY ALUMINUM (UP TO 200N/MM <sup>2</sup> )	2,5 mm
CUTTING CAPACITY STAINLESS STEEL (UP TO 800N/MM <sup>2</sup> )	0,8 mm

### USER BENEFITS

Link to Product page - <https://makitauae.com/product/jn1601-nibbler/>