

Nibbler

_ JN1601

550 W • 2 200 min?1

Clean and precise cutting of metal and other sheets

A slimline nibbler that achieves precise, clean-edged curved and straight cuts. Ideal for cutting profile sheets, such as roofing materials. The nibbler die rotates 360 degrees. A cutting capacity of 2,5 mm for aluminium and 1,6 mm for steel. A motor capacity of 550 W and a stroke rate of 2 200 min-1.



TECHNICAL

SPECIFICATIONS

MAXIMUM OUTPUT POWER **IMPACT**

POWER SUPPLY CORD SOUND POWER LEVEL (LWA)

SOUND PRESSURE LEVEL (LPA) NOISE UNCERTAINTY (K FACTOR)

VIBRATION LEVEL (3 AXES)

VIBRATION UNCERTAINTY (K FACTOR)

WEIGHT WITHOUT CABLE (EPTA-PROCEDURE 01/2003)

PRODUCT DIMENSIONS (L X W X H):

CUTTING CAPACITY MILD STEEL (UP TO 400N/MM²)

CUTTING CAPACITY STAINLESS STEEL (UP TO 600N/MM²)

MIN. INTERNAL CUTTING RADIUS MIN. EXTERNAL CUTTING RADIUS

CUTTING CAPACITY ALUMINUM (UP TO 200N/MM²)

CUTTING CAPACITY STAINLESS STEEL (UP TO 800N/MM²)

550 W

2200 min?1 2.0 m

94 dB(A)

83 dB(A)

3 dB(A)

7,0 m/s²

1,5 m/s²

1,6 kg

261 x 75 x 177 mm

88381015448

1.6 mm

1,2 mm

45 mm

50 mm

2,5 mm

0,8 mm

USER BENEFITS

Link to Product page - https://makitauae.com/product/jn1601-nibbler/