

Metal Shear

JS1602

380 W • 4 000 min?1

Handy, high-capacity metal shear

A metal shear for straight and curved cuts with a radius of 30 mm, cuts a cleanedged strip from the middle. A high cutting capacity of 2,5 mm for aluminium and 1,6 mm for steel. A motor capacity of 380W and a stroke rate of 4 000 min-1.



TECHNICAL

SPECIFICATIONS

MAXIMUM OUTPUT POWER IMPACT

POWER SUPPLY CORD
SOUND PRESSURE LEVEL (LPA)
NOISE UNCERTAINTY (K FACTOR)

VIBRATION LEVEL (3 AXES)

VIBRATION UNCERTAINTY (K FACTOR)

WEIGHT WITHOUT CABLE (EPTA-PROCEDURE 01/2003)

PRODUCT DIMENSIONS (L X W X H):

EAN

CUTTING CAPACITY MILD STEEL (UP TO 400N/MM²) CUTTING CAPACITY STAINLESS STEEL (UP TO

600N/MM²)

MIN. EXTÉRNAL CUTTING RADIUS

CUTTING CAPACITY ALUMINUM (UP TO 200N/MM²) CUTTING CAPACITY STAINLESS STEEL (UP TO

800N/MM²)

380 W

4000 min?1

2,5 m

79 dB(A)

3 dB(A)

 $7,0 \text{ m/s}^2$

1,5 m/s²

1,6 kg

255 x 74 x 146 mm

88381634113

1,6 mm

1,2 mm

30 mm

2,5 mm

0,8 mm

USER BENEFITS

Link to Product page - https://makitauae.com/product/js1602-metal-shear/