



TOOL CATALOGUE



XGT
40V **Li-ion**
max

KEY TO SYMBOLS

Double Insulation		Adapted for SDS-PLUS bits	
Variable Speed		Adapted for SDS-MAX Bits	
Constant Speed		13mm Hex Shank Drive	
Reversing		17mm Hex Shank Drive	
Mechanical 2-Speed		21mm Hex Shank Drive	
Mechanical 3-Speed		28.6mm Hex Shank Drive	
Electronic 2-Speed		30mm Hex Shank Drive	
Electronic 3-Speed		Spline Shank	
Electronic 4-Speed		Anti Vibration	
Brake		Bevel Cutting 45L R5	
Torque Setting 6		Bevel Cutting 45L	
Torque Setting 9		Bevel Cutting 45LR	
Torque Setting 16		Bevel Cutting 56L	
Torque Setting 18		Laser Marker	
Torque Limiter		Auto Firing Stop	
Built-in Job Light		Automatic Oiling	
Soft Start		Chain Brake	
Keyless Chuck		Decompression Valve	
Dust Collecting		Primer Pump	
Bayonet Shank Jig Saw Blade		Capacitor Discharge Ignition	
Makita Shank Jig Saw Blade		Rapid Start	
Orbital Cutting		Revolving Hose	
Dial Depth Adjusting		Stainless Tank	
Hook & Loop		Paper Filter	
Super Joint System		Static Free Hose	
Super Joint System II		Remote Control	
Induction Motor		Sequential and Bump-fire	
Oil Sensor		Carrying Case	
Auto Decompression			

INDEX

1000		6000 (continued)		A (continued)	
1100	82	6906	57	AT1225BZ	86
1805N	83	6953	56	B	
1902	82	8000		BHX2500	95
1911B	83	8416	57	BO3700	77
2000		8419B	58	BO3710	77
2012NB	83	8419B2	58	BO4510	77
2107FK	81	8420V	58	BO4556	77
2414	65	9000		BO4566	77
2414B	66	906	72	BO4900	77
2416S	66	906H	73	BO4901	77
2703	79	9015B	70	BO5030	78
2704	79	9031	76	BO5041	78
2704N	79	9032	76	BO6030	78
2712	80	9045B	77	BO6050J	78
3000		9046	77	C	
3601B	84	9105	73	CA5000XJ	66
3612BR	84	9207SPB	75	CB100D	49
3700B	84	9218PB	75	CC301D	43
3706	84	92185B	75	CF100D	50
3709	84	9237C	75	CF101D	49
3901	83	9401	76	CG100D	44
4000		9403	76	CL106FD	45/88
4100NH	65	9404	76	CL108FD	45/88
4107R	65	9520B	67	CL121D	45/88
4112HS	65	9521NB	68	CL183D	47/89
4131	65	9522NB	69	CLX203AX4	46
4300BA	81	9523NB	68	CLX214SAX1	46
4300BV	81	9553HN	67	CP100D	43
4326	81	9554HN	68	D	
4327	81	9555HN	69	DA3010	54
4329	81	9556HN	67	DA332D	42
4350FCT	81	9556HP	67	DA4000LR	54
4350CT	81	9557HN	68	DBM131	54
4351FCT	81	9557HP	68	DBM230	54
4403	85	9558HN	70	DBO180	36
5000		9558HP	70	DCB200	49
5007N	80	9561CR	69	DCE090	27
5103N	81	9562CR	70	DCF102	49
5143R	81	9563H	68	DCG180	38
5201N	80	9564C	68	DCL180	39/88
5402	81	9564PC	69	DCL281F	39/88
5800NB	80	9564PZ	68	DCL501	39/88
6000		9565HZ	70	DCM501	51
6010B	52	9565PZ	71	DCS5200	92
6010BVR	52	9741	77	DCS553	34
6016	54	9910	76	DCS7301	92
6301	53	9920	76	DCS7901	93
6305	53	9924DB	76	DCS9010	93
6408	53	A		DCU180	41
6413	53	ADP05	52	DCV200	49
6501	52	ADP06	52	DDA351	32
6801B	56	AF201Z	86	DDA460	23
6806B	56	AF301	86	DDF446	41
6821	55	AF505N	86	DDF451	29
6827	55	AF506	86	DDF453	30
6842	56	AT425B	86	DDF456	30
6904VH	56	AT1025B	85	DDF459	30

INDEX

D (continued)		D (continued)		D (continued)	
DDF481	29	DH5660	37	DSC121	33
DDF482	30	DH5661	36	DSC163	34
DDF483	30	DH5680	36	DSC250	33
DDF484	29	DH5783	25	DSC251	33
DF001DW	46	DH5900	25	DSD180	37
DF001G	18	DJN161	35	DSL800	36
DF012DSJ	46	DJR181	37	DSP600	24
DF0300	53	DJR185	37	DSP601	24
DF331D	42	DJR187	37	DST112	38
DF332D	41	DJR360	25	DST221	38
DF333D	42	DJS101	34	DTD134	41
DF347D	47	DJV180	37	DTD152	31
DF347DWEX1	47	DK18113X1	48	DTD153	31
DF457D	47	DKP180	37	DTD171	31
DFJ206	48	DKP181	37	DTM51	35/66
DFJ207	48	DLM382	27	DTP141	31
DFJ212	49	DLM431	27	DTR180	34
DFJ213	49	DLM460	27	DT5141	32
DFJ214	49	DLM531	27	DTW1001	32
DFJ304	48	DLM532	27	DTW181	32
DFJ405	48	DLM533	26	DTW190	32
DFJ407	48	DLS111	24	DTW285	32
DFN350	38	DLS211	24	DTW450	32
DFR550	33	DLS600	36	DUB182	41
DFS250	33	DLS713	36	DUB184	40
DFS452	33	DLS714N	24	DUB361	26
DFV210	49	DLW140	23	DUB362	26
DGA452	35	DLX2248PT1	39	DUB363	26
DGA454	35	DML805	50	DUC252	25
DGA455	35	DML808	50	DUC254	40
DGA456	35	DML809	50	DUC405	25
DGA458	35	DML810	50	DUH551	25
DGA469	35	DML811	50	DUH751	40
DGA519	35	DML815	50	DUH754S	40
DGA700	24	DMP180	50	DUM604	40
DGA701	24	DMR110	51	DUN500W	40
DGA900	24	DMR200	51	DUP362	27
DGA901	24	DMR203	51	DUR189	40
DGD800	36	DP2010	53	DUR190U	40
DHK180	29	DP4700	53	DUR364L	25
DHP446	41	DPB180	34	DUR369A	25
DHP451	30	DPB181	34	DUR369N	25
DHP456	31	DPB182	34	DUT130	32
DHP459	30	DPB183	34	DUX60	26
DHP481	30	DPJ180	38	DVC150L	28/87
DHP482	31	DPO600	36	DVC154L	28/87
DHP483	30	DPP200	34	DVC261	28/87
DHP484	30	DPT351	38	DVC265	28/87
DHR171	29	DPT353	38	DVC350	39/88
DHR182	29	DRC200	38/88	DVC660	27/87
DHR202	29	DRS780	24	DVC665	27/87
DHR242	29	DRT50	37	DVC750L	39/88
DHR263	23	DRT50ZJX9	37	DVC860L	28/87
DHR280	23	DRV150	33	DVC864L	28/87
DHR281	23	DS4011	53	DVF104	40
DHR283	23	DS5000	54	DVP180	38
DHR400	23	DSC102	33	DWT310	23

INDEX

E	G (continued)	H (continued)
EA3502540B	GA7030	HP1640KX3
EA4301F45B	GA7040S	HP2000
EA6100P	GA7050	HP2010N
EB5300TH	GA7050R	HP2050
EB7660TH	GA7062	HP2070
EE2650H	GA7063	HP331D
EF1550RH	GA9020	HP332D
EG2250A	GA9030	HP333D
EG2850A	GA9040S	HP347D
EG4550A	GA9050	HP457D
EG5550A	GA9050R	HR002G
EG6050A	GA9062	HR003G
EH7500S	GA9063	HR166D
EH7500W	GB602	HR1841F
EK6100	GB800	HR2010
EK7301WS	GB801	HR2020
EK7650H	GD0600	HR2432
EK7651H	GD0602	HR2475
EK8100WS	GD0800C	HR2600
ELM3320	GD0801C	HR2611F
ELM3720	GD0810C	HR2611FT
ELM4110	GD0811C	HR2630
ELM4612	G55000	HR2630T
ELM4613	G56000	HR2631F
EM2500U	GV6010	HR2631FT
EM2650UH	GV7000C	HR2661
EM4350RH	H	HR2800
EN4950H	HB500	HR2810
EVH2000	HG6030K	HR3200C
EX2650LH	HG6530V	HR3210C
EY2650H25H	HG6531CK	HR3530
F	HK0500	HR3540C
FS2300	HK1810	HR3541FC
FS2500	HK1820	HR4001C
FS2700	HM0810T	HR4002C
FS4300	HM0870C	HR4011C
FS6300	HM0871C	HR4003C
G	HM1101C	HR4013C
GA004G	HM1111C	HR4030C
GA005G	HM1201	HR4501C
GA012G	HM1203C	HR4511C
GA013G	HM1213C	HR5202C
GA4030	HM1214C	HR5211C
GA4040CZ	HM1304	HR5212C
GA4040Z	HM1306	HS004G
GA4530	HM1307C	HS0600
GA4540CZ	HM1317C	HS301D
GA4540Z	HM1801	HS7010
GA5010	HM1802	HW1200
GA5011	HM1812	HW1300
GA5030	HP001G	HW131
GA5034	HP0300	HW132
GA5040CZ	HP1230	HW151
GA5040Z	HP1630K	J
GA6010	HP1631K	JN1601
GA7001	HP1640K	JN3201
GA7020	HP1640KX2	JR001G

INDEX

J		P (continued)		U (continued)	
JR1000FT	82	PC5001C	74	UB1102	95
JR105D	44	PDC01	52	UB1103	95
JN1601	85	PF0410	97	UC4041A	93
JN3201	85	PJ7000	83	UC4551A	93
JR001G	19	PLM4120N	96	UH5261	93
JR1000FT	82	PLM4620N2	96	UH6570	93
JR105D	44	PLM4621N2	96	UH7580	93
JR3051T	82	PLM4622N	96	UM600D	45
JR3060T	82	PLM4630N2	96	UR100D	45
JR3070CT	82	PLM5113N2	96	UR101C	26
JS1601	85	PM7650H	95	UR201C	26
JS1602	85	PO6000C	75	UR3000	94
JS3201	85	PT354D	44	UT1305	54
JV101D	44	PV7000C	75	UT1400	54
JV102D	44	PW5001C	75	UT2204	55
JV103D	44	R		V	
JV183D	47	RB4111U	94	VC2000L	87
K		RP0900	84	VC3210LX1	86
KP0800XK	83	RP1800	84	VC3211HX1	86
KP0810K	83	RP2300FC	84	W	
L		RST250	94	WR100D	43
LB1200F	82	RT0700C	84		
LC1230	65	S			
LD030P	90	SA7000C	75		
LD050P	90	SA7021	76		
LD080PI	91	SC103D	43		
LF1000	79	SD100D	43		
LH1040	79	SG1251J	65		
LH1201FL	79	SG150	65		
LS0714	78	SJ401	81		
LS0815FL	78	SK102Z	91		
LS1018L	79	SK103PZ	91		
LS1019L	78	SK105D	45/90		
LS1040	79	SK105GD	45/90		
LS1219L	78	SK106D	45/90		
LS1440	79	SK106GD	45/90		
LW1400	66	SK312GD	44/90		
LW1401	66	SKR301	91		
M		SP6000	81		
ML103	51	ST113D	44		
ML106	51	T			
MLS100	78	TB131	55		
MLS100N	78	TD001G	18		
MLT100	80	TD0101	56		
MLT100N	80	TD022DSJ	46		
MP100D	50	TD110D	42		
MR052	51	TD111D	42		
N		TL064D	42		
N1900BK	83	TL065D	43		
N1923BK	83	TM3010CK	66		
N5900B	80	TM30D	43/66		
N9500N	67	TW001G	18		
NHP1300S	57	TW0350	56		
NHP1320S	57	TW1000	57		
P		TW161D	43		
PC1100	74	U			
PC5000C	74	UB0801V	95		

NEW PRODUCTS

XGT Cordless Driver Drill / Percussion Driver Drill

XGT **40V** Li-Ion **max** **BL MOTOR** **XPT** **AFT**



DF001G - Pg 18
HP001G - Pg 18

XGT Cordless Impact Driver / Impact Wrench

XGT **40V** Li-Ion **max** **BL MOTOR** **XPT**



TD001G - Pg 18
TW001G - Pg 18

XGT Cordless Angle Grinder

XGT **40V** Li-Ion **max** **BL MOTOR** **XPT** **ADT** **(BRAKE)**

Slide Switch Paddle Switch



GA004G - Pg 19
GA005G - Pg 19
GA012G - Pg 19
GA013G - Pg 19

XGT Cordless Combination Hammer

XGT **40V** Li-Ion **max** **BL MOTOR** **XPT** **AVT** **SOFT NOLOAD**

AFT **AWS**



HR002G - Pg 18

XGT Cordless Combination Hammer

XGT **40V** Li-Ion **max** **BL MOTOR** **XPT** **AVT**



HR003G - Pg 18

XGT Cordless Circular Saw / Reciprocating Saw

XGT **40V** Li-Ion **max** **BL MOTOR** **XPT** **AWS** **ADT** **(BRAKE)**

[only for HS004G]



HS004G - Pg 19
JR001G - Pg 19

18V+18V LXT Li-ion Cordless Rotary Hammer

18V+18V **36V** Li-Ion **LITHIUM-ION** **BL MOTOR** **XPT** **AFT**

AVT & SOFT NOLOAD **AWS**



DHR400N - Pg 23

18V+18V LXT Li-ion Cordless Circular Saw

18V+18V **36V** Li-Ion **LITHIUM-ION** **BL MOTOR** **XPT** **ADT** **(BRAKE)** **AWS**



DHS900 - Pg 25

18V+18V LXT Li-ion Cordless Backpack Dust Extractor/ Cordless Backpack Vacuum Cleaner

18V+18V **36V** Li-Ion **LITHIUM-ION** **BL MOTOR** **HEPA Filter** **AWS**

[only DVC665]



DVC665 - Pg 27/87
DVC660 - Pg 27/87

18V+18V LXT Li-ion Cordless Dust Extractor/ Cordless Vacuum Cleaner

18V+18V **36V** Li-Ion **LITHIUM-ION** **BL MOTOR** **XPT** **AWS** **HEPA Filter**

DVC154L - DRY [only DVC154L]
DVC150L - WET & DRY



DCV150L - Pg 28/87
DVC154L - Pg 28/87

NEW PRODUCTS

18V+18V LXT Li-ion Cordless Grass Trimmer

18V+18V → 36V
LITHIUM-ION MOTOR XPT ADT AFT



DUR369A - Pg 25
DUR369N - Pg 25

18V+18V LXT Li-ion Cordless Blower/Vacuum Cleaner

18V+18V → 36V
LITHIUM-ION MOTOR XPT



DUB363 - Pg 26

Battery Powered Grass Trimmers

18V+18V → 36V
LITHIUM-ION MOTOR XPT ADT AFT



UR101C - Pg 26
UR201C - Pg 26

18V+18V LXT Li-ion Cordless Lawn Mowers

18V+18V → 36V
LITHIUM-ION MOTOR XPT



DLM531 - Pg 27
DLM532 - Pg 27
DLM533 - Pg 26

18V+18V LXT Li-ion Cordless Lawn Mower

18V+18V → 36V
LITHIUM-ION MOTOR XPT



DLM382 - Pg 27

LXT Li-ion Portable Power Pack

18V+18V → 36V
LITHIUM-ION MOTOR 18V LITHIUM-ION



PDC01 - Pg 52

18V LXT Li-ion Cordless Power Scraper

18V LITHIUM-ION MOTOR BL AVT XPT



DHK180 - Pg 29

18V LXT Li-ion Cordless Impact Driver

18V LITHIUM-ION MOTOR BL XPT



DTD171 - Pg 31

18V LXT Li-ion Cordless Angle Grinders

18V LITHIUM-ION MOTOR XPT BL XLOCK (BRAKE) ADT AFT



DGA469 - Pg 35
DGA519 - Pg 35

18V LXT Li-ion Cordless Planer

18V LITHIUM-ION MOTOR BL AWS



DKP181 - Pg 37

NEW PRODUCTS

18V LXT Li-ion Cordless Portable Band Saw



DPB183 - Pg 34

18V LXT Li-ion Cordless Hole Puncher & 18V LXT Li-ion Cordless Metal Shear



DPP200 - Pg 34
DJS101 - Pg 34

18V LXT Li-ion Cordless Threaded Rod Cutter & 18V LXT Li-ion Cordless Steel Rod Cutter



[only DSC251]

DSC121 - Pg 33
DSC163 - Pg 34
DSC251 - Pg 33



18V LXT Li-ion Cordless Rivet Gun & Cordless Brad Nailer



[only DRV150]

DRV150 - Pg 33
DFN350 - Pg 38



18V LXT Li-ion Cordless Stick Cleaner



DCL281F - Pg 39/88

18V LXT Li-ion Cordless Inflator



DMP180 - Pg 50

18V LXT Li-ion Cordless Hedge Trimmer & 18V LXT Li-ion Cordless Pole Hedge Trimmer



SINGLE SIDED BLADE

DUH754S - Pg 40
DUN500W - Pg 40



18V LXT Li-ion Cordless Grass Trimmer & 18V LXT Li-ion Cordless Blower



ADT AFT
[only DUR190U]

DUR190U - Pg 40
DUB184 - Pg 40



12VMAX CXT Li-ion Cordless Threaded Rod Cutter



SC103D - Pg 43

12VMAX CXT Li-ion Cordless Ratchet Wrench



WR100D - Pg 43

NEW PRODUCTS

12VMAX CXT Li-ion Cordless Cleaner



CL108FD - Pg 45 / 88

18V LXT / 12VMAX CXT Li-ion Cordless Heated Blankets



DCB200 - Pg 49
CB100D - Pg 49

Cordless LED Light



DML809 - Pg 50
DML810 - Pg 50
DML811 - Pg 50



Cordless LED Light



DML815 - Pg 50



Cordless Bluetooth Jobsite Speaker



DMR203 - Pg 51



Drill / Impact Drill



DF0300 - Pg 53
HP0300 - Pg 57

High Speed Drill



DP2010 - Pg 53

Recipro Saw



JR3051T - Pg 82

Pneumatic Brad Nailer



AF506 - Pg 86

Power Mixer



UT1305 - Pg 54

MAKPAC

MAKPAC is the cases that can be stacked on top of each other and locked together with the locking latches. The interconnected cases take up less storage space and are easy to transport to and from the work site. Strong and collapsible carry handles make the cases easy to move and store while the rounded grips make it easy to remove the individual cases.

MAKPAC CONNECTOR CASE

Innovative stackable case design for efficient organization, transporting and protection of tools
Can be stacked on top of any Makpack cases with the locking latches.

The **MAKPAC** connector case system consists of four cases varying in height.



CASE TYPE 1

Part No.: 821549-5




CASE TYPE 2

Part No.: 821550-0



CASE TYPE 3

Part No.: 821551-8



CASE TYPE 4

Part No.: 142729-3

CASE TYPE 4

Part No.: 821552-6

MAKPAC STORAGE BOX

For to carry hand tools and accessories
Can be stacked on top of any Makpac cases with the locking latches.

Part No.: P-84137



MAKPAC COOL BOX



Cool box is a great chilling bin for summer groceries, drinks and ice. Ideal For: Jobsite, Travel, Camping, Sports & Recreation Use

The **MAKPAC** cool box system consists of two cases varying in height.



CASE TYPE 3

Part No.: 198254-2



CASE TYPE 4

Part No.: 198253-4

MAKPAC TROLLEY



The Makita MakPack Folding Trolley offers quick and easy transport of a stack of Makita MakPac cases. The maximum load of 125kg is more than enough to cope with a stack of power tools. A webbing belt secures the load to the trolley for safety. The handle is telescopic allowing you to select the most convenient height for comfortably moving the load around.

Part No.: TR00000002



Makpac ADAPTER SET

Makpac adapter set to connects with Makita Vacuum Cleaner

Suits only with Vacuum Model No.

VC3210LX1

VC3211HX1




Part No.: 198730-6

POWER SOURCE KIT

A combination of Makita 18V Li-ion Batteries and Charger in a Makpac connector case with moulded inlay. Makita owns the world's largest cordless tool line-up in 18V Li-ion tools and offers them in different variants i.e. 6.0Ah, 5.0Ah, 3.0Ah. Tools are also offered without battery & charger. Now pick up the Makita Power source kit, then purchase the 18V "bare tools" and get the job done. It's an ideal way to start building a Makita cordless tool line-up.

Users who preowned "Tool only version" (i.e. Tool without battery and charger) can benefit with this power source kits.



Kit 1 XGT (With 4.0Ah Battery x 2pcs)

Part no	SET CONTENTS										
	BATTERY					CHARGER					MAKPAC CASE
	MODEL	VOLTS	AMPERE	FUEL GAUGE	QTY	MODEL	PORT	PIN	QTY		
191K03-2	BL4040	40V max	4.0Ah	✓	2pcs	DC40RA	1	3	1pc	Type 1	

Kit 2 LXT (With 6.0Ah Battery x 2pcs)

Part no	SET CONTENTS										
	BATTERY					CHARGER					MAKPAC CASE
	MODEL	VOLTS	AMPERE	FUEL GAUGE	QTY	MODEL	VOLTS	PORT	PIN	QTY	
198082-5	BL1860B	18V Li-ion	6.0Ah	✓	2pcs	DC18RD	18V-14.4V Li-ion	2	3	1pc	Type 3

Kit 3 LXT (With 6.0Ah Battery x 1pc)

Part no	SET CONTENTS										
	BATTERY					CHARGER					MAKPAC CASE
	MODEL	VOLTS	AMPERE	FUEL GAUGE	QTY	MODEL	VOLTS	PORT	PIN	QTY	
198108-3	BL1860B	18V Li-ion	6.0Ah	✓	1pc	DC18RC	18V-14.4V Li-ion	1	3	1pc	Type 1

Kit 4 LXT (With 5.0Ah Battery x 4pcs)

Part no	SET CONTENTS										
	BATTERY					CHARGER					MAKPAC CASE
	MODEL	VOLTS	AMPERE	FUEL GAUGE	QTY	MODEL	VOLTS	PORT	PIN	QTY	
198568-9	BL1850B	18V Li-ion	5.0Ah	✓	4pcs	DC18RD	18V-14.4V Li-ion	2	3	1pc	Type 3
197626-8	BL1850B	18V Li-ion	5.0Ah	✓	4pcs	DC18RD	18V-14.4V Li-ion	2	2	1pc	Type 3

Kit 5 LXT (With 5.0Ah Battery x 2pcs)

Part no	SET CONTENTS										
	BATTERY					CHARGER					MAKPAC CASE
	MODEL	VOLTS	AMPERE	FUEL GAUGE	QTY	MODEL	VOLTS	PORT	PIN	QTY	
198567-1	BL1850B	18V Li-ion	5.0Ah	✓	2pcs	DC18RD	18V-14.4V Li-ion	2	3	1pc	Type 3
197629-2	BL1850B	18V Li-ion	5.0Ah	✓	2pcs	DC18RD	18V-14.4V Li-ion	2	2	1pc	Type 3

Kit 6 LXT (With 3.0Ah Battery x 4pcs)

Part no	SET CONTENTS										
	BATTERY					CHARGER					MAKPAC CASE
	MODEL	VOLTS	AMPERE	FUEL GAUGE	QTY	MODEL	VOLTS	PORT	PIN	QTY	
197972-9	BL1830B	18V Li-ion	3.0Ah	✓	4pcs	DC18RD	18V-14.4V Li-ion	2	3	1pc	Type 3

Kit 7 LXT (With 3.0Ah Battery x 1pc)

Part no	SET CONTENTS										
	BATTERY					CHARGER					MAKPAC CASE
	MODEL	VOLTS	AMPERE	FUEL GAUGE	QTY	MODEL	VOLTS	PORT	PIN	QTY	
191A26-0	BL1830B	18V Li-ion	3.0Ah	✓	1pc	DC18RC	18V-14.4V Li-ion	1	3	1pc	Type 1

Kit 8 LXT/CXT (With 4.0Ah CXT Battery x 1pc and 5.0Ah LXT Battery x 1pc)

Part no	SET CONTENTS										
	BATTERY					CHARGER					MAKPAC CASE
	MODEL	VOLTS	AMPERE	FUEL GAUGE	QTY	MODEL	VOLTS	PORT	PIN	QTY	
199360-6	BL1041B	12VMAX Li-ion	4.0Ah	✓	1pc	DC18RE	LXT + CXT	MULTI	3	1pc	Type 3
	BL1850B	18V Li-ion	5.0Ah	✓	1pc						
199359-1	BL1041B	12VMAX Li-ion	4.0Ah	✓	1pc	DC18RE	LXT + CXT	MULTI	2	1pc	Type 3
	BL1850B	18V Li-ion	5.0Ah	✓	1pc						

XGT - Battery and Charger



FAST CHARGING

DC40RA
 220-240 ~ 2 PIN Part #: 191E13-3
 220-240 ~ 3 PIN Part #: 191E14-1

**4.0
Ah**



BL4040
 Part #: 191B26-6

45min.

Adapter - ADP10

This adaptor enables consumers to charge both **LXT** and **XGT** batteries with XGT charger



DC40RA
 Part #: 191E14-1

+



ADP10
 Part #: 191C11-5

**6.0
5.0
Ah**



BL1860B
BL1850B

40min.

=



Compatible with 18V LXT Li-ion batteries






**3.0
Ah**



BL1830B

22min.

LITHIUM-ION BATTERY / REFERENCE CHART

VOLTAGE			CHARGER				
			SINGLE PORT CHARGER DC18RC (FAST CHARGER) LXT	TWO PORT CHARGER DC18RD (FAST CHARGER) LXT	TWO PORT CHARGER DC18RE (FAST CHARGER) CXT & LXT	RAPID AUTOMOTIVE CHARGER DC18SE (compatible with 12V/ 24V DC cigarette lighter socket)	FOUR PORT CHARGER DC18SF (STANDARD CHARGER) LXT
110 - 120 (2pin type) Part No.			195582-6	-	198443-9		-
110 - 120 (3pin type) Part No.			-	196929-7*	-		-
220 - 240 (2pin type) Part No.			195584-2	196933-6	198575-2		-
220 - 240 (3pin type) Part No.			197378-1	196940-9	198447-1	194621-9	196427-1
18V LXT Li-ion 14.4V LXT Li-ion							
6.0Ah			55 min FAST CHARGING	55 min FAST CHARGING	55 min FAST CHARGING	130 min	130 min 260 min 1-2 batteries 3-4 batteries
BATTERY ID	BL1860B	-					
Part No.	197422-4						
PACKAGE	SINGLE						
FUEL GAUGE	✓						
5.0Ah			45 min FAST CHARGING	45 min FAST CHARGING	45 min FAST CHARGING	110 min	110 min 220 min 1-2 batteries 3-4 batteries
BATTERY ID	BL1850B	-					
Part No.	197280-8						
PACKAGE	SINGLE						
FUEL GAUGE	✓						
3.0Ah			22 min FAST CHARGING	22 min FAST CHARGING	22 min FAST CHARGING	60 min	60 min 120 min 1-2 batteries 3-4 batteries
BATTERY ID	BL1830B	BL1430B					
Part No.	197599-5	197615-3					
PACKAGE	SINGLE	SINGLE					
FUEL GAUGE	✓	✓					
1.5Ah			15 min FAST CHARGING	15 min FAST CHARGING	15 min FAST CHARGING	30 min	30 min 60 min 1-2 batteries 3-4 batteries
BATTERY ID	BL1815N	BL1415NA					
Part No.	632A54-1	196280-5					
PACKAGE	BULK	SINGLE					
FUEL GAUGE	X	✓					
1.3Ah			15 min FAST CHARGING	15 min FAST CHARGING	-	-	- -
BATTERY ID	BL1815	-					
Part No.	195445-6						
PACKAGE	SINGLE						
FUEL GAUGE	X						



(* - In future it will be available in 2PIN only)

LITHIUM-ION BATTERY / REFERENCE CHART

10.8V / 7.2V Li-ion battery Stick Type	
	220 - 240 (2pin type) Part No.
	220 - 240 (3pin type) Part No.

10.8V - 7.2V Charger
DC10WA
630584-0
630585-0

7.2V Charger
DC70SA
194320-3 / 194588-1



50 min

-

10.8V Lithium-ion (Stick battery)		1.3Ah	
		BATTERY ID	BL1013
		Part No.	196066-7

7.2V Lithium-ion (Stick battery)		1.5Ah	
		BATTERY ID	B7015
		Part No.	198000-3

35 min

35 min

7.2V Lithium-ion (Stick battery)		1.0Ah	
		BATTERY ID	B7010
		Part No.	194355-4

30 min

30 min

VOLTAGE		
	110 - 120 (2pin type) Part No.	110-120
	220 - 240 (2pin type) Part No.	220-240
	220 - 240 (3pin type) Part No.	

CHARGER

Two Port Charger (LXT + CXT)
DC18RE
198443-9
198575-2
198447-1

Single Port Charger (CXT Fast Charger)
DC10SB
197435-5
198576-0
198433-2

10.8V / 12V MAX CXT Lithium-ion



30 min
Fast Charging

30 min
Fast Charging

	2.0Ah	
BATTERY ID	BL1021B	
Part No.	197396-9	
PACKAGE	CARTON	
FUEL GAUGE	✓	

	4.0Ah	
BATTERY ID	BL1041B	
Part No.	197406-2	
PACKAGE	CARTON	
FUEL GAUGE	✓	

60 min
Fast Charging

60 min
Fast Charging


LITHIUM-ION BATTERY / REFERENCE CHART

VOLTAGE	
	2pin type Part No.
	3pin type Part No.

3.6V
Lithium-ion (Built-in Battery)

1.5Ah
Part No. 620693-3
(comes along with controller)

AC ADAPTER WITH MICRO USB PORT	
ADP07	
198363-7	
198369-5	



3-5 hrs

VOLTAGE	
	110 - 120 (2pin type) Part No.
	220 - 240 (3pin type) Part No.

36V
LXT
Lithium-ion



2.6Ah
BL3626
Part No. 194873-2



12.0Ah
BL36120A
Part No. BL36120A



CHARGER	
DC36RA	DC3600
194869-3	197727-2
194864-3	-

22 min



-

-


180 min

VOLTAGE	
	127V (2pin type) Part No.
	220 - 240 (2pin type) Part No.
	220 - 240 (3pin type) Part No.

18V G SERIES Lithium-ion	14.4V G SERIES Lithium-ion
1.5Ah BL1815G Part No. 198186-3	1.5Ah BL1415G Part No. 198192-8

18V - 14.4V CHARGER (DC18WA)	
197812-1	
195423-6	
197130-7	



70 min

XGT

40V Li-ion max

High Power Durability

Digital Communication

Combination Hammer
HR002G / HR003G

Impact Wrench
TW001G

Recipro Saw
JR001G

Hammer Driver Drill
HP001G

Driver Drill
DF001G

Impact Driver
TD001G

Angle Grinder
GA004G / GA005G /
GA012G / GA013G /

Circular Saw
HS004G

Battery

BL4040 (4.0Ah)

Charger

DC40RA

ADP10

Adapter for LXT Battery





**XGT
Tools**

DF001G **4.0Ah, Z**

XGT - Cordless 13mm Driver Drill

NEW

140N.m

XGT
40V LXT max



XPT
AFT
BL
MOTOR

Capacity	Steel: 20mm
	Wood (Auger-Bit): 50mm
	Wood (Self-Feed Bit): 76mm
	Wood (Hole Saw): 152mm

Chuck Capacity	1.5 - 13 mm
No Load Speed (RPM) High/Low:	0-2,600/0-650
Dimensions (LxWxH)	181x86x282 mm
Net weight	3.0 kg



HP001G **4.0Ah, Z**

XGT - Cordless 13mm Percussion Driver Drill

NEW

140N.m

XGT
40V LXT max



XPT
AFT
BL
MOTOR

Capacity	Steel: 20mm
	Wood (Auger-Bit): 50mm
	Wood (Self-Feed Bit): 76mm / (Hole Saw): 152 mm
	Masonry: 20 mm

Chuck Capacity	1.5 - 13 mm
No Load Speed (RPM) High / Low:	0-2,600/0-650
Dimensions (LxWxH)	182x86x282 mm
Net weight	3.0 kg



TD001G **4.0Ah, Z**

XGT - Cordless Impact Driver

NEW

10 tightening modes

220N.m

XGT
40V LXT max



XPT
AFT
BL
MOTOR

Capacity	Machine Screw: M4-M8
	Standard Bolt: M5-M16
	High Strength Bolt: M5-M14
	Coarse thread: 22-125 mm
Hex Shank	6.35 mm (1/4")
No Load Speed(RPM) Max/H/M/S:	0-3,700 / 3,200 / 2,100 / 1,100
Dimensions (LxWxH)	120x86x250 mm
Net weight	2.0 kg



TW001G **4.0Ah, Z**

XGT - Cordless Impact Wrench

NEW

4 mode

1800N.m

XGT
40V LXT max



XPT
AFT
BL
MOTOR

Fastening Capacities	Standard Bolt: M12-M36
	High Strength Bolt: M10-M27
	19 mm (3/4")
Square Drive	
No Load Speed(RPM) Max/H/M/S:	0-1,800/0-1,400/0-1,150/0-950

Max Fastening Torque	1,630 N.m
Dimensions (LxWxH)	217x94x303 mm
Net weight	4.2 kg



HR003G **4.0Ah, Z**

XGT - Cordless Combination Hammer 28mm

NEW

Adapted for SDS-PLUS bits

XGT
40V LXT max



XPT
AFT
BL
MOTOR

Impact Energy	3.2 J
Capacity	Concrete/Steel/Wood/Core Bit/ Diamond Core Bit (Dry Type): 28/13/32/54/65 mm
Blows Per Minute	0 - 5,000 bpm
No Load Speed	0 - 980 rpm
Chuck Capacity	1.5 - 13 mm
Dimensions (LxWxH)	373x102x238 mm
Net weight	4.6 kg



HR002G **4.0Ah, Z**

XGT - Cordless Combination Hammer 28mm

NEW

Adapted for SDS-PLUS bits

XPT
AWS
40V LXT max



SOFT
NO LOAD
AFT
BL
MOTOR

Impact Energy	3.2 J
Capacity	Concrete/Steel/Wood/Core Bit/ Diamond Core Bit (Dry Type): 28/13/32/54/65 mm
Blows Per Minute	0 - 5,000 bpm
No Load Speed	0 - 980 rpm
Chuck Capacity	1.5 - 13 mm
Dimensions (LxWxH)	404x102x238 mm
Net weight	4.6 kg



GA004G 4.0Ah, Z
XGT - Cordless Angle Grinder (115mm)
NEW
SLIDE SWITCH

XPT
ADT
BL
MOTOR


Wheel Diameter	115 mm
Hole Diameter	22.23 mm
No Load Speed (RPM)	8,500
Sound Pressure Level	81 dB(A)
Sound Power Level	92 dB(A)
Dimensions (L x W x H)	410x130x168 mm
Net weight	3.5 kg


GA005G 4.0Ah, Z
XGT - Cordless Angle Grinder (125mm)
NEW
SLIDE SWITCH

XPT
ADT
BL
MOTOR


Wheel Diameter	125 mm
Hole Diameter	22.23 mm
No Load Speed (RPM)	8,500
Sound Pressure Level	81 dB(A)
Sound Power Level	92 dB(A)
Dimensions (L x W x H)	410x140x168 mm
Net weight	3.6 kg


GA012G 4.0Ah, Z
XGT - Cordless Angle Grinder (115mm)
NEW
PADDLE SWITCH

XPT
ADT
BL
MOTOR


Wheel Diameter	115 mm
Hole Diameter	22.23 mm
No Load Speed (RPM)	8,500
Sound Pressure Level	81 dB(A)
Sound Power Level	92 dB(A)
Dimensions (L x W x H)	410x130x168 mm
Net weight	3.5 kg


GA013G 4.0Ah, Z
XGT - Cordless Angle Grinder (125mm)
NEW
PADDLE SWITCH

XPT
ADT
BL
MOTOR


Wheel Diameter	125 mm
Hole Diameter	22.23 mm
No Load Speed (RPM)	8,500
Sound Pressure Level	81 dB(A)
Sound Power Level	92 dB(A)
Dimensions (L x W x H)	410x140x168 mm
Net weight	3.6 kg


HS004G 4.0Ah, Z
XGT - Cordless 190/185mm Circular Saw
NEW

XPT
ADT
BL
MOTOR


Blade Diameter	190 / 185 mm
Max Cutting Capacity	90°: 62.5 / 60 mm
	45°: 44.5 / 43 mm
	48°: 42 / 41 mm
No Load Speed (RPM)	6,000
Dimensions (L x W x H)	337x210x290 mm
Net weight	4.7 kg



Note: Kit version of this tool comes with only 1pc 4.0Ah battery


JR001G 4.0Ah, Z
XGT - Cordless Reciprocating Saw
NEW

XPT
BL
MOTOR


Length of Stroke	32 mm
Strokes Per Minute (SPM)	High: 0 - 3,000
	Low: 0 - 2,300
Capacity	Pipe: 130 mm
	Wood: 255 mm
Dimensions (L x W x H)	472x88x239 mm
Net weight	4.5kg



18V LITHIUM-ION



- Recipro Saw
- Rear Handle Saw
- Rotary Hammer
- Stapler
- Concrete Vibrator
- Slide Compound Miter Saw
- Combination Hammer
- Pin Nailer
- Finish Nailer
- Portable Cut-off
- Wheelbarrow
- Rebar Tying Tool
- Caulking Gun
- Vacuum Pump
- Rivet Gun
- Grease Gun
- Hole Puncher
- Brad Nailer
- Angle Drill
- Rechargeable Flashlight
- Flashlight Radio
- Flashlight
- LED Flashlight
- LED Worklight
- Inflator
- Area Worklight
- Fan Jacket
- Fan
- Heated Blanket
- Fan Vest
- Heated Jacket
- Heated Vest
- Coffee Maker
- Job Site Radio
- Job Site Speaker
- Blower
- Chain Saw
- Hedge Trimmer
- Grass Shear
- Grass Trimmer
- String Trimmer
- Cyclone Cleaner
- Plate Joiner
- Robotic Cleaner
- Trimmer
- Recipro Saw
- Vacuum Cleaner
- Portable Vacuum Cleaner
- Planer
- Drywall Saw
- Cut-Out Tool
- Jig Saw





Chain Saw

Angle Grinder

Grass Trimmer

Pruning Shears

Circular Saw

Blower

Portable Power Pack

Lawn Mower

Plunge Cut Saw

Vacuum Cleaner

Multi Function Power Head

Screwdriver

Hedge Trimmer

Impact Wrench

Power Cutter

Backpack Vacuum Cleaner

Auto Feed Screwdriver

Mixer

4 Mode Impact Driver

18V x2

ONE SYSTEM
ENDLESS
POSSIBILITIES

Angle Drill

Angle Impact Wrench

Oil-Pulse Driver

Driver Drill

Impact Driver

Hammer Driver Drill

Angle Impact Driver

Rotary Hammer

Power Scraper

Combination Hammer

Multi Tool

Metal Shear

Steel Rod Cutter

Nibbler

Metal Cutter

Recipro Saw

Die Grinder

Threaded Rod Cutter

Portable Band Saw

Circular Saw

Random Orbit Polisher

Drywall Sander

Random Orbit Sander

Angle Grinder

Slide Compound Miter Saw

Compound Miter Saw

Expand Your Lithium Line Up

18V X2 Lithium-ion

Powered by two 18V Li-ion batteries in series

18v + 18v → 36v LXT

EXPAND YOUR LITHIUM-ION LINEUP



Lawn Mower
DLM460 / DLM382 / DLM432 /
DLM462 / DLM530 / DLM532 /
DLM533

Chain Saw
DUC405 / DUC400 / DUC355 /
DUC353 / DUC305 / DUC303 /
DUC302 / DUC252 / DUC252C /
DUC256 / DUC306 / DUC356 /
DUC406

Blower
DUB361 /
DUB362 /
DUB363

Hedge Trimmer
DUH551 / DUH651

Grass Trimmer
DUR364L / DUR368A /
DUR368L / DUR369A /
DUR369L / DUR369N

Battery Powered Pruning Shears
DUP361 / DUP362

Multi Function Power Head
DUX60

Battery Converter
BCV01

Corded and Cordless Vacuum Cleaner
DVC860L / DVC861L /
DVC150L / DVC151L

Combination Hammer
DHR263 / DHR264 /
DHR280, DHR282+DX08 /
DHR281, DHR283+DX09

Rotary Hammer
DHR400N

Angle Grinder
DGA701 / DGA901 /
DGA700 / DGA900

Recipro Saw
DJR360

Portable Cut-off
DLW140

Slide Compound Miter Saw
DLS714 / DLS110 / DLS111 /
DLS112 / DLS211 / DLS212

Circular Saw
DH5710 / DH5711 / DH5781 /
DH5780 / DH5782 / DH5783 /
DH5900 / DH5901

Shear Wrench
DWT310

Power Cutter
DCE090

Rear Handle Saw
DRS780

Plunge Cut Saw
DSP600 / DSP601

Battery Adapter
BAP182

Angle Drill
DDA460

Vacuum Cleaner
DVC865L / DVC866L / DVC867L /
DVC155L / DVC156L / DVC157L

Battery Converter
BCV03



**Cordless Lithium-ion
18V+18V**

DHR400N Cordless Rotary Hammer

Z

Adapted for SDS-MAX bits

2Mode 11.4J

NEW

AFT
AVT & SOFT
NOLOAD

BL XPT AWS
MOTOR

Capacity - Concrete TCT bit: 40mm
Core bit: 105mm

No load speed 250-500rpm

Dimensions (L x W x H) 473x120x285mm

Net weight 8.1kg



DHR283 Cordless Combination Hammer

Z

Adapted for SDS-PLUS bits

3Mode 3.2J

Optional accessories:
DX09 - 199583-6

AFT AVT & SOFT
NOLOAD ADT

BL XPT AWS
MOTOR

Capacity Concrete: 28mm
Steel: 13mm
Wood: 32mm

No load speed 0-980rpm

Dimensions (L x W x H) 404 x 134 x 232mm

Net weight 4.9kg



DHR281 Cordless Combination Hammer

5.0Ah, Z

Adapted for SDS-PLUS bits

3Mode 3.2J

Optional accessories:
DX09 - 199583-6

AVT & SOFT
NOLOAD

BL XPT ADT
MOTOR

Capacity Concrete: 28mm
Steel: 13mm
Wood: 32mm

No load speed 0-980rpm

Dimensions (L x W x H) 404 x 134 x 232mm

Net weight 4.9kg



DHR280 Cordless Combination Hammer

5.0Ah, Z

Adapted for SDS-PLUS bits

3Mode 3.2J

Optional accessories:
DX08 - 199579-7

AVT & SOFT
NOLOAD

BL XPT ADT
MOTOR

Capacity Concrete: 28mm
Steel: 13mm
Wood: 32mm

No load speed 0-980rpm

Dimensions (L x W x H) 373 x 134 x 232mm

Net weight 4.9kg



DHR263 Cordless Combination Hammer

3.0Ah, Z

Adapted for SDS-PLUS bits

3Mode 3.0J

442

AVT & SOFT
NOLOAD

BL XPT
MOTOR

Capacity Concrete: 26mm
Steel: 13mm
Wood: 32mm

No load speed 0-1,250rpm

Dimensions (L x W x H) 350 x 116 x 232mm

Net weight 5.1kg



DAA460 Cordless Angle Drill

5.0Ah, Z



BL XPT ADT
MOTOR

Capacity Steel: 13mm
Wood(Self-feed bit): 118mm
Wood(Holesaw): 159mm

No load speed High: 0-1,400rpm
Low: 0 - 350rpm

Dimensions (LxWxH) 538 x 128 x 223mm

Net weight 6.4kg



DWT310 Cordless Shear Wrench

5.0Ah, Z



BL XPT
MOTOR

Capacity Bolt: M16, M20, M22

No load speed (rpm) 14

Max. fastening torque 804N.m

Dimensions (L x W x H) 296x130x377mm

Net weight 7.1kg



DLW140 Cordless Portable Cut-off Saw

6.0Ah, Z



BL
MOTOR

Wheel diameter 355mm

Hole diameter 25.4mm

No load speed (rpm) 3,800

Max. output 1,300W

Dimensions (L x W x H) 537x290x640mm

Net weight 17.8kg



DGA701/DGA901
Cordless Angle Grinder

5.0Ah, Z



36V LITHIUM-ION MOTOR **AFT** **AWS** **BL** **XPT** **ADT** **(BRAKE)**

Wheel diameter	DGA701: 180mm DGA901: 230mm
No load speed	DGA701: 7,800rpm DGA901: 6,000rpm
Net weight	DGA701: 6.0kg DGA901: 8.0kg



DGA700/DGA900
Cordless Angle Grinder

Z



36V LITHIUM-ION MOTOR **AFT** **(BRAKE)** **BL** **XPT** **ADT**

Wheel diameter	DGA700: 180mm DGA900: 230mm
No load speed	DGA700: 7,800rpm DGA900: 6,000rpm
Net weight	DGA700: 6.0kg DGA900: 8.0kg



DLS211
Cordless Slide Compound Miter Saw

Z



36V LITHIUM-ION MOTOR **AWS** **BL** **ADT** **DXT**

Blade Diameter	305 mm
Miter Angle	60° L / 60° R
Bevel Angle	48° L / 48° R
No Load Speed	4,400rpm
Dimensions (LxWxH)	898x690x725 mm
Net weight	31.3kg



DLS111
Cordless Slide Compound Miter Saw

Z



36V LITHIUM-ION MOTOR **AWS** **BL** **ADT** **DXT**

Blade Diameter	260 mm
Miter Angle	60° L / 60° R
Bevel Angle	48° L / 48° R
No Load Speed	4,400rpm
Dimensions (LxWxH)	805x644x660 mm
Net weight	27.3kg



DLS714N
Cordless Slide Compound Miter Saw

Z



36V LITHIUM-ION MOTOR **BL** **ADT**

Blade Diameter	190 mm
Miter Angle	47° L / 57° R
Bevel Angle	45° L / 5° R
No load speed (rpm)	5,700
Dimensions (LxWxH)	655x430x445mm
Net weight	12.6kg



DSP601
Cordless Plunge Cut Saw

Z



36V LITHIUM-ION MOTOR **BL** **ADT** **AWS** **(BRAKE)**

Blade diameter	165mm
Max cutting capacity	90°: 56mm 45°: 40mm 48°: 38mm
No load speed	2,500 - 6,300 rpm
Dimensions (LxWxH)	346x241x272mm
Net weight	5.1kg



DSP600
Cordless Plunge Cut Saw

Z



36V LITHIUM-ION MOTOR **BL** **ADT** **(BRAKE)**

Blade diameter	165mm
Max cutting capacity	90°: 56mm 45°: 40mm 48°: 38mm
No load speed	2,500 - 6,300 rpm
Dimensions (LxWxH)	346x241x272mm
Net weight	5.1kg



DRS780
Cordless Rear Handle Saw

Z



36V LITHIUM-ION MOTOR **BL** **XPT** **ADT** **(BRAKE)**

Blade diameter	185mm
Max. cutting capacity	at 90°: 65mm at 45°: 45mm at 53°: 38mm
No load speed (rpm)	5,100
Dimensions (LxWxH)	446x196x270mm
Net weight	5.6kg



DHS900 **5.0Ah, 2****Cordless Circular Saw****NEW****36V LITHIUM-ION MOTOR BL XPT ADT**

Blade Diameter	235 mm
Max Cutting Capacity	90°: 85 mm
	45°: 61 mm
	60°: 44 mm
No Load Speed (RPM)	4,500
Max Output	1,800 W
Dimensions (LxWxH)	413x196x316 mm

**DHS783** **5.0Ah, 2****Cordless Circular Saw****36V LITHIUM-ION MOTOR BL XPT ADT**

Blade Diameter	190 / 185 mm
Max Cutting Capacity	90°: 62.5 / 60 mm
	45°: 44.5 / 43 mm
	48°: 42 / 41 mm
No Load Speed (RPM)	6,000
Max Output	1,800 W
Dimensions (LxWxH)	348x210x290 mm

**DJR360** **2****Cordless Reciprocating Saw****36V LITHIUM-ION MOTOR BL XPT**

Capacity	Pipe: 130mm
	Wood: 255mm
Length of stroke	32mm
Strokes per minute (SPM)	High: 0 - 3,000
	Low: 0 - 2,300
Dimensions (LxWxH)	449x116x243mm
Net weight	4.7kg

**DUC405** **5.0Ah, 2****Cordless Chain Saw****36V LITHIUM-ION MOTOR BL XPT**

Chain speed per minute	0-1,200m
Guide bar length	400mm (16")
Chain pitch	3/8"
Chain gauge	1.1mm
Chain oil tank volume	200mL
Dimensions (LxWxH)	800x211x235mm
Net weight	5.5kg

**DUC252** **5.0Ah, 3.0Ah, 2****Cordless Chain Saw****442 mm****36V LITHIUM-ION MOTOR BL XPT**

Chain speed per minute	500m
Guide bar length	250mm (10")
Chain pitch	3/8"
Chain gauge	1.3mm
Chain oil tank volume	85mL
Dimensions (LxWxH)	545x234x198mm
Net weight	4.7kg

**DUH551** **2****Cordless Hedge Trimmer****442 mm****36V LITHIUM-ION MOTOR BL XPT**

Blade length	550mm
Strokes per minute	2,000-3,600 (spm)
Dimensions (LxWxH)	1,065 x 225 x 200mm
Max. output	0.32kW
Net weight	5.3kg

**DUR364L** **2****Cordless Grass Trimmer****36V LITHIUM-ION MOTOR BL XPT**

Cutting width	Trimmer head: 350mm
	Plastic Blade: 255 mm
No load speed (rpm)	High/Low: 6,500/5,000
Spindle size	M8 x 1.25RH
Dimensions (LxWxH)	1,754x310x229mm
Net weight	4.4kg

**DUR369A** **2****Cordless Grass Trimmer****NEW****36V LITHIUM-ION MOTOR BL XPT ADT**

Cutting Width	Metal Blade: 255mm
	Trimmer Head: 430mm
	Plastic Blade: 255mm
No Load Speed (RPM)	Metal Blade (H/M/L):
	3,300-7,000/5,500/4,600
Dimensions (LxWxH)	1,846x628x530 mm
Net weight	6.6 kg

**DUR369N** **2****Cordless Grass Trimmer****NEW****36V LITHIUM-ION MOTOR BL XPT ADT**

Cutting Width	Trimmer Head: 430mm
	Plastic Blade: 255mm
No Load Speed (RPM)	High/Medium/Low:
	2,800-6,000/4,600/4,000
Spindle Size	M10 x 1.25 LH
Dimensions (LxWxH)	1,834x227x301 mm
Net weight	6.1 kg




UR101C / UR201C Battery Powered Grass Trimmers

Z

NEW



BL ADT AFT XPT
MOTOR



[PDC01 sold separately]

	UR101C	UR201C
Cutting Width	Metal Blade: 255 mm Trimmer Head: 430 mm Plastic Blade: 255 mm	Metal Blade: 255 mm Trimmer Head: 430 mm Plastic Blade: 255 mm
No Load Speed (RPM)	High/Med/Low: 0-7,000/5,500/4,600	High/Med/Low: 0-7,000/5,500/4,600
Spindle Size	M10 x 1.25 LH	M10 x 1.25 LH
Dimensions (L x W x H)	1,760x628x550 mm	1,760x400x269 mm
Net weight	5.4 kg	4.9 kg



PDC01
(Part No.191A67-6)

Intermediate Connector

If the cord of the tool adapter is loaded with a certain weight or over, the intermediate connector between the tool and the tool adapter is automatically disconnected

DUX60 Cordless Multi Function Power head

Z

Max. output power	600W
No load speed (rpm)	Hi:0-9,700; Med:0-8,200, Low:0 - 5,700
Dimensions (LxWxH)	1,011x320x216mm
Net weight	8.7kg



Optional Attachments



Ground trimmer
EN420MP
198060-5

Hedge trimmer
Straight / Angle
EN410MP / EN401MP
197740-0 / 196342-9

Pole saw
EY401MP
196104-5

Cultivator
KR400MP
195713-7
Cutting width: 160mm
String trimmer
ER400MP
199188-2
Cutting width: 220mm

Edger
EE400MP
196752-0
195654-7

Brushcutter
EM400MP
195654-7
String trimmer
ER400MP
199528-2

Power sweep attachment
SW400MP
199347-8

Power brush attachment
BR400MP
199326-6

Shaft extension
LE400MP
196032-4
Length: 1,080mm

DUB363 Cordless Blower/Vacuum Cleaner

Z

NEW

BL AFT XPT
MOTOR

Max. Air volume	13.4m ³ /min
Max. Air velocity	65m/s
No load speed	0 - 7,850 rpm
Dimensions (LxWxH)	with 3stage telescopic long nozzle: 737/786/836x200x415mm
Net weight	6.6kg



DUB362 Cordless Blower

Z

Air volume	Hi: 13.4m ³ /min Low: 6.9m ³ /min
Air velocity	27 - 54m/s
No load speed	11,400 - 21,500 (rpm)
Dimensions	830/880/930x205x295mm
Net weight	4.2kg



BL AFT XPT
MOTOR

DUB361 Cordless Blower

Z

Air volume	Hi: 4.4m ³ /min Low: 2.6m ³ /min
Air speed	Hi: 93m/s; Lo: 57m/s
No load speed (rpm)	Hi: 17,000; Lo: 10,000
Dimensions (LxWxH)	905x141x194mm
Net weight	3.2kg



BL AFT XPT
MOTOR

DLM533 (self propelled) Cordless Lawn Mower

Z

NEW

4 battery slots

ALUMINIUM
DECK

BL AFT XPT
MOTOR

Cutting Width	534 mm
Cutting Height	20 - 100 mm
No. of stages	10 stages
No Load Speed (RPM)	2,300 - 2,800
Propelling speed	2.5 - 5.0 km/h
Net weight	46.7 kg



DLM532 (self propelled) Cordless Lawn Mower

Z

NEW

4 battery slots

STEEL DECK
SIDE DISCHARGE



BL MOTOR XPT

Cutting Width	534 mm
Cutting Height	20 - 100 mm
No. of stages	10 stages
No Load Speed (RPM)	2,500 - 3,300
Propelling speed	2.5 - 5.0 km/h
Net weight	42.9 kg



DLM531 (push type) Cordless Lawn Mower

Z

NEW

4 battery slots

STEEL DECK
SIDE DISCHARGE
[Large Grass
Discharge Port]



BL MOTOR XPT

Cutting Width	534 mm
Cutting Height	20 - 100 mm
No. of stages	10 stages
No Load Speed (RPM)	2,300 - 2,800
Max. Output	1,600W
Net weight	38.4 kg



DLM460 (push type) Cordless Lawn Mower

Z

STEEL DECK



BL MOTOR XPT

Cutting width	460mm
Cutting height	20-75mm
No load speed	2,500 - 3,300rpm
Max. Output	1,450W
Grass box capacity	50L
Net weight	27.6kg



DLM431 (push type) Cordless Lawn Mower

5.0Ah, Z

PLASTIC DECK



BL MOTOR XPT

Cutting width	430mm
Cutting height	20-75mm
No load speed	3,600rpm
Max. output	730W
Grass box capacity	50L
Net weight	18.0kg



DLM382 (push type) Cordless Lawn Mower

Z

NEW

PLASTIC DECK



BL MOTOR XPT

Cutting Width	380 mm
Cutting Height	20 - 75 mm
No. of stages	13 stages
No Load Speed (RPM)	3,700
Net weight	16.9 kg



DCE900 Cordless Power Cutter

Z

NEW



BL MOTOR AFT

Wheel diameter	230mm
Max. cutting capacity	88mm
Max. output power	6,000
No load speed (rpm)	1,250W
Dimensions (LxWxH)	565 x 248 x 285mm



DUP362 Battery Powered Pruning Shears

Z



BL MOTOR XPT

Capacity	Max cutting : 33 mm
	Max blade opening: 54 mm
Cutting Torque	250 N
Vibration Level	2.5 m/s ² or less
Dimensions (LxWxH)	305x43x106 mm
Net weight	0.8 kg

DVC665 Cordless Backpack Dust Extractor

Z

NEW



Bluetooth

BL MOTOR AWS HEPA

Capacity	Paper dust bag: 6.0 L
	Cloth dust bag: 5.5 L
Max Air Flow	1.8 m ³ /min (28mm-1.5m Hose)
Max Sealed Suction	11 kPa
Max Suction Power	High/Normal: 85/45 W (28mm-1.5m Hose)
Dimensions (LxWxH)	297x174x523 mm



DVC660 Cordless Backpack Vacuum Cleaner

Z

NEW



BL MOTOR HEPA

Capacity	Paper dust bag: 6.0 L
	Cloth dust bag: 5.5 L
Max Air Flow	2.2 m ³ /min (32mm-1m Hose)
Max Sealed Suction	11 kPa
Max Suction Power	Max/High/Normal: 95/50/25 W (32mm-1m Hose)
Dimensions (LxWxH)	297x174x523 mm



DVC265 Cordless Backpack Dust Extractor

Z



36V LITHIUM-ION MOTOR **BL** **AWS** **HEPA** **FINE**

Capacity	Paper dust bag: 2.0L Cloth dust bag: 1.5L
Continuous use (min.)	High/Low: 40/75 (with BL1860B)
Max. Sealed suction	11kPa
Dimensions (LxWxH)	230x152x373mm
Net weight	4.5kg



DVC261 Cordless Backpack Vacuum Cleaner

Z



36V LITHIUM-ION MOTOR **BL** **HEPA** **FINE**

Capacity	Paper dust bag: 2.0L Cloth dust bag: 1.5L
Continuous use (min.)	Max/High/Normal: 40/75/140 (BL1860B)
Max. Sealed suction	11kPa
Dimensions (LxWxH)	297x174x523mm
Net weight	4.5kg



DVC154L Cordless Dust Extractor

Z

NEW
DRY



36V LITHIUM-ION MOTOR **BL** **AWS** **HEPA** **XPT**

Capacity	Dust : 15 L
Continuous Use (min.)	w/ 2xBL1850B: 40-100 w/ 2 x BL1860B: 48-115
Max Air Flow	2.1 m ³ /min
Max Sealed Suction	9.8 kPa
Max Suction Power	90W
Dimensions (LxWxH)	366x334x421 mm



DVC864L Cordless Dust Extractor with AWS

Z

DRY ONLY



36V LITHIUM-ION MOTOR **BL** **AWS** **XPT** **HEPA** **FINE**

Capacity	Dust: 8L
Continuous use (min.)	40 (with BL1850Bx2)
Max. Air Flow	2.1m ³ /min
Max. sealed suction	9.8kPa
Suction Power	High: 90W
Dimensions (LxWxH)	366x334x368mm
Net weight	8.4kg



DVC150L Corded + Cordless Vacuum Cleaner

Z

NEW

WET & DRY
HYBRID



36V LITHIUM-ION MOTOR

Capacity	Dust/Water: 15/12 L
Continuous Use (min.)	w/ BL1850Bx2: 30-65
Max Air Flow	AC/DC: 3.6/2.1 m ³ /min
Max Sealed Suction	AC/DC: 24/9 kPa
Max Suction Power	AC/DC: 320/70 W
Dimensions (LxWxH)	366x334x421 mm
Net weight	9.6 kg



DVC860L Corded + Cordless Vacuum Cleaner

Z

HYBRID

WET & DRY



36V LITHIUM-ION MOTOR

Capacity	Dust: 8L Water: 6L
Continuous use (min.)	65 (with BL1850Bx2)
Max. Air Flow	AC/DC: 3.6/2.1m ³ /min
Suction power	AC/DC: 320W/25-70W
Dimensions (LxWxH)	366 x 334 x 368mm
Net weight	8.6kg





Cordless Lithium-ion 18V

DHR242 6.0Ah, 5.0Ah, 3.0Ah, Z Cordless Combination Hammer

Adapted for SDS-PLUS bits

3Mode 2.4J



Optional accessories:
DX01 - 195897-1



Capacity	Concrete: 24mm
	Steel: 13mm
	Wood: 27mm
Impacts per min. (ipm)	0 - 4,700
No load speed (rpm)	0 - 950
Dimensions (L x W x H)	328x85x213
Net weight	3.8kg



DHR202 5.0Ah, 3.0Ah, Z Cordless Combination Hammer

Adapted for SDS-PLUS bits

3Mode 1.0J

441



Capacity	Concrete: 20mm
	Steel: 13mm
	Wood: 26mm
Impacts per min. (ipm)	0 - 4,000
No load speed (rpm)	0 - 1,100
Dimensions (L x W x H)	358x84x259
Net weight	4.9kg



DHR182 3 Cordless Combination Hammer

Adapted for SDS-PLUS bits

3Mode 1.7J

with dust extraction attachment
199658-1



Capacity	Concrete: 18mm
	Steel: 13mm
	Wood: 24mm
Blows per min. (bpm)	0 - 5,000
No load speed (rpm)	0 - 1,350
Dimensions (L x W x H)	301x82x285
Net weight	3.2kg



DHR171 3.0Ah, Z Cordless Rotary Hammer

Adapted for SDS-PLUS bits

2Mode 1.2J



Capacity	Concrete: 17mm
	Steel: 10mm
	Wood: 13mm
Impacts per min. (ipm)	0 - 4,800
No load speed (rpm)	0 - 680
Dimensions (L x W x H)	273x86x211
Net weight	2.8kg



DHK180 3 Cordless Power Scraper

NEW Adapted for SDS-PLUS bits



Impact Energy	3.1 J
Blows Per Minute (BPM)	0 - 3,200
Vibration Level	Chiselling: 4.5 m/s ²
Sound Pressure Level	83 dB(A)
Sound Power Level	94 dB(A)
Dimensions (L x W x H)	368x99x211 mm
Net weight	3.6 kg



DDF481 5.0Ah, 3.0Ah, Z Cordless Driver Drill



Capacity	Steel: 13mm
	Wood: 76mm
No load speed (rpm)	Hi:0-2,100, Lo:0-550
Max fastening torque	Hard/Soft:115/60Nm
Dimensions	205x79x249mm
Net weight	3.0kg



DDF451 3 Cordless Driver Drill



440



Capacity	Steel: 13mm
	Wood: 65mm
No load speed (rpm)	1st:0-300
	2nd:0-600
	3rd:0-1,700
Max. fastening torque	Hard/Soft:80/40Nm
Net weight	2.6 kg



DDF484 5.0Ah, 3.0Ah, Z Cordless Driver Drill



Capacity	Steel: 13mm
	Wood: 38mm
No load speed (rpm)	Hi: 0-2,000, Lo: 0-500
Max. fastening torque	Hard/Soft: 54/30Nm
Net weight	1.8kg



DDF483 **5.0Ah, 3.0Ah, Z**
Cordless Driver Drill



Capacity	Steel: 13mm Wood: 36mm
No load speed (rpm)	Hi: 0-1,700, Lo: 0-500
Max. fastening torque	Hard/Soft: 40/23N.m
Net weight	1.6kg



DDF482 **5.0Ah, 3.0Ah**
Cordless Driver Drill



440



Capacity	Steel: 13mm Wood: 38mm
No load speed (rpm)	Hi: 0-1,900, Lo: 0-600
Max. fastening torque	Hard/Soft: 62/36N.m
Net weight	1.8kg



DDF456 **5.0Ah, Z**
Cordless Driver Drill



440



Capacity	Steel: 13mm Wood: 38mm
No load speed (rpm)	Hi: 0-1,500 Lo: 0-400
Max. fastening torque	Hard/Soft: 50/36N.m
Net weight	1.8kg



DDF459 **3.0Ah**
Cordless Driver Drill



Capacity	Steel : 13mm Wood : 38mm
No load speed (rpm)	Hi: 0-1,500; Lo: 0-400
Max fastening torque	Hard/Soft: 45/25 Nm
Dimensions (L x W x H)	179x78x256mm
Net weight	1.5kg



DHP481 **5.0Ah, 3.0Ah, 1.5Ah, Z**
Cordless Percussion Driver Drill



Capacity	Steel: 13mm Wood: 76mm Masonry: 16mm
Impacts per minute	Hi: 0-31,500(ipm) Lo: 0-8,250(ipm)
No load speed (rpm)	Hi: 0-2,100, Lo: 0-550
Max fastening torque	Hard/Soft: 115/60Nm
Net weight	3.0kg



DHP451 **5.0Ah, 3.0Ah**
Cordless Percussion Driver Drill



440



Capacity	Steel: 13mm Wood: 65mm Masonry : 16mm
No load speed	1st: 0-300, 2nd: 0-600 3rd: 0-1,700
Max. fastening torque	Hard/Soft: 80/40N.m
Net weight	2.9 kg



DHP484 **5.0Ah, 3.0Ah, Z**
Cordless Percussion Driver Drill



Capacity	Steel: 13mm, Wood: 38mm Masonry: 13mm
No load speed	Hi: 0-2,000, Lo: 0-500rpm
Max fastening torque	Hard/Soft: 54/30N.m
Net weight	1.9kg



DHP483 **5.0Ah, 3.0Ah, Z**
Cordless Percussion Driver Drill



Capacity	Steel: 13mm, Wood: 36mm Masonry: 13mm
No load speed	Hi: 0-1,700, Lo: 0-500rpm
Max fastening torque	Hard/Soft: 40/23N.m
Net weight	1.6kg




DHP459 **3.0Ah, Z**
Cordless Percussion Driver Drill




Capacity	Steel: 13mm Wood: 38mm Masonry: 13mm
Impacts per minute	Hi: 0-22,500(ipm) Lo: 0-6,000(ipm)
No load speed (rpm)	Hi: 0-1,500/Lo: 0-400
Max fastening torque	Hard/Soft: 45/25Nm
Net weight	1.5kg




DHP482 **5.0Ah**
Cordless Percussion Driver Drill



440 

18V **LITHIUM-ION** **XPT**

Capacity	Steel: 13mm
	Wood: 38mm
	Masonry: 13mm
Impacts per minute	Hi: 0 - 28,500(ipm)
	Lo: 0 - 9,000(ipm)
No load speed (rpm)	Hi: 0 - 1,900, Lo: 0 - 300
Max fastening torque	Hard/Soft: 62 / 36 Nm
Net weight	1.8kg



DHP456 **5.0Ah, 3.0Ah**
Cordless Percussion Driver Drill



440 

18V **LITHIUM-ION**

Capacity	Steel: 13mm
	Wood: 38mm
	Masonry: 13mm
No load speed	Hi: 0 - 1,500rpm
	Lo: 0 - 400rpm
Max. fastening torque	Hard/Soft: 50/36Nm
Net weight	1.8kg



DTD171 **5.0Ah, 2**
Cordless Impact Driver

NEW

4 Assist mode
+
4 Impact Force





18V **LITHIUM-ION** **BL MOTOR** **XPT**

Capacity	Machine Screw: M4-M8
	Standard Bolt: M5-M16
	High Tensile Bolt: M5-M14
	Coarse thread: 22-125 mm
Max fastening torque	180 Nm
Net weight	1.6 kg





DTD153 **5.0Ah, 3.0Ah, 2**
Cordless Impact Driver




448 


18V **LITHIUM-ION** **XPT** **BL MOTOR**

Capacity	Machine screw: M4-M8
	Standard bolt: M5-M16
	High strength bolt: M5-M14
	Coarse thread: 22-125mm
Max fastening torque	170N.m
Net weight	1.6kg




DTD152 **3.0Ah, 2**
Cordless Impact Driver




448 

18V **LITHIUM-ION** **XPT**

Capacity	Machine screw: M4-M8
	Standard bolt: M5-M16
	High strength bolt: M5-M12
	Coarse thread: 22-125mm
No load speed (rpm)	0 - 2,900
Max fastening torque	165N.m
Net weight	1.6kg



DTP141 **3.0Ah**
Cordless 4 Mode Impact Driver




4 

18V **LITHIUM-ION** **BL MOTOR**

Capacity	Steel/Wood/Masonry: 10mm/21mm/8mm
Impacts per minute*	H/M/S: 0-3,200 / 0-2,400 / 0-1,200
Max Fastening Torque*	150 Nm
Net weight	1.9kg



DTS141 **5.0Ah, 3.0Ah, Z**
Cordless Oil Pulse Driver



18V LITHIUM-ION **XPT BL MOTOR**

Capacity	Machine screw:M4-M8 Standard bolt:M5-M8 High strength bolt:M5-M6 Coarse thread:2.2-12.5mm
Max fastening torque	40Nm
Dimensions (LxWxH)	136 x 79 x 240mm
Net weight	1.6kg



DTW1001 **5.0Ah, Z**
Cordless Impact Wrench



18V LITHIUM-ION **BL MOTOR**

Capacity	Standard bolt:M12-M30 High tensile bolt:M10-M24 Square drive:19mm (3/4")
Max fastening torque	1,050Nm
Dimensions (LxWxH)	229 x 91 x 289mm
Net weight	3.7kg



DTW450 **Z**
Cordless Impact Wrench



18V LITHIUM-ION

Capacity	Standard bolt:M12-M22 High strength bolt:M12-M16 Square drive:12.7mm(1/2")
Max fastening torque	440Nm
Dimensions (LxWxH)	266 x 82 x 290mm
Net weight	3.4kg



DTW285 **6.0Ah, 5.0Ah, 3.0Ah, Z**
Cordless Impact Wrench



18V LITHIUM-ION **XPT BL MOTOR**

Capacity	Standard bolt:M10-M20 High strength bolt:M10-M16 Square drive:12.7mm(1/2")
Max fastening torque	280Nm
Dimensions (LxWxH)	147 x 79 x 249mm
Net weight	1.8kg



DTW190 **3.0Ah**
Cordless Impact Wrench



18V LITHIUM-ION

Capacity	Standard bolt:M8-M16 High strength bolt:M8-M12 Square drive:12.7mm(1/2")
Max fastening torque	190Nm
Dimensions (LxWxH)	176 x 79 x 219mm
Net weight	1.8kg



DTW181 **5.0Ah, Z**
Cordless Impact Wrench



18V LITHIUM-ION **XPT BL MOTOR**

Capacity	Standard bolt:M8-M16 High strength bolt:M6-M12 Square drive:12.7mm(1/2")
No load speed (rpm)	210Nm
Max fastening torque	151 x 79 x 235mm
Net weight	1.5kg



DAA351 **3.0Ah, Z**
Cordless Angle Drill




440 W

18V LITHIUM-ION

Capacity	Steel: 10mm Wood: 25mm
No load speed	0-1,800rpm
Dimensions (LxWxH)	326x79x115mm
Net weight	1.9kg



DUT130 **5.0Ah, Z**
Cordless Mixer



18V LITHIUM-ION **BL MOTOR** **XPT**

Blade diameter	165mm
No load speed (rpm)	High: 0-1,300 Low: 0 - 350
Dimensions (LxWxH)	w/ mixing blade: 916x89x231mm w/o mixing blade: 320x89x231mm
Net weight	2.8kg



DFS452 **5.0Ah, 3.0Ah, Z****Cordless Screwdriver**

Capacity	Drywall screw: 5mm Self drilling screw: 6mm
Driving shank (Hex)	6.35mm
No load speed	0-4000rpm
Dimensions (LxWxH)	251x79x259mm
Net weight	1.5kg

**DFS250** **Z****Cordless Screwdriver**

Capacity	Drywall screw: 5mm Self drilling screw: 6mm Coarse Thread: 4.5x90mm
Driving shank (Hex)	6.35mm
No load speed	0-2,500rpm
Dimensions (LxWxH)	259x79x259mm
Net weight	1.9kg

**DFR550** **3.0Ah, Z****Cordless Autofeed Screwdriver**

Capacity Drywall screw	4 x 25 to 55mm (5/32" x 1 to 2-3/16")
Bit size Hex Shank	6.35mm (1/4")
No load speed	4,000rpm
Dimensions	424 x 80 x 238mm
Net weight	3.1kg

**DRV150** **3.0Ah, Z****Cordless Rivet Gun****NEW**

Max pulling force	10 kN
Length of Stroke	25 mm (1")
Dimensions (L x W x H)	313x80x287 mm
Net weight	2.2 kg

**DSC102** **Z****Cordless Threaded Rod Cutter**

Capacity	Steel: W3/8, M10, M8, M6 Stainless Steel: W3/8, M8, M6
Min. cutting length	20mm
Dimensions (LxWxH)	199x103x308mm
Net weight	3.2kg

**DSC121** **Z****Cordless Threaded Rod Cutter****NEW**

Capacity	Mild Steel: M8, M10, M12
Cutting Speed (sec)	3.0
Dimensions (LxWxH)	212x323x260 mm
Net weight	6.0 kg

DSC250 **Z****Cordless Steel Rod Cutter****BL ADT**

Blade Diameter	110 mm
Cutting Capacity	Dia.: 10 - 25 mm
No load speed (rpm)	2,200
Sound pressure Level	78dB(A)
Dimensions (LxWxH)	471x137x139mm
Net weight	4.0kg

DSC251 **Z****Cordless Steel Rod Cutter****NEW****BL ADT**

Blade Diameter	110 mm
Cutting Capacity	Dia.: 10 - 25 mm
No load speed (rpm)	2,200
Sound pressure Level	78dB(A)
Dimensions (LxWxH)	471x137x139mm
Net weight	4.0kg

DSC163
Cordless Steel Rod Cutter

Z

NEW



Cutting Capacity	Diameter: 3 - 16 mm
Cutting Speed (sec)	2.8
Dimensions (L x W x H)	360x108x276 mm
Net weight	6.9 kg

DTR180
Cordless Rebar Tying Tool

Z

Optional Accessory

Tie wire set
(Ø0.8mm) / 50 pcs/ box
Part # 199137-9
Part # *191A57-9
(* Galvanized steel)



Tie Wire	Ø0.8 mm
Applicable Rebar Size	D10 x D10 - [D13 x 2] x [D13 x 2]
Dimensions (L x W x H)	304x93x318 mm
Net weight	2.6 kg



DCS553
Cordless Metal Cutter

Z



Blade diameter	150mm
Capacity	90°: 57.5mm
No load speed (rpm)	4,200
Dimensions (L x W x H)	267x186x250mm
Net weight	3.1kg



DPB183
Cordless Portable Band Saw

Z

NEW



Capacity	Round: 66 mm
	Square: 66 x 66 mm
Blade Speed	0 - 3.2 m/s
Blade Size	Length / Width / Thickness: 835mm / 13mm / 0.5 mm
Dimensions	392x174x242 mm
Net weight	3.9 kg



DPB182
Cordless Portable Band Saw

Z



Capacity	Round: 64mm
	Rect. workpiece w/o stand: 64x64mm
Blade speed	3.2m/s
Dimensions	477x197x229mm
Net weight	4.1kg



DPB181
Cordless Portable Band Saw

Z



Capacity	Round: 64mm
	Rect. workpiece w/o stand: 64x64mm
Blade speed	3.2m/s
Dimensions	468x197x233mm
Net weight	3.2kg



DPB180
Cordless Portable Band Saw

Z



430



Capacity	Round: 120mm
	Rect. workpiece w/o stand: 120x120mm
Blade speed	84-162m/min
Dimensions	523x231x313mm
Net weight	6.4kg



DPP200
Cordless Hole Puncher

Z

NEW



Capacity	Steel: 20mm
	Stainless steel: 20mm
Max. Throat Depth	40mm
Dimensions (LxWxH)	417 x 127 x 315mm
Net weight	10.5kg

DJS101
Cordless Metal Shear

5.0Ah, Z

NEW



430



Capacity	Steel upto 400N/mm ² :1.0mm
	Steel upto 600N/mm ² :0.7mm
	Aluminium upto 200N/mm ² :2.5mm
Strokes per min. (spm)	4,300
Dimensions	364x78x118mm
Net weight	2.2kg

DJN161
Cordless Nibbler

3.0Ah

430 



Capacity	Mild Steel upto 400N/mm ² :1.6mm Stainless Steel upto 600N/mm ² :1.2mm Aluminium upto 200N/mm ² :2.5mm
Strokes per min.	1,900spm
Dimensions	313x78x189mm
Net weight	2.3kg

DTM51
Cordless Multi Tool

5.0Ah, 3.0Ah, Z



Oscillations per minute (opm)	6,000-20,000
Dimensions	340x80x122mm
Net weight	2.4kg



DGA519
Cordless Angle Grinder

Z

NEW Paddle Switch



Wheel diameter	125mm (5")
No load speed	3,000 - 8,500rpm
Dimensions (L x W x H)	396x117x147mm
Net weight	3.1kg



DGA469
Cordless Angle Grinder

Z

NEW Paddle Switch



Wheel diameter	115mm (4-1/2")
No load speed	3,000 - 8,500rpm
Dimensions	396x117x147mm
Net weight	3.1kg



DGA458
Cordless Angle Grinder

Z

Paddle Switch



Wheel diameter	115mm (4-1/2")
No load speed (rpm)	8,500
Dimensions (L x W x H)	362x130x151mm
Net weight	3.03kg



DGA456
Cordless Angle Grinder

Z

Slide Switch



Wheel diameter	115mm (4-1/2")
No load speed (rpm)	8,500
Dimensions (L x W x H)	362x130x151mm
Net weight	3.03kg



DGA455
Cordless Angle Grinder

5.0Ah, 3.0Ah, Z

Paddle Switch



Wheel diameter	115mm (4-1/2")
No load speed	8,500rpm
Dimensions (L x W x H)	362x130x145mm
Net weight	2.92kg



DGA454
Cordless Angle Grinder

5.0Ah, 3.0Ah, Z

Slide Switch



Wheel diameter	115mm (4-1/2")
No load speed	8,500rpm
Dimensions (L x W x H)	362x130x145mm
Net weight	2.89kg



DGA452
Cordless Angle Grinder

5.0Ah, Z

430 



Wheel diameter	115mm (4-1/2")
No load speed	11,000rpm
Dimensions	317x129x126mm
Net weight	2.71kg

DGD800 Cordless Die Grinder

Z

430 MW



Capacity	Collet : 3mm-8mm
Wheel dia	38mm (1-1/2")
No load speed	26,000rpm
Net weight	2.2kg

DPO600 Cordless Random Orbit Polisher

5.0Ah, Z



Pad Size	150 mm
No Load Speed (RPM)	Normal mode: 0 - 780 Finishing mode: 0 - 600
Orbit Diameter	5.5 mm
Dimensions (LxWxH)	530x148x126 mm
Net weight	3.6 kg



DB0180 Cordless Random Orbit Sander

Z



Pad diameter	123mm
Abrasive disc diameter	125mm
Orbits per minute (opm)	7,000/9,500/11,000
Dimensions (L x W x H)	175x123x153mm
Net weight	1.7kg



DSL800 Cordless Drywall Sander

Z



Pad diameter	210mm
Abrasive disc size	225mm
No load speed (rpm)	1,000 - 1,800
Dimensions (LxWxH)	1,100-1,520x259x273mm
Net weight	5.7kg



DLS600 Cordless Compound Miter Saw

Z



Blade Diameter	165 mm
Miter Angle	52° L / 52° R
Bevel Angle	46° L / 46° R
Max Cutting Capacity	90° Miter: 46x92mm
No Load Speed (RPM)	5,000
Dimensions (LxWxH)	340x400x440 mm
Net weight	6.6kg (with battery)



DLS713 Cordless Slide Compound Miter Saw

Z

441 MW



Blade diameter	190mm
Max cutting capacity	at 90°: 52x300mm at 45°: 25x300mm
Bore	20mm
No load speed (rpm)	2,200
Dimensions (LxWxH)	655x430x454mm
Net weight	12.1kg



DHS680 Cordless Circular Saw

5.0Ah, 3.0Ah, Z



Blade diameter	165mm
Max. cutting capacity	at 0 degrees: 57mm at 45 degrees: 41mm at 50 degrees: 37mm
No load speed	5,000rpm
Dimensions (L x W x H)	350 x 170 x 238mm
Net weight	3.3kg




DHS661 Cordless Circular Saw

5.0Ah, Z



Blade Diameter	165 mm
Hole Diameter	15.88 / 20 mm
Max Cutting Capacity	90°: 57mm, 45°: 41mm 50°: 37mm
No Load Speed (RPM)	5,000
Dimensions (LxWxH)	270x186x250 mm
Net weight	3.2 kg



DHS660 **5.0Ah, 2****Cordless Circular Saw**


(BRAKE)
ADT
BL MOTOR

18V LITHIUM-ION
XPT


Blade Diameter	165 mm
Hole Diameter	15.88 / 20 mm
Max Cutting Capacity	90°: 57mm, 45°: 41mm 50°: 37mm
No Load Speed (RPM)	5,000
Dimensions (LxWxH)	270x186x250 mm
Net weight	3.2 kg

**DSD180** **2****Cordless Drywall Cutter**

Blade for Drywall - Part No. B-49703



Blade for Wood - Part No. B-49719

18V LITHIUM-ION

Strokes per minute	0 - 6,000
Length of stroke	6mm
Capacity	Drywall: 30mm Wood: 15mm
Dimensions (L x W x H)	263 x 79 x 291mm
Net weight	2.0kg

**DJV180** **2****Cordless Jig Saw**


440 MW

18V LITHIUM-ION

Capacity	Wood: 135mm Steel: 10mm
Length of stroke	26mm
Strokes per minute (spm)	0-2,600
Dimensions (LxWxH)	257x73x208mm
Net weight	3.0kg

**DJR187** **5.0Ah, 2****Cordless Reciprocating Saw**


XPT
BL MOTOR

18V LITHIUM-ION

Capacity	Pipe: 130mm Wood: 255mm
Length of stroke	32mm
Strokes per minute (spm)	Hi: 0-3,000/Lo: 0-2,300
Net weight	3.4kg

**DJR181** **5.0Ah, 3.0Ah, 2****Cordless Reciprocating Saw**


441 MW

18V LITHIUM-ION

Capacity	Pipe: 130mm Wood: 255mm
Length of stroke	28mm
Strokes per minute	0-2,900spm
Net weight	3.7kg

**DJR185** **2****Cordless Reciprocating Saw**


18V LITHIUM-ION

Capacity	Pipe: 50mm Wood: 50mm
Length of stroke	13mm
Strokes per minute	0-3,000spm
Net weight	1.6kg

**DRT50 / DRT50ZJX9** **2****Cordless Trimmer**


BL MOTOR

DRT50ZJX9
with 9pcs trimmer accessory set in a Makpac case

18V LITHIUM-ION

No Load Speed	10,000 - 30,000rpm
Plunge Capacity	with Trimmer Base: 0-40mm with Plunge Base: 0-35mm
Dimensions (LxWxH)	134x89x226 mm
Net weight	2.1kg

**DKP181** **3.0Ah, 2****Cordless Planer**


NEW

AWS
ADT
BL MOTOR

18V LITHIUM-ION

Planing width	82mm
Planing depth	3.0mm
No load speed (rpm)	12,000
Dimensions (L x W x H)	366x156x166mm
Net weight	3.6kg

**DKP180** **2****Cordless Planer**


441 MW

18V LITHIUM-ION

Planing width	82mm
Planing depth	2.0mm
No load speed (rpm)	14,000
Dimensions (L x W x H)	333x157x160mm
Net weight	3.5kg



DPJ180 Cordless Plate Joiner

Z



430



Blade diameter	100mm
Max. cutting depth	20mm
No load speed (rpm)	6,500
Dimensions (L x W x H)	351x139x149mm
Net Weight	3.1kg



DCG180 Cordless Caulking Gun

Z



Standard accessory
Holder A set
Part No. 196351-8

Optional accessory
Holder B set
Part No. 196352-6

Max Dispensing Force	5,000 N
No load speed	0 - 28 mm/sec. (0 - 66 in./min.)
Holder Size	300, 600, 800 mL
Dimensions (L x W x H)	404x108x281 mm
Net weight	3.0kg



DVP180 Cordless Vacuum Pump

Z



Compression type	Oil rotary type, single stage
Flow rate	50 L/min
Ultimate vacuum	20 Pa (150 microns)
Motor speed	3,840 min ⁻¹
Oil capacity	115 mL
Inlet port	5/16"
Dimensions (LxWxH)	265x93x175mm
Net weight	3.5kg

DFN350 Cordless Brad Nailer

5.0Ah, Z

NEW



XPT

Capacity	Length: 15-35mm
	Gauge: 18Ga
Magazine Capacity	110
Shot quantity on single full battery charge	4,000 shots (w/ BL1850B)
Dimensions (LxWxH)	257x79x228 mm
Net weight	2.4 kg



DST112 Cordless Stapler

Z



XPT

Capacity	Width: 10mm;
	Length: 7, 10mm
	Gauge : 0.5 x 0.75 mm
Magazine capacity	150 (max 160) pcs
Dimensions (LxWxH)	235x79x165mm
Net weight	1.8kg



DST221 Cordless Stapler

Z



Capacity	Width: 10mm
	Length: 10, 13, 16, 19, 22mm
Magazine capacity	98pcs
Dimensions (LxWxH)	251 x 91 x 212mm
Net weight	2.4kg



DPT353 Cordless Pin Nailer

Z



Capacity	Length: 15, 18, 25, 30, 35mm
	Diameter: 0.6mm
Magazine capacity	120pcs
Dimensions (LxWxH)	257 x 79 x 226mm
Net weight	2.3kg



DPT351 Cordless Pin Nailer

Z



Capacity	Length: 18, 25, 30, 35mm
	Diameter: 0.6mm
Magazine capacity	130pcs
Dimensions (LxWxH)	249 x 79 x 227mm
Net weight	1.8kg



DRC200 Cordless Robotic Cleaner

Z



RoboPRO



BL MOTOR

Continuous use (mins)	120 - 200 (with BL1850B x 2)
Max cleaning area	with BL1850Bx2: 500m ² with BL1830Bx2: 300m ²
Max running speed	0.3 m/sec
Dust box capacity	2.5L
Dimensions (L x W x H)	460x460x180mm
Net weight	7.8 kg

DVC750L
Cordless Vacuum Cleaner /
Dust Extractor / Blower

Z

DRY ONLY



HEPA
filter

XPT

BL
MOTOR



Capacity	Dust: 7.5L
Continuous Use	w/BL1850B (High): 30 w/BL1850B (Normal): 60
Max Air Flow	High/Normal: 1.6/1.3m ³ /min
Max Sealed Suction	High/Normal: 6.7/4.2kPa
Dimensions	418x251x278 mm
Net weight	4.6 kg



DVC350
Cordless Dust Extractor / Blower

Z



Max. air flow	1.4m ³ / min
Max. sealed suction	6.0kpa (612mmH ₂ O) (water column)
Recoverable capacity	Dust: 3.0L
Dimensions (LxWxH)	273 x 195 x 226mm
Net weight	2.4kg



DCL501
Cordless Cyclone Cleaner

Z



Capacity	250 mL
Continuous Use (min.)	High: 35, Low: 77 with BL1860B
Max Air Flow	1.2 m ³ /min
Max Sealed Suction	10 kPa (water column)
Dimensions (LxWxH)	(660 mmH ₂ O) 352x189x252mm
Net weight	3.1kg



DCL281F
Cordless Stick Cleaner

Z

NEW



BL
MOTOR

Capacity	750 mL
Continuous Use (min.)	Max: 30; High: 40; (with BL1860B) Normal: 100
Max Air Flow	1.5 m ³ /min
Max Sealed Suction	8.2 kPa
Suction Power	(820 mmH ₂ O)
Dimensions (LxWxH)	1,016x113x154mm
Net weight	1.6kg



DCL180
Cordless Stick Cleaner

3.0Ah, Z



Capacity	650 mL
Continuous Use (min.)	20 with BL1830B
Max Air Flow	1.4 m ³ /min
Max Sealed Suction	4.2 kPa (water column)
Dimensions (LxWxH)	999x114x152mm
Net weight	1.2kg

CYCLONE
ATTACHMENT

PART NO. 191D71-3 (with lock)
AND 199491-1 (without lock)

CAPTURES UP TO
90% OF FINE
DUST PARTICLES



DLX2248PT1
CORDLESS 18V & 18+18V LI-ION CLEANER COMBO KIT (LXT)



DUC254**Cordless Chain Saw****Z**

Guide Bar Length	250mm (10")
Chain Pitch/	3/8"/1.1mm (0.043")
Chain Gauge	3/8"/1.3mm (0.050")
Chain Speed	0-24m/s (0-1,440m/min)
Chain Oil Tank Volume	140 mL
Dimensions (LxWxH)	w/o Guide Bar:
	258x184x191 mm
	w/25cm 90PX
	Sprocket Nose Bar:
	482x184x191mm
Net weight	3.2kg

**DUH754S****Cordless Hedge Trimmer****Z****NEW**

Blade Length	750 mm
Strokes Per Minute (SPM)	High: 0 - 4,400
	Med: 0 - 3,600
	Low: 0 - 2,000
Dimensions (L x W x H)	1,198x280x147mm
Net weight	4.1 kg

**DUH751****Cordless Hedge Trimmer****5.0Ah, Z**

Blade Length	750 mm
Strokes Per Minute (SPM)	High: 0 - 4,400
	Med: 0 - 3,600
	Low: 0 - 2,000
Dimensions (L x W x H)	1,261x225x192mm
Net weight	4.5 kg

**DUN500W****Cordless Pole Hedge Trimmer****6.0Ah, Z****NEW**

Blade Length	500 mm
Max. Cutting Capacity	23.5 mm
Strokes per minute (spm)	High: 4,400
	Med: 3,600
	Low: 2,000
Overall length	2.115m
Net weight	4.5 kg

**DUM604****Cordless Grass Shear****5.0Ah, Z****Hedge trimmer blade**

Part No. 198409-9

**Grass shear blade**

Part No. 195176-7



Cutting width	160mm (6-5/16")
Depth adjustment	15, 20, 25 mm
	(9/16", 13/16", 1")
Strokes per minute (spm)	2,500
Dimensions (LxWxH)	337x177x131mm
Net weight	1.8kg

**DVF104****Cordless Garden Sprayer****Z**

Max. pressure	0.3Mpa
Chemical liquid tank	10L
Dimensions (L x W x H)	315 x 225 x 415mm
Net weight	4.1kg

**DUR190U****Cordless Grass Trimmer****5.0Ah, Z****NEW**

No Load Speed (RPM)	3,500 - 6,000
Cutting Width	Trimmer Head: 300mm
	Metal Blade: 230mm
	Plastic Blade: 230mm
Spindle Size	M8 x 1.25 LH
Dimensions (LxWxH)	1,834 x 610 x 473mm
Net weight	3.4 kg

**DUR189****Cordless Grass Trimmer****3.0Ah, Z**

No Load Speed (RPM)	High/Medium/Low
	ADT Mode: 6,000/ 5,000/
	4,000/ 4,000 - 6,000
Cutting Width	Trimmer Head: 300mm,
	Plastic Blade: 255mm
Spindle Size	M8 x 1.25 RH
Dimensions (LxWxH)	1,518-1,618x258x396mm
Net weight	3.3 kg

**DUB184****Cordless Blower****5.0Ah, Z****NEW**

Max. Air volume	13.0m ³ /min
Max. Air velocity	52.1m/s
No load speed (rpm)	0 - 18,000
Blowing force	10.9 N
Dimensions (LxWxH)	825 x 160 x 285mm
Net weight	3.0kg



DUB182 Cordless Blower

Z



Air volume	2.6m ³ /min
Air speed	80m/s
Air pressure	5.4kPa (550mm H ₂ O)
No load speed (rpm)	0 - 18,000
Dimensions (LxWxH)	525 x 155 x 212mm
Net weight	1.7kg



DCU180 Cordless Wheel Barrow

Z

Optional trays


Bucket tray
Part No. 199008-0



Flat bed tray
Part No. 199009-0



Max Load Capacity	130 kg
Traveling Speed	Forward, High/Low: 0 - 3.5/0 - 1.5 km/h
	Reverse: 0 - 1 km/h
Max Climbing Capacity	12°
Dimensions (LxWxH) when carrier is installed	1,229-1,433x267x186
Net weight	44.8 kg



Cordless Lithium-ion 14.4V

DDF446 Cordless Driver Drill

3.0Ah



Capacity	Steel: 13mm/Wood: 38mm
No load speed	Lo: 0-400rpm High: 0 - 1,500rpm
Max. fastening torque	Hard/Soft: 44/30N.m
Net weight	1.7kg



DHP446 Cordless Percussion Driver Drill

3.0Ah



Capacity	Steel: 13mm/Wood: 38mm
No load speed	Lo: 0-400rpm High: 0-1,500rpm
Max. fastening torque	Hard/Soft: 44/30N.m
Net weight	1.7kg



DTD134 Cordless Impact Driver

3.0Ah



Capacity	Machine screw: M4-M8 Standard bolt: M5-M14 High strength bolt: M5-M12 Coarse thread: 22-125mm
Impacts per minute	0-3,200ipm
No load speed	0-2,400rpm
Max fastening torque	155Nm
Net weight	1.2kg



Cordless Lithium-ion 12V MAX CXT

HR166D Cordless Rotary Hammer

2.0Ah, Z



Capacity	Concrete/Steel/Wood: 16mm/10mm/13mm
No load speed (rpm)	0-680
Blows per minute	0-4,800
Dimensions (LxWxH)	250x74x187mm
Net weight	2.4kg



DF332D Cordless Driver Drill

2.0Ah, Z



Capacity	Steel: 10mm Wood: 28mm
No load speed (rpm)	Hi: 0-1,500; Lo: 0-450
Max tightening torque	Hard / Soft: 35 / 21Nm
Max lock torque	32Nm (280in.lbs)
Dimensions (LxWxH)	154x66x217mm
Net weight	1.2kg



DF333D**2.0Ah, Z****Cordless Driver Drill**

Capacity	Steel: 10mm
	Wood: 21mm
No load speed (rpm)	Hi: 0-1,700; Lo: 0-450
Max tightening torque	Hard / Soft: 30 / 14Nm
Max lock torque	28N.m (250in.lbs)
Dimensions (LxWxH)	179x66x212mm
Net weight	1.2kg

**DF31D****Z****Cordless Driver Drill**

Capacity	Steel: 10mm
	Wood: 21mm
No load speed (rpm)	Hi: 0-1,700; Lo: 0-450
Max tightening torque	Hard / Soft : 30 / 14Nm
Max lock torque	28N.m (250in.lbs)
Dimensions (LxWxH)	189x66x209mm
Net weight	1.1kg

**HP332D****2.0Ah, Z****Cordless Percussion Driver Drill**

Capacity	Steel: 10mm	
	Wood: 28mm	
	Masonry: 8mm	
No load speed (rpm)	Hi: 0-1,500; Lo: 0-450	
Max tightening torque	Hard/Soft: 35/21Nm	
Max lock torque	32N.m (280in.lbs)	
Dimensions (LxWxH)	168x66x217mm	
Net weight	1.3kg	

**HP333D****2.0Ah, Z****Cordless Percussion Driver Drill**

HP333DWAX1
with 2pcs battery,
1 charger & 74pcs accessories set

Capacity	Steel: 10mm
	Wood: 21mm
	Masonry: 8mm
No load speed (rpm)	Hi: 0-1,700; Lo: 0-450
Max tightening torque	Hard/Soft: 30/14Nm
Max lock torque	28N.m (250in.lbs)
Dimensions (LxWxH)	193x66x212mm
Net weight	1.3kg

**HP331D****2.0Ah, Z****Cordless Percussion Driver Drill**

HP331DWAX1
with 2pcs battery,
1 charger & 74pcs accessories set

Capacity	Steel: 10mm
	Wood: 21mm
	Masonry: 8mm
No load speed (rpm)	Hi: 0-1,700; Lo: 0-450
Max tightening torque	Hard/Soft: 30/14Nm
Max lock torque	28N.m (250in.lbs)
Dimensions (LxWxH)	201x66x209mm
Net weight	1.1kg

**TD111D****2.0Ah, Z****Cordless Impact Driver**

Capacity	Machine screw: M4 - M8mm	
	Standard bolt: M5 - M14	
	High strength bolt: M5 - M12	
	Coarse thread (in length): 22 - 90mm	
No load speed (rpm)	Hi:0-3,000; Lo:0-1,300	
Max tightening torque	135N.m (1200in.lbs)	
Dimensions (LxWxH)	135x66x210mm	
Net weight	1.1kg	

**TD110D****2.0Ah, Z****Cordless Impact Driver**

Capacity	Machine screw: M4 - M8mm
	Standard bolt: M5 - M12
	High strength bolt: M5 - M10
	Coarse thread (in length): 22 - 90mm
No load speed (rpm)	0-2,600
Max tightening torque	110N.m
Dimensions (LxWxH)	153x66x204mm
Net weight	1.2kg

**DA332D****2.0Ah, Z****Cordless Angle Drill**

Capacity	Steel: 10mm
	Wood: 12mm
No load speed (rpm)	0-1,100
Head height	63mm
Center height	23.5mm
Dimensions (LxWxH)	313x68x86mm
Net weight	1.3kg


**TL064D****Z****Cordless Angle Impact Driver**

Capacity	Machine screw: M4 - M8	
	Standard bolt: M4 - M12	
	High strength bolt: M4 - M8	
	Coarse thread (in length): 22 - 75mm	
No load speed (rpm)	0 - 2,000	
Dimensions (LxWxH)	361x66x86mm	
Net weight	1.6kg	



TL065D
Cordless Angle Impact Wrench


2



CXT Straight Head Ratchet Head
Part No. 192440-7 Part No. 192439-2

12V max LITHIUM-ION


Capacity	Standard bolt:	M4 - M12
	High tensile bolt:	M4 - M8
Square drive		9.5mm (3/8")
Max. fastening torque		60N.m (530 in.lbs)
No load speed (rpm)		0 - 2,000
Dimensions (LxWxH)		361x66x86mm
Net weight		1.6kg



WR100D
Cordless Ratchet Wrench

4.0Ah, 2

NEW



XPT
CXT


12V max LITHIUM-ION

Capacity	Standard bolt:	M5 - M12
	High tensile bolt:	M5 - M10
Square drive		9.5mm / 6.35mm
Max. fastening torque		47.5N.m (420 in.lbs)
No load speed (rpm)		0 - 800
Dimensions (LxWxH)		341x67x84mm
Net weight		1.2kg



TW161D
Cordless Impact Wrench


4.0Ah, 2



BL MOTOR
CXT

12V max LITHIUM-ION

Capacity	Standard bolt:	M8 - M16
	High tensile bolt:	M6 - M12
Square drive		12.7mm (1/2")
Max. fastening torque		165N.m (530 in.lbs)
No load speed (Hi/Low)		0-2,400/0-1,300rpm
Dimensions (LxWxH)		150x66x213mm
Net weight		1.2kg



TM30D
Cordless Multi Tool

2.0Ah, 2



12V max LITHIUM-ION

CXT

Oscillations per min. (opm)		6,000 - 20,000
Dimensions (L x W x H)		277x65x98mm
Max. output		170W
Net weight		1.3 kg



CC301D
Cordless Cutter

2.0Ah



12V max LITHIUM-ION

CXT

Max cutting capacity	at 90°:25.5mm
	at 45°:16.5mm
Blade diameter	85mm
No load speed (rpm)	1,600
Dimensions (LxWxH)	313x170x125mm
Net Weight	1.9kg



SC103D
Cordless Threaded Rod Cutter

2

NEW



12V max LITHIUM-ION

BL MOTOR
CXT


Max cutting capacity	Mild steel:M10
	Stainless Steel:W3/8
Min. cutting length	20mm
Work amount (pcs)	W3/8 (mild steel): 700
	W3/8 (stainless): 550
	M10 (mild steel) 550
Dimensions (LxWxH)	180x107x289mm
Net Weight	2.8kg





CP100D
Cordless Multi Cutter

2.0Ah, 2

Accessory Multi Cutter
Blade set
Part No. 198603-3




with Lock pin



12V max LITHIUM-ION

CXT

Max cutting capacity	6mm
No load speed (rpm)	300
Dimensions (L x W x H)	291x66x121mm
	(with BL1041B)
Net weight	0.88kg



SD100D
Cordless Drywall Cutter

2

Accessory - Blades
Part No. B-49703



Part No. B-49719

12V max LITHIUM-ION

CXT

Capacity	Drywall: 30mm
	Wood: 15mm
Length of Stroke	6mm
Strokes Per Minute (spm)	0-6,000
Dimensions (L x W x H)	239x79x266mm
Net weight	1.6kg



HS301D **2.0Ah, Z**
Cordless Circular Saw



Max cutting capacity	at 90°: 25,5mm at 45°: 16,5mm
Blade diameter	85mm
No load speed (rpm)	1,500
Dimensions (L x W x H)	313x170x155mm
Net weight	1.7kg



JV103D **2.0Ah, Z**
Cordless Jig Saw (Top handle)



Max. cutting capacity at 90°	Wood / Aluminium / Mild Steel: 90 / 20 / 10mm
Length of Stroke	23mm
Strokes Per min.	800 - 3,000spm
Dimensions (L x W x H)	237x76x206mm
Net weight	2.0kg



JV102D **2.0Ah, Z**
Cordless Jig Saw (Barrel handle)



Max. cutting capacity at 90°	Wood / Aluminium / Mild Steel: 90 / 20 / 10mm
Length of Stroke	23mm
Strokes Per min.	800 - 3,000spm
Dimensions (L x W x H)	237x76x186mm
Net weight	1.9kg



JV101D **Z**
Cordless Jig Saw



Capacity	Wood: 65mm, Steel: 2mm Aluminum: 4mm
Length of Stroke	18mm
Strokes Per Minute	0-2,900spm
Dimensions (L x W x H)	232x76x196mm
Net weight	1.9kg



JR105D **2.0Ah, Z**
Cordless Recipro Saw



Capacity	Pipe: 50mm Wood: 50mm
Length of Stroke	13mm
Strokes Per Minute (spm)	0-3,300
Dimensions (L x W x H)	376x66x186mm
Net weight	1.5kg



CG100D **Z**
Cordless Caulking Gun

Standard accessory

Holder A set
Part No. 196351-8



Optional accessory

Holder B set
Part No. 196352-6



Max Dispensing Force	5,000 N
No load speed	0 - 28 mm/sec. (0 - 66 in/min.)
Holder Size	300, 600, 800 mL
Dimensions (L x W x H)	404x108x259 mm
Net weight	2.6kg



PT354D **Z**
Cordless Pin Nailer



Capacity	Length	15, 18, 25, 30, 35mm
	Diameter	0.6mm (1/32")
	Gauge	23Ga
Magazine Capacity		120pcs
Sound Pressure Level		76 dB(A)
Dimensions (L x W x H)		231x66x226mm
Net weight		2.0kg



ST113D **Z**
Cordless Stapler



Capacity	Width: 10mm Length : 7 - 10mm Gauge: 0.5x0.7mm
Magazine capacity	150pcs (max 160)
Dimensions (L x W x H)	211 x 81 x 159 mm
Net weight	1.3kg



SK312GD **Z**
Rechargeable Green Multi Line Laser



Laser colour	Green
Self-levelling range	±2°
Laser fan angle	Horizontal: 110° Vertical: 130°
No. of laser lines	3
Operating time (hrs)	10 - 28 (approx.)
Dimensions	122x130x225mm
Net weight	1.6kg

SK106GD **Z**
Rechargeable Crossline + 4 Point Laser

Green Laser



Laser	4 point - Cross line
Working range	Up to:35m
Working range w/detector	Up to:80m
Levelling accuracy	±3 mm / 10 m
Self-levelling range	±4°
No. of laser lines/points	2lines, 4points
Dimensions (L x W x H)	157x64x102mm
Net weight	0.85kg

SK106D **Z**
Rechargeable Crossline + 4 Point Laser

Red Laser



Laser	4 point - Cross line
Working range	Up to:25m
Working range w/detector	Up to:80m
Levelling accuracy	±3 mm / 10 m
Self-levelling range	±4°
No. of laser lines/points	2lines, 4points
Dimensions (L x W x H)	157x64x102mm
Net weight	0.85kg

SK105GD **Z**
Rechargeable Crossline Laser

Green Laser



Laser	Cross line laser
Working range	Up to:35m
Working range w/detector	Up to:80m
Levelling accuracy	±3 mm / 10 m
Self-levelling range	±4°
No. of laser lines/points	2lines
Dimensions (L x W x H)	157x64x102mm
Net weight	0.84kg

SK105D **Z**
Rechargeable Crossline Laser

Red Laser



Laser	Cross line laser
Working range	Up to:25m
Working range w/detector	Up to:80m
Levelling accuracy	±3 mm / 10 m
Self-levelling range	±4°
No. of laser lines/points	2lines
Dimensions (L x W x H)	157x64x102mm
Net weight	0.84kg

UR100D **4.0Ah, Z**
Cordless String Trimmer



Cutting width	Nylon cutting head: 260mm Plastic blade: 230mm
No load speed	10,000 rpm
Spindle size	M8 x 1.25RH
Dimensions (LxWxH)	Nylon cutting head: 845-1,185x267x210-315mm Plastic blade: 852-1,202x267x210-315mm
Net Weight	2.1kg



UM600D **4.0Ah, Z**
Cordless Grass Shear



Cutting width	160 mm
Strokes per minute (SPM)	2,500
Cutting height adjustment	15, 20, 25mm
Dimensions (L x W x H)	329x177x131mm
Net weight	1.5kg (with battery)

CL106FD **4.0Ah, Z**
Cordless Cleaner



Capacity	600mL
Max air flow	1.3m³ / min
Max sealed suction	3.1kPa
Dimensions	958x100x150mm
Weight	1.1kg



CL108FD **4.0Ah, Z**
Cordless Cleaner

NEW



Capacity	600 mL
Max Air Flow	1.2 m³/min
Max Sealed Suction (water column)	4.4 kPa (445 mmH2O)
Suction Power	Max/High/Normal: 30/20/5 W
Dimensions (LxWxH)	956x110x150 mm
Net weight	1.2 kg



CL121D **4.0Ah, Z**
Cordless Cleaner / Blower





Capacity	Dust Bag: 500 mL Paper Pack: 330 mL
Max Air Flow	1.3 m³/min
Max Sealed Suction (water column)	4.6 kPa (470 mmH ₂ O)
Dimensions (LxWxH)	345x138x202mm (w/ BL1021B)
Net weight	1.8kg



CLX203AX4
CORDLESS 12VMAX LI-ION PERCUSSION DRIVER DRILL + MULTI TOOL COMBO KIT (CXT)



CLX214SAX1
CORDLESS 12VMAX LI-ION PERCUSSION DRIVER DRILL + CLEANER COMBO KIT (CXT)



Other batteries
7.2V, 3.6V & 10.8V

DF012DSJ **1.5Ah**
In-Line Cordless Driver Drill

7.2V/1.5Ah stick type
 Li-ion battery



Capacity	Steel: 5mm, Wood: 6mm
No load speed (rpm)	High: 650, Low: 200
Max. fastening torque	Hard/Soft: 5.6/3.6Nm
Net weight	0.53kg



TD022DSJ **1.5Ah**
In-Line Cordless Impact Driver

7.2V/1.5Ah stick type
 Li-ion battery



Hex shank	6.35mm
No load speed	0-2,450rpm
Dimensions (LxWxH)	Straight type: 282x42x52mm
	Pistol type: 227x42x142mm
Net weight	0.56kg



DF001DW **1.5Ah**
Cordless Screwdriver

3.6V/1.5Ah lithium-ion
 internal battery pack



Includes 81pcs
 bit set

No Load Speed	220 rpm
Max Fastening	4.0 / 3.0 Nm
Torque	
Dimensions (LxWxH)	Straight type: 287x47x51mm
	Pistol type: 205x47x51mm
Net weight	0.36 kg





Cordless Lithium-ion G-Series

DF457D (18V Li-Ion G-Series) **1.5Ah** Cordless Driver Drill



Li-ion
G-SERIES 18V

Capacity	Steel:13mm Wood:36mm
No load speed (rpm)	Hi:0-1,400/Lo:0-400
Max. fastening torque	Hard/Soft: 42/24N.m
Dimensions (LxWxH)	221x83x240mm
Net weight	1.7kg



HP457D (18V Li-Ion G-Series) **1.5Ah, Z** Cordless Percussion Driver Drill



Li-ion
G-SERIES 18V

Capacity	Steel/Wood/Masonry: 13mm/36mm/13mm
No load speed (rpm)	Hi: 0-1,400/Lo: 0-400
Max. fastening torque	Hard/Soft: 42/24N.m
Net weight	1.7kg



JV183D **Z** Cordless Jig Saw



Li-ion
G-SERIES 18V

Capacity	Steel: 6mm Wood: 65mm
Length of stroke	18mm
Strokes per minute	0 - 2,900spm
Dimensions (LxWxH)	248x76x196mm
Net weight	2.0kg



CL183D (18V Li-Ion G-Series) **1.5Ah, Z** Cordless Cleaner



Li-ion
G-SERIES 18V

Capacity	600mL
Max. air flow	1.3m ³ / min
Continuous use	30mins
Dimensions	966 x 102 x 148mm
Net weight	1.2kg

DF347D (14.4V Li-Ion G-Series) **1.5Ah** Cordless Driver Drill



Li-ion
G-SERIES 14.4V

Capacity	Steel: 10mm, Wood: 25mm
No load speed (rpm)	Hi: 0-1,400/Lo: 0-400
Max. fastening torque	Hard/Soft: 30/15Nm
Net weight	1.4kg



DF347DWEK1 (14.4V Li-Ion G-Series) **1.5Ah** Cordless Driver Drill

Comes with 67pcs accessories, 2pcs of 14.4v/1.3Ah G series Li-Ion batteries, 1pc G series Charger, strong aluminum carrying case



Li-ion
G-SERIES 14.4V

Capacity	Steel: 10mm, Wood: 25mm
No load speed (rpm)	Hi: 0-1,400/Lo: 0-400
Max. fastening torque	Hard/Soft: 30/15Nm
Net weight	1.4kg



HP347D (14.4V Li-Ion G-Series) **1.5Ah** Cordless Percussion Driver Drill



Li-ion
G-SERIES 14.4V

Capacity	Steel:10mm,Wood:25mm Masonry:10mm
No load speed (rpm)	Hi: 0-1,400/Lo: 0-400
Max. fastening torque	Hard/Soft: 30/15Nm
Net weight	1.4kg



DK18113X1
CORDLESS 18V G-SERIES PERCUSSION DRIVER DRILL + JIG SAW COMBO KIT



HP457DZ
 18V G-Series
 Percussion Driver Drill



JV183DZ
 18V G-Series Jig Saw



DC18WC
 14.4V - 18V G-Series Charger



BL1815B
 2pcs x 18V, 1.5Ah G-Series batteries



DFJ206
Cordless Cooling Fan Jacket



18V LITHIUM-ION	14.4V LITHIUM-ION	12V max LITHIUM-ION
Air flow settings Turbo/High/Medium/Low		
Air flow Turbo/High/Medium/Low: 2.1/1.9/1.5/1.3m ³ /min		
Available size M/L/XL		
Pockets 5		
Net weight 360g		
This jacket can be used only with battery holders		
LXT Part no. 198632-6, CXT Part No. 198637-6		

Battery holders does not come along with the jackets

DFJ207
Cordless Cooling Fan Jacket



18V LITHIUM-ION	14.4V LITHIUM-ION	12V max LITHIUM-ION
Air flow settings Turbo/High/Medium/Low		
Air flow Turbo/High/Medium/Low: 2.1/1.9/1.5/1.3m ³ /min		
Available size M/L/XL		
Pockets 5		
Net weight 380g		
This jacket can be used only with battery holders		
LXT Part no. 198632-6, CXT Part No. 198637-6		

Battery holders does not come along with the jackets

DFJ304
Cordless Cooling Fan Jacket



18V LITHIUM-ION	14.4V LITHIUM-ION	12V max LITHIUM-ION
Air flow settings Turbo/High/Medium/Low		
Air flow Turbo/High/Medium/Low: 2.1/1.9/1.5/1.3m ³ /min		
Available size M/L/XL		
Pockets 5		
Net weight 460g		
This jacket can be used only with battery holders		
LXT Part no. 198632-6, CXT Part No. 198637-6		

Battery holders does not come along with the jackets

DFJ405
Cordless Cooling Fan Jacket



18V LITHIUM-ION	14.4V LITHIUM-ION	12V max LITHIUM-ION
Air flow settings Turbo/High/Medium/Low		
Air flow Turbo/High/Medium/Low: 2.1/1.9/1.5/1.3m ³ /min		
Available size M/L/XL		
Pockets 5		
Net weight 440g		
This jacket can be used only with battery holders		
LXT Part no. 198632-6, CXT Part No. 198637-6		

Battery holders does not come along with the jackets

DFJ407
Cordless Cooling Fan Jacket



18V LITHIUM-ION	14.4V LITHIUM-ION	12V max LITHIUM-ION
Air flow settings Turbo/High/Medium/Low		
Air flow Turbo/High/Medium/Low: 2.1/1.9/1.5/1.3m ³ /min		
Available size M/L/XL		
Pockets 5		
Net weight 460g		
This jacket can be used only with battery holders		
LXT Part no. 198632-6, CXT Part No. 198637-6		

Battery holders does not come along with the jackets

DFJ212 Cordless Fan Jacket

Z

LXT
CXT



BL
MOTOR

18V
LITHIUM-ION

12V max
LITHIUM-ION

Run Time (hrs) 33/24.5/13.5hrs (w/ BL1860B)
13 / 9 / 5hrs (with BL1041B)

Size M / L / XL / 2XL

Pockets 4

Net weight 0.43kg

Available sizes M, L, XL, 2XL

This jacket can be used only with battery holders

LXT Part no, 198632-6, CXT Part No, 198637-6

Battery holders does not come along with the jackets

DFJ213 Cordless Fan Jacket

Z

LXT
CXT



BL
MOTOR

18V
LITHIUM-ION

12V max
LITHIUM-ION

Run Time (hrs) 33/24.5/13.5hrs (w/ BL1860B)
13 / 9 / 5hrs (with BL1041B)

Size M / L / XL / 2XL

Pockets 5

Net weight 0.54kg

Available sizes M, L, XL, 2XL

This jacket can be used only with battery holders

LXT Part no, 198632-6, CXT Part No, 198637-6

Battery holders does not come along with the jackets

DFJ214 Cordless Fan Jacket

Z

LXT
CXT



BL
MOTOR

18V
LITHIUM-ION

12V max
LITHIUM-ION

Run Time (hrs) 33/24.5/13.5hrs (w/ BL1860B)
13 / 9 / 5hrs (with BL1041B)

Size M / L / XL / 2XL

Pockets 5

Net weight 0.54kg

Available sizes M, L, XL, 2XL

This jacket can be used only with battery holders

LXT Part no, 198632-6, CXT Part No, 198637-6

Battery holders does not come along with the jackets

DFV210 Cordless Fan Vest

Z

LXT
CXT



BL
MOTOR

18V
LITHIUM-ION

12V max
LITHIUM-ION

Run Time (hrs) 33/24.5/13.5hrs (w/ BL1860B)
13 / 9 / 5hrs (with BL1041B)

Size M / L / XL / 2XL

Pockets 3

Net weight 0.38kg

Available sizes M, L, XL, 2XL

This jacket can be used only with battery holders

LXT Part no, 198632-6, CXT Part No, 198637-6

Battery holders does not come along with the jackets

DCV200 Cordless Heated Vest

Z

LXT



14.4V
LITHIUM-ION

18V
LITHIUM-ION

Continuous use(hrs) Hi:12, Mid:21, Lo:29 w/18V
Hi:8, Mid:15, Lo:20 w/14.4V

Size S, M, L, XL

Net weight 0.88kg (BL1815N)

1.1kg (BL1850B)

DCB200 Cordless Heated Blanket

Z

NEW



18V
LITHIUM-ION

LXT

Material Outer: 100% Polyester
Batting: 100% Polyester

Liner: 100% Polyester

Run Time (BL1860B) Low/Med/High: 35/20/10 hrs

Heat Zone Upper Center: 1

Heat Value High/Med/Low: 9.5/4.5/2.3W

Dimensions (LxW) 700x1,400 mm

Net weight* 0.58 kg

CB100D Cordless Heated Blanket

Z

NEW



12V max
LITHIUM-ION

CXT

Material Outer: 100% Polyester
Batting: 100% Polyester
Liner: 100% Polyester

Run Time (BL1041B) Low/Med/High: 14/7.5/4 hrs

Heat Zone Upper Center: 1

Heat Value High/Med/Low: 9.5/4.5/2.3W

Dimensions (LxW) 700x1,400 mm

Net weight* 0.58 kg

DCF102 Cordless Fan

Z

LXT



18V
LITHIUM-ION

Continuous Use (min.) L/M/H: 1,270/705/575
(with BL1860B)

Dimensions (L x W x H) 185x272x284 mm

Net weight 2.0 kg



CF101D Cordless Fan

Z

12V max
LITHIUM-ION

CXT



Continuous Use (min.) L/M/H: 630/380/275
(with BL1041B)

Dimensions (L x W x H) 185x260x284 mm

Net weight 1.7 kg



CF100D Cordless Fan

Z



Continuous Use (min.)	L/M/H: 630/380/275 (with BL1041B)
Dimensions (L x W x H)	168x260x252 mm (with BL1041B)
Net weight	1.4 kg



DMP180 Cordless Inflator

Z

NEW



Max Air Pressure	830 kPa (121 PSI)
Air Discharge Amount	200 kPa: 10 L/min
Work amount	10pcs (16" tyres w/ BL1850B)
Hose Length	65 cm
Dimensions (LxWxH)	270x76x175 mm
Net weight	1.8 kg



MP100D Cordless Inflator

Z



Max. air pressure	830kPa (121PSI)
Air discharge amount	200kPa: 10 L/min
Work amount	5.2pcs (16" tyres w/ BL1850B)
Hose Length	65 cm
Dimensions (LxWxH)	255x74x173mm
Net weight	1.3kg



DML805 Corded/Cordless LED Worklight

Z



Run Time (hrs)	High / Low: 8.5 / 17 (w/ BL1850B)
Luminous flux	High/Low: 750lm/450lm
Dimensions (LxWxH)	214x261x328mm
Net weight	2.7kg



DML808 Cordless LED Flash Light

Z



Run Time (hrs)	Up to: 26 (w/ BL1850B)
Luminous flux	190 lm
Dimensions (LxWxH)	297x79x119 mm
Net weight	1.09 kg

DML809 Cordless 96 LED Work Light

Z




Run Time (hrs)	Up to: 26 (w/ BL1850B)
Luminous flux	190 lm
Dimensions (LxWxH)	297x79x119 mm
Net weight	1.09 kg



DML811 Cordless 30 LED Work Light

Z



Run Time (hrs)	Up to: 26 (w/ BL1850B)
Luminous flux	190 lm
Dimensions (LxWxH)	297x79x119 mm
Net weight	1.09 kg



DML810 Cordless 202 LED Area Work Light

Z



Run Time (hrs)	Up to: 26 (w/ BL1850B)
Luminous flux	190 lm
Dimensions (LxWxH)	297x79x119 mm
Net weight	1.09 kg

DML815 Cordless LED Flash Light

Z



Run Time (hrs)	Up to: 26 (w/ BL1850B)
Luminous flux	190 lm
Dimensions (LxWxH)	297x79x119 mm
Net weight	1.09 kg



ML103
Cordless LED Flash Light

Z



CXT

12V^{max}
LITHIUM-ION

Run Time (hrs)	Up to: 28
Dimensions (LxWxH)	77x54x28mm (w/o battery)
Net weight	0.27kg (w/ BL1021B)
	0.43 kg (w/ BL1041B)

ML106
Cordless LED Flash Light

Z



CXT

12V^{max}
LITHIUM-ION

Run Time (hrs)	Up to: 12
Luminous flux	190 lm
Dimensions (LxWxH)	271x66x93 mm
Net weight	0.78 kg

DCM501
Cordless Coffee Maker

Z

CXT

12V^{max}
LITHIUM-ION

LXT

18V^{max}
LITHIUM-ION



Continuous rating	190W(18V);190W(12VMAX)
Tank capacity	240mL
Brewing capacity	260ml (w/ BL1041B)
on a single full	320mL (w/ BL1830B)
battery charge	640mL (w/ BL1860B)

DMR203
Cordless Bluetooth Jobsite Speaker

Z

NEW

14.4V
LITHIUM-ION

12V^{max}
LITHIUM-ION

18V^{max}
LITHIUM-ION



Bluetooth version	5.0
Bluetooth Max	10 m
Transmission Range	
Speaker size	Woofer: ø101.6mm
	Tweeter: ø36mm
Dimensions(LxWxH)	217x205x286mm
Net weight	3.4kg



DMR200
Cordless Bluetooth Jobsite Speaker

Z

14.4V
LITHIUM-ION

12V^{max}
LITHIUM-ION

18V^{max}
LITHIUM-ION



Bluetooth version	4.0
Max output	18V: 10W; 14.4V: 6W
	10.8V: 3.5W; AC: 4W
Speaker size	Woofer: ø101.6mm
	Tweeter: ø36mm
Dimensions(LxWxH)	211x203x286mm
Net weight	2.9kg

DMR110
Cordless Job Site Radio

Z

10.8V
LITHIUM-ION

14.4V
LITHIUM-ION

12V^{max}
LITHIUM-ION

18V^{max}
LITHIUM-ION

7.2V
LITHIUM-ION

LXT

CXT



Practical max output	18V:3.5Wx2, 10.8V: 1.2Wx2
Frequency band	FM:87.5-108MHz
	DAB/DAB+:174,928-239.200
Dimensions (LxWxH)	257x163x431mm
Net weight	4.1kg

MR052
Job Site Radio

Z

CXT

12V^{max}
LITHIUM-ION



Continuous use (hrs)	30 (with BL1041B)
	15 (with BL1021B)
Frequency band	FM:87.5-108MHz
	AM: 522-1,710kHz
Dimensions (LxWxH)	169x73x74mm
Net weight	0.72kg

PDC01 Portable Power Pack

NEW

PDC01 is a portable power pack powered by up to four 18V LXT batteries.

The main features and benefits are:

- Compatible with two LXT platforms; 18V LXT and 18Vx2 LXT
- Also can be used as a stationary power pack by detaching the backpack harness.
- Battery fuel gauge
- Main power switch with auto-off function
- Tool adapter with pivoting cord

Voltage	18V
Compatibility	For 18V LXT / 18V LXT x2 (36V) tools
Charge indicator	Yes (two green lamps for each battery)
Dimensions (LxWxH)	400x195x132mm
Net weight	Battery box (without battery): 2.8kh / Harness assembly: 1.6kg
Power supply cord	1.7m (Cable to tool)

Model	Part No.
PDC01	191A67-6
18V Cord	191A53-7
18Vx2 Cord	191A52-9



ADPO5 USB Charger

Z



Voltage	18V / 14.4V Li-ion (LXT)
USB port	Two
Dimensions	102x72x43mm
Max. output current	One port: 2.1A Two port: 4.2 A
Net weight	0.11Kg

ADPO6 USB Charger

Z



Voltage	12VMAX Li-ion (CXT)
USB port	One
Dimensions	80x53x38mm
Max. output current	2.1 A
Net weight	0.07Kg



Drilling / Fastening

6501 High Speed Drill

70 **MW**



230W	
Capacity	Steel: 6.5mm Wood: 9mm
No load speed	4,500rpm
Net weight	0.9kg



6010B / 6010BVR Drill

64 **MW**



305W	
Capacity	Steel: 10mm Wood: 15mm
No load speed	1,800rpm / 0-1800rpm
Net weight	1.5 kg



6010BVR 6010BVR

DF0300 Drill

NEW

411 



320W

Capacity	Steel: 10mm Wood: 28mm
No load speed	Hi: 0-1,500rpm Lo: 0-450rpm
Net weight	1.2kg



DP2010 High Speed Drill

NEW

419 



370W

Capacity	Steel: 6.5mm Wood: 15mm
No load speed	0-4,200rpm
Net weight	1.0kg



6408 Drill

419 



530W

Capacity	Steel: 10mm Wood: 25mm
No load speed	0-2,500rpm
Net weight	1.5kg



6413 Drill

64 



450W

Capacity	Steel: 10mm Wood: 25mm
No load speed	0-3,000rpm
Net weight	1.3kg



DP4700 Drill

64 



570W

Capacity	Steel: 13mm Wood: 36mm
No load speed	0-550rpm
Net weight	2.2kg



6301 Drill

106 



700W

Capacity	Steel: 13mm Wood: 30mm
No load speed	1,300rpm
Net weight	3.1kg



6305 Drill

NEW

303 



850W

Capacity	Steel: 13mm Wood: 30mm
No load speed	1,300rpm
Net weight	2.6kg



DS4011 Drill

411 



750W

Capacity	Steel: 13mm Wood: 36mm
No load speed	600rpm
Net weight	2.8kg



DS5000 Drill



411

750W

Capacity	Steel: 16mm
	Wood: 36mm
No load speed	0 - 600rpm
Net weight	3.0kg



6016 Drill



51

480W

Capacity	Steel: 16mm
	Wood: 36mm
No load speed	700rpm
Net weight	4.1kg

DBM131 Diamond Core Drill (Wet & Dry)



STAND
P-40082
(Optional Accessory)

1700W

Capacity	Concrete block (with diamond core bit)
	Hi: 70mm Lo: 132mm
No load speed	Hi: 0-2,300rpm
	Lo: 0-1,100rpm
Net weight	6.1kg



DBM230 Diamond Core Drill



STAND
P-54190
(Optional Accessory)

2500W

Capacity	60mm - 230mm
No load speed	Lo: 390rpm Med: 1,040rpm
	Hi: 1,700rpm
Weight	11.2kg



DA3010 Angle Drill



419

450W

Capacity	Steel: 10mm
	Wood: 25mm
No load speed	0 - 2,400rpm
Net weight	1.6kg



DA4000LR Angle Drill



710W

Capacity	Steel: 13mm
No load speed	Hi: 0-900rpm
	Lo: 0-400rpm
Net weight	4kg



UT1305 Power Mixer

NEW



303

850W

Mixing blade diameter	165mm
No load speed	1,300rpm
Overall length	942 x 87 x 152mm
Net weight	3.2kg



UT1400 Power Mixer



1300W

Max blade diameter	140mm
Shank size	M14
Capacity	50L
Dimensions	430x180x305mm
Net weight	5.2kg



UT2204
Power Mixer

303



850W

Mixing blade dia.	220mm
No load speed	550rpm
Dimensions	929 x 89 x 152mm
Net weight	3.4kg



TB131
Drill Press

51



250W 5 SPEED

Drilling Capacity	Steel: 13mm Wood: 24mm
No load speed	3,200rpm
Net weight	20kg

HB500
Magnetic Drill

1150W



Drilling Capacity	12 - 50mm
No load speed	350 / 650rpm
Net weight	17.9kg



6821
Drywall Screwdriver

419



570W

Capacity	Drywall screw: 5mm
	Self drilling screw: 6mm
No load speed	0-4,000rpm
Net weight	1.3kg



FS2300
Drywall Screwdriver

419



570W 25Nm Torque

Capacity	Drywall screw: 5mm
	Self drilling screw: 6mm
No load speed	0-2,500rpm
Net weight	1.6kg



FS4300
Drywall Screwdriver

419



570W 16Nm Torque

Capacity	Drywall screw: 5mm
	Self drilling screw: 6mm
No load speed	0-4,000rpm
Net weight	1.4kg



FS6300
Drywall Screwdriver

419



570W 11Nm Torque

Capacity	Drywall screw: 4mm
Driving shank (Hex):	6.35mm
No load speed	0 - 6,000rpm
Net weight	1.4kg



6827
Screwdriver (Torque control)

419



570W 1/4" HEX

Capacity	Hex Screw: 6mm
	Self drilling screw: 6mm
No load speed	0 - 2,500rpm
Net weight	1.8kg



FS2500
Screwdriver

419



570W 1/4" HEX 29Nm Torque

Capacity	Drywall Screw: 5mm
	Self drilling screw: 6mm
No load speed	0 - 2,500rpm
Net weight	1.5kg



FS2700 Screwdriver (Torque control)



419

570W 1/4" HEX 8-32Nm Torque

Capacity	Hex Screw: M8
	Self drilling screw: 6mm
No load speed	0 - 2,500rpm
Net weight	1.8kg



6801B Screwdriver



55

350W

Capacity	Steel / Aluminium: 6/8mm
No load speed	Forward: 380rpm
	Reverse: 750rpm
Net weight	2.0kg



6842 Auto Feed Screwdriver



411

470W

Capacity	Steel / Aluminium: 6/8mm
No load speed	Forward: 380rpm
	Reverse: 750rpm
Net weight	2.0kg



6806B Tapper



64

200W

Capacity	Steel / Aluminium: 6/8mm
No load speed	Forward: 380rpm
	Reverse: 750rpm
Net weight	2.0kg



TD0101 Impact Driver



230W 1/4" HEX

Max Fastening Torque	100N.m
Impacts per min	0- 3,200ipm
No load speed	0 - 3,600rpm
Net weight	0.99kg



6904VH Impact Wrench



415

360W

Capacity	Standard bolt: M10-M16
	High strength bolt: M10-M12
	Square drive: 12.7mm(1/2")

Impact per minute	Hi:0-3,000 Lo:0-2,500
Max fastening torque	Hi:196Nm Lo:147Nm
No load speed	Hi:0-2,400 Lo:0-2,100 rpm
Net weight	2.5kg



6953 Impact Wrench



411

280W

Capacity	Standard bolt: M10-M16
	High strength bolt: M8-M12
	Square drive: 1/2"

Impact per minute	3,000ipm
Max fastening torque	150N.m
No load speed	0 - 3,000rpm
Net weight	1.5kg



TW0350 Impact Wrench



411

400W

Capacity	Standard bolt: M12-M22
	High strength bolt: M12-M16
	Square drive: 1/2"

Impact per minute	2,000ipm
Max fastening torque	350N.m
No load speed	2,000rpm
Net weight	3.0kg



6906 Impact Wrench



100

850W

Capacity Standard bolt:M16-M22
High strength bolt:M16-M20
Square drive: 3/4"

Impact per minute 1,600ipm
Max fastening 588N.m
torque
No load speed 1,700rpm
Net weight 5.6kg



TW1000 Impact Wrench



153

1200W

Capacity Standard bolt:M24-M30
High strength bolt:M22-M24
Square drive: 1"

Max. fastening 1,000N.m
torque
No load speed 1,400rpm
Overall length 382mm
Net weight 8.6kg



Impact Drilling

HP0300 Impact Drill

NEW



411

320W

Capacity Concrete:8mm
Steel: 10mm, Wood: 28mm

Impacts per minute Hi: 0-22,500; Lo: 0-6,750
No load speed Hi: 0-1,500, Lo:0-450 rpm
Net weight 1.3kg



HP1230 Impact Drill



419

400W

Capacity Brick / Masonry:12mm
Steel: 10mm, Wood: 15mm

Impacts per minute 0-31,900ipm
No load speed 0-2,900rpm
Net weight 1.6kg



NHP1300S Impact Drill



415

430W

Capacity Brick / Masonry: 13mm
Steel: 13mm, Wood: 18mm

Blows per minute 0-29,700bpm
No load speed 0-2,700rpm
Net weight 1.7kg



NHP1320S Impact Drill



415

430W

Capacity Brick / Masonry: 13mm
Steel:13mm, Wood: 18mm

Blows per min 29,700bpm
No load speed 2,700rpm
Net weight 1.7kg



8416 Impact Drill



55

570W

Capacity Brick / Masonry:16mm
Steel:13mm

Blows per minute 21,000bpm
No load speed 1,400rpm
Net weight 2.7kg



HP1630K Impact Drill



85

710W

Capacity Brick / Masonry:16mm
Steel:13mm, Wood: 30mm

Impacts per minute 0-48,000ipm
No load speed 0-3,200rpm
Net weight 2.1kg



HP1631K Impact Drill

85 



710W

Capacity Brick / Masonry: 16mm
Steel: 13mm, Wood: 30mm

Impacts per minute 0-48,000ipm
No load speed 0-3,200rpm
Net weight 2.0kg



HP1640K Impact Drill

419 



680W 16mm

Capacity Brick/Masonry: 16mm
Steel: 13mm, Wood: 30mm

Impacts per minute 0-44,800ipm
No load speed 0-2,800rpm
Net weight 2.0kg



HP1640KK2 Impact Drill with 18pcs Drill set

419 



18pcs Drill Set

680W 16mm

Capacity Brick/Masonry: 16mm
Steel: 13mm, Wood: 30mm

Impact per minute 0-44,800ipm
No load speed 0-2,800rpm
Net weight 2.0kg



HP1640KK3 Impact Drill with 74pcs Drill set

419 



74pcs drive drill kit (accessories)

680W 16mm

Capacity Brick/Masonry: 16mm
Steel: 13mm, Wood: 30mm

Impact per minute 0-44,800ipm
No load speed 0-2,800rpm
Net weight 2.0kg



8419B 2-Speed Impact Drill

51 



650W 19mm

Capacity Brick / Masonry: 19mm
Steel: 13mm, Wood: 30mm

Blows per minute Hi/L0: 14,300 / 11,000bpm
No load speed Hi/L0: 1,300/1,000rpm
Net weight 3.0kg



8419B2 2-Speed Impact Drill

55 



600W 18mm

Capacity Brick / Masonry: 19mm
Steel: 13mm, Wood: 30mm

Blows per minute Hi/L0: 46,000 / 18,000bpm
No load speed Hi/L0: 2,300/900rpm
Net weight 3.0kg



8420V Impact Drill

106 



660W 20mm

Capacity Brick / Masonry: 20mm
Steel: 13mm, Wood: 30mm

Blows per minute 0 - 21,000bpm
No load speed 0 - 1,400rpm
Net weight 3.0kg



HP2000 2-Speed Impact Drill

106 



800W 20mm

Capacity Brick / Masonry: 20mm
Steel: 13mm, Wood: 40mm

Blows per minute Hi: 0-46000 Lo: 0-18000
No load speed Hi:0-2,300rpm Lo:0-900rpm
Net weight 3.0kg



HP2010N 2-Speed Impact Drill

106 



750W 20mm

Capacity Brick / Masonry: 20mm
Steel: 13mm, Wood: 40mm

Blows per minute Hi:0-46000 Lo:0-18000 bpm
No load speed Hi:0-2,300rpm Lo:0-900rpm
Net weight 2.9kg



HP2050 2-Speed Impact Drill

419 



720W 20mm

Capacity Concrete: 20mm, Steel: 13mm
Wood: 40mm

Blows per min Hi: 0-58,000 Lo: 0-24,000bpm

No load speed Hi: 0-2900rpm Lo: 0-1200rpm

Net weight 2.5kg



HP2070 2-Speed Impact Drill

419 



1010W 20mm

Capacity Concrete: 20mm

Steel: 16mm, Wood: 40mm

Impacts per min Hi: 0-58,000 Lo: 0-24,000

No load speed Hi: 0-2,900 Lo: 0-1,200rpm

Net weight 2.5kg



Rotary Hammers

HR1841F Rotary Hammer

459 



18mm

2Mode

470W

1.4J



Anti Vibration Technology

Adapted for SDS-PLUS bits

Capacity Concrete: 18mm Steel: 13mm
Wood: 24mm

No load speed 0-2,100rpm

Net weight 2.0-2.5kg



HR2010 Rotary Hammer

105 



1.7J

600W Single Mode 20mm

Adapted for SDS-PLUS bits

Capacity Concrete: 20mm Steel: 13mm
Wood: 24mm

No load speed 0-900rpm

Net weight 3.4kg



HR2020 Rotary Hammer

419 



2.2J

710W 2Mode 20mm

Adapted for SDS-PLUS bits

Capacity Concrete: 20mm Steel: 13mm
Wood: 32mm

No load speed 0 - 1,050rpm

Net weight 2.3kg



HR2432 Combination Hammer (with Dust Extraction)

419 



2.2J

780W 3Mode 24mm

Adapted for SDS-PLUS bits

Capacity Concrete: 24mm
Steel: 13mm, Wood: 32mm

Impacts per minute 0- 4,500ipm

No load speed 0-1,000rpm

Net weight 3.2kg



HR2475 Combination Hammer

419 



2.7J

780W 3Mode 24mm

Adapted for SDS-PLUS bits

Capacity Concrete: 24mm
Steel: 13mm, Wood: 32mm

Impacts per minute 0-4,500ipm

No load speed 0-1,100rpm

Net weight 3.0kg



HR2600 Rotary Hammer

325 



2.9J

800W 2Mode 26mm

Adapted for SDS-PLUS bits

Capacity Concrete: 26mm
Steel: 13mm, Wood: 32mm

Impacts per minute 0-4,600ipm

No load speed 0-1,200rpm

Net weight 2.8kg



HR2611F Combination Hammer

325 



AVT 11.5m/s²
Anti Vibration Technology

2.9J

800W 3Mode 26mm

Adapted for SDS-PLUS bits

Capacity Concrete: 26mm
Steel: 13mm, Wood: 32mm

Impacts per minute 0-4,600ipm

No load speed 0-1,200rpm

Net weight 2.8kg



HR2611FT Combination Hammer

325 



SOLD WITH



2.9J

800W 3Mode 26mm

Adapted for SDS-PLUS bits

Capacity Concrete: 26mm Steel: 13mm
Wood: 32mm

No load speed 0-1,200rpm

Net weight 2.8kg



HR2630 Combination Hammer

325 



2.9J

800W 3Mode 26mm

Adapted for SDS-PLUS bits

Capacity Concrete: 26mm Steel: 13mm
Wood: 32mm

No load speed 0-1,200rpm

Net weight 2.8kg



HR2630T Combination Hammer

325 



SOLD WITH



2.9J

800W 3Mode 26mm

Adapted for SDS-PLUS bits

Capacity Concrete: 26mm Steel: 13mm
Wood: 32mm

No load speed 0-1,200rpm

Net weight 2.9kg



HR2631F Combination Hammer

325 



AVT 2.9J
Anti Vibration Technology

800W 26mm

Adapted for SDS-PLUS bits

Capacity Concrete: 26mm Steel: 13mm
Wood: 32mm

No load speed 0-1,200rpm

Net weight 2.8kg



HR2631FT Combination Hammer

325 



AVT 2.9J
Anti Vibration Technology

800W 26mm

Adapted for SDS-PLUS bits

Capacity Concrete: 26mm Steel: 13mm
Wood: 32mm

No load speed 0-1,200rpm

Net weight 3.1kg



HR2661 Combination Hammer

**HEPA
Filter**

419 



AVT 2.9J
Anti Vibration Technology

800W 26mm

Adapted for SDS-PLUS bits

Capacity Concrete: 26mm Steel: 13mm
Wood: 32mm

No load speed 0-1,100rpm

Net weight 4.4kg



HR2800 Rotary Hammer

325 



2.9J

800W 2Mode 28mm

Adapted for SDS-PLUS bits

Capacity Concrete: 28mm Steel: 13mm
Wood: 32mm

No load speed 0-1,100rpm

Net weight 3.2kg



HR2810 Combination Hammer

325 



2.9J

800W 3Mode 28mm

Adapted for SDS-PLUS bits

Capacity Concrete (with diamond
core bit): 28mm
Steel: 13mm, Wood: 32mm

No load speed 0-1,100rpm

Net weight 3.4kg



HR3200C Combination Hammer

350 



5.5J

850W 3Mode 32mm

Adapted for SDS-PLUS bits

Capacity Concrete (with TCT bit):32mm
Steel:13mm, Wood:32mm

No load speed 315-630rpm

Net weight 4.8kg



HR3210C Combination Hammer

350 



AVT 10.0m/s²
Anti Vibration Technology

5.5J

850W 3Mode 32mm

Adapted for SDS-PLUS bits

Capacity Concrete:32mm Steel:13mm
Wood:32mm

No load speed 315 - 630rpm

Net weight 5.2kg



HR3530 Rotary Hammer

350 



6.2J

1050W Single Mode 35mm

Adapted for HEX SHANK

Capacity Concrete:35mm with I.C.T bit
Concrete:105 mm with Core bit

No load speed 760rpm

Net weight 5.3kg



HR3540C Combination Hammer

350 



6.3J

850W 3Mode 35mm

Adapted for SDS-MAX bits

Capacity Concrete: 35mm Steel: 13mm
Wood: 32mm

No load speed 315 - 630rpm

Net weight 5.2kg



HR3541FC Combination Hammer

350 



6.3J

850W 3Mode 35mm

Adapted for SDS-MAX bits

AVT RH:11.0m/s²
HO:9.0m/s²
Anti Vibration Technology

Capacity Concrete:35mm Steel:13mm
Wood:32mm

No load speed 315 - 630rpm

Net weight 5.6kg



HR4001C Rotary Hammer

350 



9.5J

1100W 2Mode 40mm

Adapted for SDS-MAX bits

Capacity Concrete (with TCT bit): 40mm
Concrete (with core bit): 105mm

No load speed 235 - 480rpm

Net weight 5.9kg



HR4002C Rotary Hammer

350 



6.2J

1050W 2Mode 40mm

Adapted for SDS-MAX bits

Capacity Concrete (with TCT bit): 40mm
Concrete (with core bit): 105mm

No load speed 680rpm

Net weight 6.6kg



HR4003C Rotary Hammer

350 



11.4J

1100W 2Mode 40mm

Adapted for SDS-MAX bits

Capacity Concrete (with TCT bit): 40mm
Concrete (with core bit): 105mm

No load speed 250-500rpm

Net weight 6.2kg



HR4011C Rotary Hammer

350 



9.5J

1100W 2Mode 40mm

Adapted for SDS-MAX bits

AVT
Anti Vibration Technology

Capacity Concrete (with TCT bit): 40mm
Concrete (with core bit): 105mm

No load speed 235 - 480rpm

Net weight 6.7kg



HR4013C Rotary Hammer



350 **MM**

11.4J

1100W

2Mode 40mm



RH:5.0m/s²
HD:4.5m/s²

Adapted for SDS-MAX bits

Anti Vibration Technology

Capacity	Concrete (with T.C.T bit): 40mm Concrete (with core bit): 105mm
No load speed	250-500rpm
Net weight	6.8kg



HR4030C Rotary Hammer



350 **MM**

9.2J

40mm

1100W Single Mode HEX SHANK

Capacity	Concrete: 40mm with T.C.T bit Concrete: 118mm with Core bit
No load speed	230 - 460rpm
Net weight	6.9kg



HR4501C Rotary Hammer



175 **MM**

12.5J

1350W

2Mode 45mm

Adapted for SDS-MAX bits

Capacity	Concrete: 45mm with T.C.T bit Concrete: 125mm with Core bit
No load speed	130 - 280rpm
Net weight	8.2kg



HR4511C Rotary Hammer



175 **MM**

12.5J

1350W

2Mode 45mm



RH:7.5m/s²
HD:7.0m/s²

Adapted for SDS-MAX bits

Anti Vibration Technology

Capacity	Concrete: 45mm with T.C.T bit Concrete: 125mm with Core bit
No load speed	130 - 280rpm
Net weight	8.5 kg



HR5211C Rotary Hammer



175 **MM**



Anti Vibration Technology

1500W

2Mode

19.7J

Adapted for SDS-MAX bits

Capacity	Concrete: 52mm with T.C.T bit Concrete: 160mm with Core bit
No load speed	130 - 260rpm
Net weight	HR5211C: 12.2kg



HR5202C / HR5212C Rotary Hammer



175 **MM**



Anti Vibration Technology

1510W

2J

2Mode

52mm

Adapted for SDS-MAX bits

Capacity	Concrete: 52mm with T.C.T bit Concrete: 160mm with Core bit
No load speed	150 - 310rpm
Net weight	HR5202C: 10.9kg HR5212C: 11.9kg



Demolition Hammers & Breakers

HM0810T Chipping Hammer



105 **MM**

900W 7.6J

17mm HEX SHANK

Impacts per minute	2,900ipm
Overall length	428mm
Net weight	6.0kg



HM0870C Chipping Hammer



350 **MM**

1100W 11.4J

Adapted for SDS-MAX bits

Impacts per minute	1,100 - 2,650ipm
Overall length	449mm
Net weight	5.1kg



HM0871C
Chipping Hammer

350 



8.4m/s2
AVT & **SOFT**
Anti Vibration Technology
NO LOAD

1100W | 11.6J

Adapted for SDS-MAX bits

Impacts per minute	1,100 - 2,650ipm
Overall length	466mm
Net weight	5.6kg



HM1101C
Demolition Hammer

175 



1300W | 17J

Adapted for SDS-MAX bits

Impacts per minute	1,100-2,650ipm
Overall length	528mm
Net weight	7.3kg



HM1111C
Demolition Hammer

175 



AVT
Anti Vibration Technology

& **SOFT**
NO LOAD

8.0m/s2

1300W | 17J

Adapted for SDS-MAX bits

Impacts per minute	1,100-2,650ipm
Overall length	528mm
Net weight	8kg



HM1201
Demolition Hammer

155 



1130W | 13J

21mm HEX SHANK

Impacts per minute	2,000ipm
Overall length	480mm
Net weight	9.1kg



HM1203C
Demolition Hammer

175 



1510W | 25.5J

Adapted for SDS-MAX bits

Impacts per minute	950 - 1,900ipm
Overall length	576mm
Net weight	9.7kg



HM1213C
Demolition Hammer

175 



7.0m/s2
AVT & **SOFT**
Anti Vibration Technology
NO LOAD

1510W | 25.5J

Adapted for SDS-MAX bits

Impacts per minute	950 - 1,900ipm
Overall length	576mm
Net weight	10.8kg



HM1214C
Demolition Hammer

175 



8.0m/s2
AVT & **SOFT**
Anti Vibration Technology
NO LOAD

1500W | 26J

Adapted for SDS-MAX bits

Impacts per minute	950 - 1,900ipm
Overall length	700mm
Net weight	12.3kg



HM1304
Demolition Hammer

204 



1500W | 25.7J

30mm HEX SHANK Grease Lubrication

Impacts per minute	1,450ipm
Overall length	674mm
Net weight	15.5kg



HM1306
Demolition Hammer

204 



1510W | 28.8J

30mm HEX SHANK Oil Lubrication

Impacts per minute	1,450ipm
Overall length	652mm
Net weight	15.1kg



HM1307C Demolition Hammer



175



1510W 33.8J

30mm HEX SHANK

Impacts per minute	730 - 1,450ipm
Overall length	715mm
Net weight	15.3kg



HM1317C Demolition Hammer



175



8.5m/s²

AVT & **SOFT NO LOAD**
Anti Vibration Technology

1510W 33.8J

30mm HEX SHANK

Impacts per minute	730 - 1,450ipm
Overall length	715mm
Net weight	17.0kg



HM1801 Electric Breaker

204



2000W 63J

28.6mm HEX SHANK

Impacts per minute	1,100ipm
Overall length	30kg



HM1802 Electric Breaker



2000W 71.4J

28.6mm HEX SHANK

Impacts per minute	870ipm
Overall length	843mm
Net weight	30.1kg



HM1812 Electric Breaker



AVT & **SOFT NO LOAD**
Anti Vibration Technology

2000W 72.8J

28.6mm HEX SHANK

Impacts per minute	870ipm
Overall length	843mm
Vibration level	6.5m/s ²
Net weight	32.2kg



HK0500 Power Scraper

106



550W 2.8J

Adapted for SDS-PLUS bits

Impacts per minute	2,000 - 3,500ipm
Overall length	468mm
Net weight	3.2kg



HK1810 Power Scraper

106



505W 2.8J

Impacts per minute	0 - 3,200ipm
Overall length	315mm
Net weight	3.2kg



HK1820 Power Scraper

350



550W 3.9J

Adapted for SDS-PLUS bits

Impacts per minute	0 - 3,200ipm
Overall length	351mm
Net weight	3.4kg



Cutting
(Concrete, Masonry, Tiles)

4100NH Cutter (Wet & Dry)

303 



1200W

Capacity	Max. cutting: 34mm
Blade diameter	110mm
No load speed	13,000rpm
Net weight	2.9kg



4107R Cutter (Wet & Dry)

153 



1400W

Capacity	Max cutting: 60mm
Blade diameter	180mm
No load speed	5,000rpm
Net weight	6.6kg



4112HS Angle Cutter (Dry)

204 



2400W



Capacity	Max cutting: 100mm
Blade diameter	305mm
No load speed	5,000rpm
Net weight	11.4kg



SG1251J Wall Chaser

318 



 MAKIPAC - Stackable & Interlocking Tool Case

1400W



Capacity	Depth : 0-30mm
	Width : 6-30mm
No load speed	10,000rpm
Net weight	4.5kg



SG150 Wall Chaser (Dry)

1800W



Capacity	Depth: 7 - 45mm
	Width: 7 - 35mm
No load speed	7,800rpm
Net weight	5.7kg



4131 Metal Cutter

303 



1100W

Capacity	Max cutting: 63mm
Blade diameter	185mm
No load speed	3500rpm
Net weight	5.1kg



LC1230 Metal Cutting Saw

203 



1750W

Capacity	at 0 degree: 75x150mm
	at 45 degree: 85x85mm
No load speed	1,300rpm
Net weight	19.3kg



2414 Portable Cut-off

153 



1450W

Wheel diameter	355mm
No load speed	3,800rpm
Hole diameter	25.4mm
Net weight	16.3kg

2414B Portable Cut-off



203

2000W

Wheel diameter	355mm
No load speed	3,800rpm
Hole diameter	25.4mm
Net weight	15.9kg



2416S Portable Cut-off



154

1430W

Wheel diameter	405mm
No load speed	2,300rpm
Hole diameter	25.4mm
Net weight	19.2kg

LW1400 Chop Saw



203

**Tool-less
replacement
of wheel**

2200W

Wheel diameter	355mm
No load speed	3,800rpm
Hole diameter	25.4mm
Net weight	17.0kg



LW1401 Chop Saw



203

2200W

Wheel diameter	355mm
No load speed	3,800rpm
Hole diameter	25.4mm
Net weight	17.0kg




CA5000XJ Aluminum Groove Cutter



303

1300W

Blade	Type: Cutter blade, Number of teeth: 6 Diameter: 118mm Hole diameter: 20mm Tip thickness: 14mm
No load speed (rpm)	2,600-6,400
Max cutting capacity	with Guide rail: 11mm
Net weight	5.1kg (11.3lbs)



Multi Tool

DTM51 Cordless Multi Tool

5.0 3.0 2



18V
LITHIUM-ION

Oscillations per minute	6,000-20,000opm
Dimensions	326x80x122mm
Net weight	2.0kg



TM30D Cordless Multi Tool

2.0Ah, 2



10.8V
LITHIUM-ION

12V^{max}
LITHIUM-ION
CXT

Oscillations per minute	6,000-20,000 opm
Oscillation angle	3.2°
Circumference of grip	168mm
Head height	88mm
Dimensions	277x65x98mm
Net weight	1.1kg (with battery)



TM3010CK Multi Tool

Multi works and high efficiency 459

- Wide selection of accessories available for various applications.
- Anti-restart function prevents accidental startup.



320W

Continuous rating input	320W
Strokes per min	6,000 - 20,000spm
Dimensions	283x68x87mm
Net weight	1.6kg





Grinding

N9500N Angle Grinder

411



570W 100mm

Wheel diameter	100mm (4")
No load speed (rpm)	12,000
Overall length	245mm
Net weight	1.8kg

9520B Angle Grinder

411



670W 100mm

No load speed	12,000rpm
Spindle thread	M10 x 1.5
Overall length	259mm
Net weight	1.3kg



9553HN Angle Grinder

325



710W 100mm

No load speed	11,000rpm
Spindle thread	M10 x 1.5
Overall length	258mm
Net weight	1.8kg



GA4030 Angle Grinder

459



720W 100mm

No load speed	11,000rpm
Spindle thread	M10 x 1.5
Overall length	266mm
Net weight	1.7kg



9556HN Angle Grinder

325



840W 100mm

No load speed	11,000rpm
Spindle thread	M10 x 1.5
Overall length	271mm
Net weight	1.9kg



9556HP Angle Grinder (Paddle switch)

Deadman Switch

325



840W 100mm

No load speed	11,000rpm
Spindle thread	DIN type
Overall length	273mm
Net weight	2.0kg



GA4040Z Angle Grinder

325



1100W 100mm

SJST
SUPER JOINT SYSTEM

Continuous rating input	1,100W
Wheel diameter	100mm (4")
No load speed (rpm)	11,000
Net weight	2.3kg



GA4040CZ Angle Grinder

318



1400W 100mm

SJST
SUPER JOINT SYSTEM

Continuous rating input	1,400W
Wheel diameter	100mm (4")
No load speed (rpm)	2,800 - 11,000
Net weight	2.3kg



9563H Angle Grinder

325 



1100W 100mm

No load speed	12,000rpm
Spindle thread	DIN type
Overall length	299mm
Net weight	2.1kg



9523NB Angle Grinder

abc 



540W 115mm

No load speed	11,000rpm
Spindle thread	DIN type
Overall length	256mm
Net weight	1.4kg



9521NB Angle Grinder

411 



670W 115mm

No load speed	12,000rpm
Spindle thread	DIN type
Overall length	262mm
Net weight	1.3kg



9554HN Angle Grinder

325 



710W 115mm

No load speed	10,000rpm
Spindle thread	DIN Type
Overall length	258mm
Net weight	1.8kg



GA4530 Angle Grinder

459 



720W 115mm

No load speed	11,000rpm
Spindle thread	DIN type
Overall length	266mm
Net weight	1.8kg



9557HN Angle Grinder

325 



840W 115mm

No load speed	11,000rpm
Spindle thread	DIN Type
Overall length	271mm
Net weight	2.0kg



9557HP Angle Grinder (Paddle switch)

Dead Man Switch

325 



840W 115mm

No load speed	11,000rpm
Spindle thread	DIN Type
Overall length	273mm
Net weight	2.1kg



9564PZ (Paddle switch) Angle Grinder (not supplied with wheel)

Dead Man Switch

325 



1100W 115mm

No load speed	12,000rpm
Overall length	307mm
Net weight	2.4kg



9564C (Slide switch) Angle Grinder (not supplied with wheel)

318 



1400W 115mm

No load speed	12,000rpm
Overall length	299mm
Net weight	2.4kg



GA4540Z Angle Grinder

325 



1100W 115mm



Continuous rating input	1,100W
Wheel diameter	115mm (4-1/2")
No load speed (rpm)	11,000
Net weight	2.4kg



9561CR Angle Grinder

Anti Restart

318 



1200W 115mm



No load speed	11,000rpm
Overall length	289mm
Net weight	2.2kg



GA4540CZ Angle Grinder

318 



1400W 115mm



Continuous rating input	1,400W
Wheel diameter	115mm (4-1/2")
No load speed (rpm)	2,800 - 11,000
Net weight	2.5kg



9564PC Angle Grinder (Paddle switch)

Dead Man Switch

318 



1400W 115mm



No load speed	12,000rpm
Overall length	307mm
Net weight	2.4kg



9522NB Angle Grinder

411 



670W 125mm

No load speed	9,500rpm
Spindle thread	DIN type
Overall length	262mm
Net weight	1.3kg



9555HN Angle Grinder

325 



710W 125mm

No load speed	11,000rpm
Spindle thread	DIN type
Overall length	258mm
Net weight	1.9kg



GA5030 Angle Grinder

459 



720W 125mm

No load speed	11,000rpm
Spindle thread	DIN type
Overall length	266mm
Net weight	1.9kg



GA5034 Angle Grinder (Paddle switch)

Dead Man Switch

459 



720W 125mm

No load speed	11,000rpm
Spindle thread	DIN type
Overall length	265mm
Net weight	1.9kg



9558HN Angle Grinder

325 



840W 125mm

No load speed	11,000rpm
Spindle thread	DIN type
Overall length	271mm
Net weight	2.1kg



9558HP Angle Grinder (Paddle switch)

Dead Man Switch

325 



840W 125mm

No load speed	11,000rpm
Spindle thread	DIN type
Overall length	273mm
Net weight	2.1kg



9015B Angle Grinder

303 



1050W 125mm

No load speed	10,000rpm
Spindle thread	DIN type, 5/8" - 11UNC
Overall length	381mm
Net weight	2.4kg



GA5010 Angle Grinder

303 



1050W 125mm

No load speed	11,000rpm
Overall length	356mm
Net weight	2.6kg



GA5011 Angle Grinder (Large Trigger)

303 



1050W 125mm

No load speed	11,000rpm
Overall length	384mm
Net weight	2.6kg



9562CR Angle Grinder

318 



1200W 125mm

No load speed	12,000rpm
Spindle thread	DIN type
Overall length	289mm
Net weight	2.2kg



9565HZ Angle Grinder (not supplied with wheel)

325 



1100W 125mm



No load speed	11,000rpm
Spindle thread	DIN type
Overall length	299mm
Net weight	2.3kg



GA5040Z Angle Grinder

325 



1100W 125mm



Continuous rating input	1,100W
Wheel diameter	125mm
No load speed	11,000rpm
Net weight	2.5kg



GA5040CZ Angle Grinder

318 



1400W 125mm



Continuous rating input	1,400W
Wheel diameter	125mm
No load speed	2,800 - 11,000rpm
Net weight	2.5kg



9565PZ (Paddle Switch)
Angle Grinder (not supplied with wheel)

Deadman Switch

325 



1100W 125mm



No load speed	12,000rpm
Overall length	307mm
Net weight	2.4kg



GA6010
Angle Grinder

303 



1050W 150mm

No load speed	10,000rpm
Spindle thread	DIN type
Overall length	356mm
Net weight	2.7kg



GA7001
Angle Grinder

153 



2000W 180mm

No load speed	8,000rpm
Spindle thread	DIN type
Overall length	411.5mm
Net weight	5.7kg



GA7020
Angle Grinder

204 



2200W 180mm

No load speed	8,500rpm
Spindle thread	DIN type
Overall length	473mm
Net weight	5.5kg



GA7030
Angle Grinder

204 



2400W 180mm

No load speed	8,500rpm
Spindle thread	DIN type
Overall length	511mm
Net weight	6.0kg



GA7040S
Angle Grinder

204 



2600W 180mm

No load speed	8,500rpm
Spindle thread	DIN type
Overall length	511mm
Net weight	6.4kg



GA7050R
Angle Grinder

Anti Restart

204 



2000W 180mm

No load speed	8,500rpm
Spindle thread	DIN type
Overall length	455mm
Net weight	5.18kg



GA7050
Angle Grinder

204 



2000W 180mm

No load speed	8,500rpm
Spindle thread	DIN type
Overall length	432mm
Net weight	3.98kg



GA7062
Angle Grinder (D handle)



2200W 180mm

No load speed	8,500rpm
Wheel diameter	180mm
Dimensions (LxWxH)	450x200x144mm
Net weight	5.4kg



GA7063
Angle Grinder (D handle)



2200W 180mm

No load speed	8,500rpm
Wheel diameter	180mm
Dimensions (LxWxH)	450x200x145mm
Net weight	5.5kg



GA9020
Angle Grinder



204

2200W 230mm

No load speed	6,600rpm
Spindle thread	DIN type
Overall length	473mm
Net weight	5.8kg



GA9030
Angle Grinder



204

2400W 230mm

No load speed	6,600rpm
Spindle thread	DIN Type
Overall length	503mm
Net weight	6.3kg



GA9040S
Angle Grinder



204

2600W 230mm

No load speed	6,600rpm
Spindle thread	DIN type
Overall length	503mm
Net weight	6.7kg



GA9050 / GA9050R
Angle Grinder

GA9050R - Anti Restart



204

2000W 230mm

No load speed	6,600rpm
Spindle thread	DIN type
Overall length	455mm (GA9050R) 432mm (GA9050)
Net weight	4.8kg



GA9062
Angle Grinder (D handle)



2200W 230mm

No load speed	6,600rpm
Wheel diameter	230mm
Dimensions (LxWxH)	450x250x144mm
Net weight	5.6kg



GA9063
Angle Grinder (D handle)



2200W 230mm

No load speed	6,600rpm
Wheel diameter	230mm
Dimensions (LxWxH)	450x250x145mm
Net weight	5.8kg



G00600
Die Grinder



325

400W 6mm

No load speed	25,000rpm
Max wheel point dia.	38mm
Overall length	358mm
Net weight	1.7kg



906
Die Grinder



64

240W 6mm

No load speed	25,000rpm
Overall length	283mm
Net weight	0.94kg



906H Die Grinder

65 



320W 6mm

No load speed	27,000rpm
Overall length	355mm
Net weight	1.9kg

GD0602 Die Grinder

325 



400W 6mm SHORT NOSE

No load speed	25,000rpm
Max wheel point dia.	38mm
Overall length	264mm
Net weight	1.4kg



GD0800C Die Grinder (for use with mounted point)

318 



750W 8mm HIGH SPEED



No load speed	7,000 - 28,000rpm
Max wheel point dia.	25mm
Overall length	371mm
Net weight	1.7kg



GD0801C Die Grinder (for use with mounted point)

318 



750W 8mm HIGH SPEED



No load speed	7,000-29,000rpm
Max wheel point dia.	25mm
Overall length	390mm
Net weight	2.0kg



GD0810C Die Grinder (for use with flap wheels)

318 



750W 8mm LOW SPEED



No load speed	1,800-7,000rpm
Wheel Diameter	50mm
Overall length	371mm
Net weight	1.7kg



GD0811C Die Grinder (for use with flap wheels)

318 



750W 8mm LOW SPEED



No load speed	1,800-7,000rpm
Max wheel point dia.	50mm
Overall length	390mm
Net weight	2.0kg



9105 Straight Grinder

150 



750W 125mm

No load speed	4,800rpm
Max wheel size	125mm x 19mm
Overall length	550mm
Net weight	5.1kg

GS5000 Straight Grinder

204 



750W 125mm

No load speed (rpm)	5,600
Hole dia.	12.7,20mm
Overall length	590mm
Net weight	5.0kg



GS6000 Straight Grinder

204 



750W 150mm

No load speed (rpm)	5,600
Hole dia.	12.7,20mm
Overall length	590mm
Net weight	5.2kg



GB602 Bench Grinder



250W 150mm

H.P.	1/3
No load speed	2,850rpm(50Hz)/ 3,450rpm(60Hz)
Wheel size	150mm
Net weight	9.2kg

GB800 Bench Grinder



540W 205mm

H.P.	3/4
No load speed	2,850rpm
Wheel size	205x25mm
Net weight	18.5kg

GB801 Bench Grinder



550W 205mm

H.P.	3/4
No load speed	2,850rpm (50Hz)/ 3,450rpm (60Hz)
Wheel size	205mm
Net weight	19.8kg



Concrete Planer/ Stone Polisher

PC1100 Concrete Planer



100 W

1020W 110mm

Hole dia.	15mm
No load speed	10,000rpm
Overall length	418mm
Net weight	4.3kg



PC5000C Concrete Planer (Anti-Restart)



253 W

1400W 125mm

Hole dia.	22.23mm
No load speed	10,000rpm
Overall length	437mm
Net weight	4.0kg



PC5001C Concrete Planer (Anti-Restart)

WITH FRONT ROLLER
AND AUXILLIARY BASE

253 W



1400W 125mm

Hole dia.	22.23mm
No load speed	10,000rpm
Overall length	479mm
Net weight	5.1kg



Sanding/Polishing

GV6010 Disc Sander



64 W

440W 150mm

No load speed	4,500rpm
Capacity	Abrasive disc: 150mm Pad 120mm
Net weight	1.2kg



9218SB
Disc Sander



100

570W **180mm**

No load speed	4,500rpm
Capacity	Abrasive disc: 180mm Wire cup brush: 110mm
Net weight	2.9kg



GV7000C
Disc Sander



303

900W **180mm**

No load speed	2,500 - 4,700rpm
Capacity	Abrasive disc: 180mm Pad: 180mm
Net weight	2.1kg



9218PB
Polisher



100

570W **180mm**

No load speed	2,000rpm
Capacity	Wool Bonnet: 180mm
Overall length	235mm
Net weight	2.7kg



PV7000C
Polisher



303

900W **180mm**

No load speed	600 - 2,000rpm
Capacity	Abrasive disc/Pad: 180mm
Overall length	210mm
Net weight	2.1kg



9207SPB
Sander-Polisher



100

700W **180mm**

No load speed	2,000 / 3,800rpm
Overall length	455mm
Net weight	3.4kg



9237C
Polisher



1200W **180mm**

No load speed	0 - 3,200rpm
Overall length	431mm
Net weight	3.4kg



PO6000C
Random Orbit Polisher



318

900W

Pad size	150mm
Orbit diameter	5.5mm
No load speed	0 - 780rpm
Dimensions (LxWxH)	451x148x126mm
Net weight	2.8kg



PW5001C
Stone Polisher

MARBLE / GRANITE



318

900W

Capacity	Pad : 100mm-125mm
No load speed	2,000-4,000 rpm
Overall length	359mm
Net weight	2.2kg



SA7000C
Angle Sander



204

1600W **180mm**

No load speed	0 - 4,000rpm
Overall length	453mm
Net weight	3.4kg



SA7021 Angle Sander




204

2200W 180mm

No load speed	6,600rpm
Overall length	473mm
Net weight	5.0kg



9032 Belt Sander



411

500W 9mm x 533mm (optional - 6, 13mm)

Belt size	9mm x 533mm
Belt speed	300 - 1,700m/min.
Max. sanding depth	110mm
Net weight	1.6kg



9031 Belt Sander



411

550W 30mm x 533mm

Belt size	30mm x 533mm
Belt speed	200 - 1,000m/min
Overall length	380mm
Net weight	2.1kg



9910 Belt Sander



411

650W 76mm x 457mm

Belt size	76mm x 457mm
Belt speed	270m/min.
Overall length	262mm
Net weight	2.7kg



9924DB Belt Sander



100

850W 76mm x 610mm

Belt size	76mm x 610mm
Belt speed	400m/min.
Overall length	355mm
Net weight	4.8kg



9920 Belt Sander



303

1010W 76mm x 610mm

Belt size	76mm x 610mm
Belt speed	210 - 440m/min
Overall length	334mm
Net weight	4.5kg



9401 Belt Sander



153

940W 100mm x 610mm

Belt size	100mm x 610mm
Belt speed	350m/min
Overall length	374mm
Net weight	7.4kg



9403 Belt Sander



303

1200W 100mm x 610mm

Belt size	100mm x 610mm
Belt speed	500m/min
Overall length	353mm
Net weight	5.7kg



9404 Belt Sander



303

1010W 100mm x 610mm

Belt size	100mm x 610mm
Belt speed	210 - 440m/min
Overall length	334mm
Net weight	4.7kg



9741 Wheel Sander



100

860W

Wheel size	100mm x 120mm
No load speed	3,500rpm
Overall length	310mm
Net weight	4.2kg



B03700 Finishing Sander



64

180W

Abrasive paper size	93mm x 228mm
Orbits per min.	10,000opm
Overall length	254mm
Net weight	1.4kg



B03710 Finishing Sander



64

190W

Abrasive paper size	92mm x 228mm
Orbits per min.	11,000opm
Overall length	253mm
Net weight	1.6kg



B04900 / B04901 Finishing Sander



419

330W

Abrasive paper size	B04900: 115mm x 232mm B04901: 115mm x 280mm
Orbits per min.	10,000opm
Overall length	289mm
Net weight	2.7kg



9045B Finishing Sander



100

520W

Abrasive paper size	114mm x 280mm
Orbit per minute	10,000opm
Overall length	240mm
Net weight	2.6kg



9046 Orbital Sander



419

600W 115 x 280mm

Abrasive paper size	115mm x 280mm
Orbit per minute	6,000opm
Overall length	283mm
Net weight	3.1kg



B04510 Finishing Sander



64

180W 114 x 140mm

Abrasive Paper size	114mm x 140mm
Orbits per min.	140mm
Overall length	12,000opm
Net weight	115mm



B04556 Finishing Sander



419

200W 114 x 140mm

Abrasive Paper size	114mm x 140mm
Orbits per min.	140mm
Overall length	14,000opm
Net weight	131mm



B04566 Finishing Sander



419

200W 102 x 166mm

Abrasive Paper size	102mm x 166mm
Orbits per min.	14,000opm
Overall length	197mm
Net weight	1.2kg



B05030 Random Orbit Sander



419

300W 125mm

Abrasive disc dia	125mm
Orbits per min.	12,000opm
Overall length	153mm
Net weight	1.3kg



B05041 Random Orbit Sander



64

300W 125mm

Abrasive disc dia	125mm
Orbits per min.	4000 - 12,000opm
Overall length	218mm
Net weight	1.4kg



B06030 Random Orbit Sander



419

370W 150mm

Abrasive disc dia	150mm
Orbits per min.	4,000 - 10,000opm
Overall length	309mm
Net weight	2.4kg



B06050J Random Orbit Sander (2modes)



326

750W 150mm

Abrasive disc dia	150mm
Orbits per min.	1,600-6,800opm
Overall length	330mm
Net weight	2.6kg



Sawing

LS0815FL Slide Compound Miter Saw



1400W 216mm

Max. cutting capacity	90°Miter: 65x305mm
Blade diameter	45°Miter,LR: 65x215mm
No load speed	5,000rpm
Net weight	14.1kg



LS1019L Slide Compound Miter Saw



DXT
Deep and Exact Cut Technology

1570W 260mm

Max. cutting capacity	90°/90°: 68x310mm
Blade diameter	90°/45°LR: 68x218mm
No load speed	3,200rpm
Net weight	26.3kg



LS1219L Slide Compound Miter Saw



153

1650W 305mm

Max. cutting capacity	90°/90°: 92x382mm
Blade diameter	90°/45°LR: 92x268mm
No load speed	3,200rpm
Net weight	29.5kg



LS0714 Slide Compound Saw



153

1070W 190mm

Capacity (at 90°)	52mm x 300mm
Blade diameter	190mm
No load speed	6,000rpm
Net weight	13.1kg



LS1018L Slide Compound Saw



JM23000183

1430W 255-260mm

Capacity (at 0°)	91mm x 305mm
Blade diameter	255 - 260mm
No load speed	4,300rpm
Net weight	19.9kg



LS1040 Compound Miter Saw




153

1650W 255-260mm

Capacity (at 90°)	90,5mm x 95mm
Blade diameter	255-260mm
No load speed	4,600rpm
Net weight	12,4kg



MLS100 / MLS100N Miter Saw



1500W 255mm

Max. cutting capacity	(at 0°) 75x90mm
	(at 45°) 48x90mm
No load speed	4,200rpm
Net weight	14,7kg



LS1440 Miter Saw



154

1380W 355mm

Capacity (at 90°)	122mm x 152mm
Blade diameter	355mm
No load speed	3,200rpm
Net weight	34,2kg



LH201FL Table Top Miter Saw



1650W 305mm

Capacity (at 0°)	95mm x 155mm
(at 45°)	64mm x 155mm
Blade Diameter	305mm
No load speed	3,800rpm
Net weight	20,7kg



LH1040 Table Top Miter Saw



153

1650W 260mm

Capacity (at 90°)	93mm x 95mm
Blade diameter	260mm
No load speed	4,800rpm
Net weight	14,3kg



LF1000 Flip Over Saw



153

Flipper
Table
saw mode

1650W 260mm

Capacity (at 90°)	20mm x 210mm
Blade diameter	260mm
No load speed	2,700rpm
Net weight	36kg



2703 Table Saw




153

1650W 255mm

Capacity (at 90°)	91mm
(at 45°)	63mm
No load speed	4,600rpm
Net weight	18,9kg



2704 / 2704N Table Saw



153

1650W

Capacity (at 90°)	2704 91mm	2704N 93mm
(at 45°)	63mm	64mm
No load speed	4,800rpm	5,200rpm
Net weight	34,9kg	35,2kg



2712 (Induction Motor) Table Saw



2000W 315mm

Capacity (at 0°)	85mm
(at 45°)	58mm
No load speed	50Hz: 2,950rpm
	60Hz: 3,400rpm
Net weight	52.9kg



MLT100 Table Saw



JM230001

1500W 255mm

Capacity (at 90°)	91mm
(at 45°)	63mm
No load speed	4,300rpm
Net weight	34.1kg



MLT100N Table Saw



JM230001

1500W 260mm

Capacity (at 90°)	93mm
(at 45°)	64mm
No load speed	4,300rpm
Net weight	35.1kg



5007N Circular Saw



154

1800W 185mm

Capacity (at 90°)	63.5mm
(at 45°)	45mm
No load speed	5,800rpm
Net Weight	5.2kg



5800NB Circular Saw



100

900W 180mm

Capacity (at 90°)	64mm
(at 45°)	43mm
No load speed	4,500rpm
Net weight	3.5kg



N5900B Circular Saw



153

2000W 235mm

Capacity (at 90°)	85mm
(at 45°)	60mm
No load speed	4,100rpm
Net weight	7.2kg



5201N Circular Saw



153

1750W 260mm

Capacity (at 90°)	97mm
(at 45°)	64mm
No load speed	3,700rpm
Net weight	8.0kg

HS0600 Circular Saw



2000W 260mm

Capacity (at 90°)	97mm
(at 45°)	69mm
No load speed	4,100rpm
Net weight	7.3kg

HS7010 Circular Saw



1600W 185mm

Capacity (at 0°)	65mm
(at 45°)	44mm
No load speed	5,500rpm
Net weight	4.0kg

5103N Circular Saw



153

1750W 335mm

Capacity (at 90°)	128mm
(at 45°)	91mm
No load speed	2,900rpm
Net weight	10.6kg

5143R Circular Saw



203

2200W 355mm

Capacity (at 90°)	130mm
(at 45°)	90mm
No load speed	2,700rpm
Net weight	12.5kg

5402 Circular Saw



153

1750W 415mm

Capacity (at 90°)	157mm
(at 45°)	106mm
No load speed	2,200rpm
Net weight	13.6kg

SP6000 Plunge Cut Circular Saw

Sold with 1.4m rail



303

1300W 165mm

Capacity (at 90°)	56mm
(at 45°)	40mm
No load speed	2,000 - 5,200rpm
Net weight	4.4kg



4300BA / 4300BV Jig Saw (Fit with Makita Shank Jig Saw Blade)



51

390W

Capacity (at 90°)	55mm (in wood)
	6mm (in steel)
Length of stroke	26mm
Strokes per min.	3,100[4300BA]/
	0-3,100[4300BV]
Net weight	2.5kg



4326 / 4327 / 4329 Jig Saw (Fit with Bayonet Shank Jig Saw Blade)


4329 comes with Pendulum action



64

450W

Capacity (at 90°)	65mm (in wood)
	6mm (in steel)
Length of stroke	18mm
Strokes per min.	3,100[4326] /
	500-3,100[4327/4329]
Net weight	1.8kg[4326/4327]
	1.9kg [4329]



4351FCT Jig Saw (Fit with Bayonet Shank Jig Saw Blade)



419

450W

Capacity	135mm (in wood)
	10mm (in steel)
Length of stroke	26mm
Strokes per min.	800 - 2,800spm
Net weight	2.5kg



4350FCT / 4350CT Jig Saw (Fit with Bayonet Shank Jig Saw Blade)



419

720W

Capacity (at 90°)	135mm (in wood)
	10mm (in steel)
Length of stroke	26mm
Strokes per min.	800 - 2,800spm
Net weight	2.6kg



S1401 Scroll Saw



50W

Capacity	Throat : 406mm
	Thick: 50mm
Length of stroke	18mm
Strokes per min.	400-1,600spm
Net weight	14.1kg



JR1000FT Recipro Saw / Inline Jig Saw

419



340W

Capacity	In pipe: 25.4mm In wood: 55mm
Strokes per minute	0 - 4,800spm
Net weight	1.6kg



JR3051T Recipro Saw

NEW

303



1200W

Capacity	In pipe: 130mm In wood: 255mm
Strokes per minute	0 - 3,000spm
Net weight	3.3kg



JR3060T Recipro Saw, Orbital

303



1250W

Capacity	In pipe: 130mm In wood: 255mm
Strokes per minute	0 - 2,800spm
Net weight	4.4kg



JR3070CT Recipro Saw, Orbital

303



AVT
Anti Vibration Technology

1510W

Capacity	In pipe: 130mm In wood: 255mm
Strokes per minute	0 - 2,800spm
Net weight	4.6kg



2107FK Portable Band Saw

303



710W

Cutting Capacity	Round bar:120mm
Blade speed	60m - 105m/min
Net weight	6.0kg



LB1200F Band Saw

419



900W 305mm

Continuous rating input	900W
Capacity(Thick of cut)	165mm
Throat	305mm
Net weight	81.2kg



Planers & Routers

1100 Power Planer (Extra long base)

100



750W

Planing width	82mm
Planing depth	3mm
No load speed	16,000rpm
Net weight	5.1kg



1902 Power Planer

51



580W

Planing width	82mm
Planing depth	1mm
No load speed	16,000rpm
Net weight	2.5kg



N1900BK Power Planer



51

580W

Planing width	82mm
Planing depth	1mm
No load speed	16,000rpm
Net weight	2.8kg



N1923BK Power Planer



51

600W

Planing width	82mm
Planing depth	1mm
No load speed	16,000rpm
Net weight	3.1kg



KP0800XK Power Planer



411

620W

Planing width	82mm
Planing depth	2.5mm
No load speed	17,000rpm
Net weight	2.6kg



KP0810K Power Planer



132

850W

Planing width	82mm
Planing depth	4mm
No load speed	16,000rpm
Net weight	3.3kg



1911B Power Planer



106

840W

Planing width	110mm
Planing depth	2mm
No load speed	16,000rpm
Net weight	4.3kg



1805N Power Planer



153

1140W

Planing width	155mm
Planing depth	2mm
No load speed	15,000rpm
Net weight	8.2kg



2012NB Planer / Thicknesser



153

1650W

Feed rate/min.	8.5m/min.
Table size (W x L)	304mm x 771mm
No load speed	8,500rpm
Net weight	28.1kg



3901 Plate Joiner / Biscuit Joiner



411

590W

Max. cutting depth	20mm
Blade diameter	100mm
No load speed	11,000rpm
Net weight	3.0kg



PJ7000 Plate Joiner



459

701W

Continuous rating input	701W
Blade diameter	100 mm
No load speed	11,000rpm
Net weight	2.5kg



RT0700C Trimmer



411

710W

Dimensions	89mm x 89mm x 200mm
No load speed	10,000-30,000 rpm
Overall height	200mm
Net weight	1.8kg



3700B Trimmer



51

440W

Base	82mm x 90mm
No load speed	28,000rpm
Overall height	195mm
Net weight	1.6kg



3709 Trimmer



411

530W Normal Base

Dimensions	82 x 90 x 199mm
No load speed	30,000rpm
Net weight	1.5kg



RP0900 Router (Plunge Type)



106

900W

Plunge capacity	0 - 35mm
No load speed	27,000rpm
Overall height	256mm
Net weight	2.7kg



3601B Router



153

930W

Capacity	Collet: 12mm
No load speed	23,000rpm
Overall height	190mm
Net weight	3.6kg



3612BR Router (Plunge Type)



153

1600W

Plunge capacity	0 - 65mm
No load speed	23,000rpm
Overall height	287mm
Net weight	5.5kg



RP1800 Router (Plunge Type)



203

1850W

Plunge capacity	0 - 70mm
Base diameter	170mm
No load speed	22,000rpm
Net weight	6.0kg



RP2300FC Electronic Router (Plunge Type)



203

2300W

Plunge capacity	0 - 70mm
Base diameter	170mm x 155mm
No load speed	9000 - 22,000rpm
Net weight	6.1kg



3706 Cut-out Tool



64

550W

Capacity	Collet: 3.18 or 6.35mm
No load speed	32,000rpm
Overall height	250mm
Net weight	1.1kg



4403
Sash Router



411

530W

Base transv. travel	113mm
Base longit. travel	73mm
No load speed	30,000rpm
Net weight	16.0kg



Shear & Nibbler

JS1601
Straight Shear



459

380W

Capacity	Mild steel: 1.6mm
Min. cutting radius	250mm
Strokes per min.	4,500spm
Net weight	1.4kg



JS1602
Metal Shear



459

380W

Capacity	Mild steel: 1.6mm
Min. cutting radius	30mm
Strokes per min.	4,000spm
Net weight	1.6kg



JS3201
Metal Shear



303

710W



MAK-PAC - Stackable & Interlocking Tool Case

Capacity	Mild steel: 3.2mm
Min. cutting radius	50mm
Strokes per min.	1,600spm
Net weight	3.4kg



JN1601
Nibbler



411

550W

Capacity	Mild steel: 1.6mm
Min. cutting radius	Outside edge: 50mm
Strokes per min.	2,200spm
Net weight	1.6kg



JN3201
Nibbler



303

710W



MAK-PAC - Stackable & Interlocking Tool Case

Capacity	Mild steel: 3.2mm
Min. cutting radius	Outside: 128mm
Strokes per min.	1,300spm
Net weight	3.4kg



Pneumatic

AT1025B
Pneumatic Stapler



Staple size	Crown: 11.2mm
	Width: 1.16mm
	Length: 10mm - 25mm
Guage	20
Net weight	1.3kg



AT1225BZ
Pneumatic Stapler



Staple size	Crown: 12.95mm Width: 0.95mm Length: 10mm - 25mm
Gauge	21
Net weight	1.3kg

AT425B
Pneumatic Stapler



Staple size	Crown: 5.1mm Width: 1.14mm Length: 10mm - 25mm
Gauge	20
Net weight	1.3kg



AF301
Pneumatic Brad Nailer



Nail size	Width: 1.25mm Length: 10mm - 30mm
Gauge	18
Net weight	1.3kg



AF505N
Pneumatic Brad Nailer



Capacity	Length: 15-50mm Gauge: 18Ga
Magazine Capacity	100
Net weight	1.4kg



AF506
Pneumatic Brad Nailer

NEW



Capacity	Length: 15-50mm Gauge: 18Ga
Magazine Capacity	100
Net weight	1.3kg



AF201Z
Pneumatic Micro Pinner



Pin length	12 mm - 25 mm
Pin size	Gauge: 23
Net weight	0.9 kg



Cleaning

VC3210LX1
Vacuum Cleaner (Wet & Dry)

173 W

Tools can be connected directly to vacuum power socket



1050W

Tank capacity	Dust: 32L Water: 27L
Max. sealed suction	22.0kpa
Net weight	14.5kg



VC3211HX1
Vacuum Cleaner (Wet & Dry)

173 W

Tools can be connected directly to vacuum power socket



Automatic Self Cleaning Filtration System achieved by two filter units

1050W

Tank capacity	Dust: 32L Water: 27L
Max. sealed suction	22.0kpa
Net weight	16.9kg



VC2000L Vacuum Cleaner (Dry)

NEW

**Push & Clean
Semi-Automatic
Filter Cleaning System**



1000W

Tank capacity	Dust: 20L
Max. sealed suction	21.0kPa
Dimensions (LxWxH)	390 x 385 x 505 mm
Net weight	7.5kg



DVC665 Cordless Backpack Dust Extractor

NEW



Bluetooth

36V LITHIUM-ION MOTOR **BL AWS HEPA Filter**

Capacity	Paper dust bag: 6.0 L Cloth dust bag: 5.5 L
Max Air Flow	1.8 m ³ /min (28mm-1.5m Hose)
Max Sealed Suction	11 kPa
Max Suction Power	High/Normal: 85/45 W (28mm-1.5m Hose)
Dimensions (LxWxH)	297x174x523 mm



DVC660 Cordless Backpack Vacuum Cleaner

NEW



36V LITHIUM-ION MOTOR

BL HEPA Filter

Capacity	Paper dust bag: 6.0 L Cloth dust bag: 5.5 L
Max Air Flow	2.2 m ³ /min (32mm-1m Hose)
Max Sealed Suction	11 kPa
Max Suction Power	Max/High/Normal: 95/50/25 W (32mm-1m Hose)
Dimensions (LxWxH)	297x174x523 mm



DVC265 Cordless Backpack Dust Extractor



36V LITHIUM-ION MOTOR **BL AWS HEPA Filter**

Capacity	Paper dust bag: 2.0L Cloth dust bag: 1.5L
Continuous use (min.)	High/Low: 40/75 (with BL1860B)
Max. Sealed suction	11kPa
Dimensions (LxWxH)	230x152x373mm
Net weight	4.5kg



DVC261 Cordless Backpack Vacuum Cleaner



36V LITHIUM-ION MOTOR **BL HEPA Filter**

Capacity	Paper dust bag: 2.0L Cloth dust bag: 1.5L
Continuous use (min.)	Max/High/Normal: 40/75/140 (BL1860B)
Max. Sealed suction	11kPa
Dimensions (LxWxH)	297x174x523mm
Net weight	4.5kg



DVC154L Cordless Dust Extractor

NEW

DRY



Bluetooth

36V LITHIUM-ION MOTOR **BL AWS XPT HEPA Filter**

Capacity	Dust : 1.5 L w/ 2xBL1850B: 40-100 w/ 2 x BL1860B: 48-115
Continuous Use (min.)	2.1 m ³ /min
Max Air Flow	9.8 kPa
Max Sealed Suction	90W
Max Suction Power	366x334x421 mm
Dimensions (LxWxH)	



DVC864L Cordless Dust Extractor with AWS

DRY ONLY



36V LITHIUM-ION MOTOR **BL AWS XPT HEPA Filter**

Capacity	Dust: 8L
Continuous use (min.)	40 (with BL1850Bx2)
Max. Air Flow	2.1m ³ /min
Max. sealed suction	9.8kPa
Suction Power	High: 90W
Dimensions (LxWxH)	366x334x368mm
Net weight	8.4kg



DVC150L Corded + Cordless Vacuum Cleaner

NEW
WET & DRY
HYBRID



36V LITHIUM-ION MOTOR

Capacity	Dust/Water: 15/12 L
Continuous use (min.)	w/ BL1850Bx2: 30-65
Max Air Flow	AC/DC: 3.6/2.1 m ³ /min
Max Sealed Suction	AC/DC: 24/9 kPa
Max Suction Power	AC/DC: 320/70 W
Dimensions (LxWxH)	366x334x421 mm
Net weight	9.6 kg



DVC860L Corded + Cordless Vacuum Cleaner

HYBRID

WET & DRY



36V LITHIUM-ION MOTOR

Capacity	Dust: 8L Water: 6L
Continuous use (min.)	65 (with BL1850Bx2)
Max. Air Flow	AC/DC: 3.6/2.1m ³ /min
Suction power	AC/DC: 320W/25-70W
Dimensions (LxWxH)	366 x 334 x 368mm
Net weight	8.6kg



DRC200 Cordless Robotic Cleaner

Z



RoboPRO



Continuous use (mins)	120 - 200 (with BL1850B x 2)
Max cleaning area	with BL1850Bx2: 500m ² with BL1830Bx2: 300m ²
Max running speed	0.3 m/sec
Dust box capacity	2.5L
Dimensions (L x W x H)	460x460x180mm
Net weight	7.8 kg

BL MOTOR

DVC750L Cordless Vacuum Cleaner/ Dust Extractor / Blower

Z

DRY ONLY



HEPA filter

XPT

BL MOTOR



Capacity	Dust: 7.5L
Continuous Use	w/BL1850B (High): 30 w/BL1850B (Normal): 60
Max Air Flow	High/Normal: 1.6/1.3m ³ /min
Max Sealed Suction	High/Normal: 6.7/4.2kPa
Dimensions	418x251x278 mm
Net weight	4.6 kg



DVC350 Cordless Dust Extractor / Blower

Z



Max. air flow	1.4m ³ /min
Max. sealed suction (water column)	6.0kpa (612mmH ₂ O)
Recoverable capacity (water column)	Dust: 3.0L
Dimensions (LxWxH)	273 x 195 x 226mm
Net weight	2.4kg



DCL501 Cordless Cyclone Cleaner

Z



HEPA filter



Capacity	250 mL
Continuous Use (min.)	High: 35, Low: 77 (with BL1860B)
Max Air Flow	1.2 m ³ /min
Max Sealed Suction (water column)	10 kPa (660 mmH ₂ O)
Dimensions (LxWxH)	352x189x252mm
Net weight	3.1kg

BL MOTOR



DCL281F Cordless Stick Cleaner

Z

NEW



Capacity	750 mL
Continuous Use (min.)	Max: 30; High: 40; (with BL1860B) Normal: 100
Max Air Flow	1.5 m ³ /min
Max Sealed Suction	8.2 kPa
Suction Power (water column)	(820 mmH ₂ O)
Dimensions (LxWxH)	1,016x113x154mm
Net weight	1.6kg



BL MOTOR

DCL180 Cordless Stick Cleaner

3.0Ah, Z



Capacity	650 mL
Continuous Use (min.)	20 with BL1830B
Max Air Flow	1.4 m ³ /min
Max Sealed Suction (water column)	4.2 kPa (428 mmH ₂ O)
Dimensions (LxWxH)	999x114x152mm
Net weight	1.2kg

CL106FD Cordless Cleaner

4.0Ah, Z



Capacity	600mL
Max air flow	1.3m ³ / min
Max sealed suction	3.1kPa
Dimensions	958x100x150mm
Weight	1.1kg

CXT



CL108FD Cordless Cleaner

4.0Ah, Z

NEW



Capacity	600 mL
Max Air Flow	1.2 m ³ /min
Max Sealed Suction (water column)	4.4 kPa (445 mmH ₂ O)
Suction Power	Max/High/Normal: 30/20/5 W
Dimensions (LxWxH)	956x110x150 mm
Net weight	1.2 kg



CXT

CL121D Cordless Cleaner / Blower

4.0Ah, Z



Capacity	Dust Bag: 500 mL Paper Pack: 330 mL
Max Air Flow	1.3 m ³ /min
Max Sealed Suction (water column)	4.6 kPa (470 mmH ₂ O)
Dimensions (LxWxH)	345x138x202mm (w/ BL1021B)
Net weight	1.8kg



CL183D (18V Li-ion G-Series) 1.5Ah, 2
Cordless Cleaner



Li-ion
G-SERIES 18V

Capacity	600mL
Max. air flow	1.3m ³ / min
Continuous use	30mins
Dimensions	966 x 102 x 148mm
Net weight	1.2kg

HW131
High Pressure Cleaner (Professional)



Maximum pressure	Max 130Bar
Maximum flow	500L/hr
Induction motor	2.3kW 230V 50Hz
Net weight	33kg

HW132
High Pressure Cleaner (Professional)



Maximum pressure	Max 140Bar
Maximum flow	420L/hr
Induction motor	2.1kW
Net weight	15.5kg

HW151
High Pressure Cleaner (Professional)



Maximum pressure	Max 150Bar
Maximum flow	500L/hr
Induction motor	2.5kW
Net weight	26.9kg

HW1200
High Pressure Washer




Maximum pressure	12MPa
Maximum flow	420L/hr
Continuous rating input	1,800W
Net weight	11kg

HW1300
High Pressure Washer



Maximum pressure	13MPa
Maximum flow	420L/hr
Continuous rating input	1,800W
Net weight	12kg



Heat Gun

HG6531CK
Heat Gun



Kit version with various nozzles

2000W	
Air Temperature (°C)	50 - 650
Air Flow (L/min)	200 - 550 L/min
Dimensions (L x W x H)	257x85x206 mm
Net weight	0.71 kg
Power supply cord	2,0 m



HG6530V
Heat Gun



2000W	
Air Temperature (°C)	50 - 650
Air Flow (L/min)	Stage1: 500
	Stage2: 280
	Stage3: 550 L/min
Dimensions (LxWxH)	257x85x206 mm
Net weight	0.72 kg



HG6030K Heat Gun



1600W

Air Temperature (°C)	Stage1: 50, Stage2: 300 Stage3: 600
Air Flow (L/min)	Stage1: 250, Stage2: 250 Stage3: 500 L/min
Dimensions (LxWxH)	233x80x208 mm
Net weight	0.57 kg



Laser

SK312GD Rechargeable Green Multi Line Laser



Laser colour	Green
Self-levelling range	±2°
Laser fan angle	Horizontal: 110° Vertical: 130°
No. of laser lines	3
Operating time (hrs)	10 - 28 (approx.)
Dimensions	122x130x225mm
Net weight	1.6kg

SK106GD Rechargeable Crossline + Point Laser

Green Laser



Laser	4 point - Cross line
Working range	Up to:35m
Working range w/detector	Up to:80m
Levelling accuracy	±3 mm / 10 m
Self-levelling range	±4°
No. of laser lines/points	2lines, 4points
Dimensions (L x W x H)	157x64x102mm
Net weight	0.85kg

SK106D Rechargeable Crossline + Point Laser

Red Laser



Laser	4 point - Cross line
Working range	Up to25m
Working range w/detector	Up to:80m
Levelling accuracy	±3 mm / 10 m
Self-levelling range	±4°
No. of laser lines/points	2lines, 4points
Dimensions (L x W x H)	157x64x102mm
Net weight	0.85kg

SK105GD Rechargeable Crossline Laser

Green Laser



Laser	Cross line laser
Working range	Up to:35m
Working range w/detector	Up to:80m
Levelling accuracy	±3 mm / 10 m
Self-levelling range	±4°
No. of laser lines/points	2lines
Dimensions (L x W x H)	157x64x102mm
Net weight	0.84kg

SK105D Rechargeable Crossline Laser

Red Laser



Laser	Cross line laser
Working range	Up to25m
Working range w/detector	Up to:80m
Levelling accuracy	±3 mm / 10 m
Self-levelling range	±4°
No. of laser lines/points	2lines
Dimensions (L x W x H)	157x64x102mm
Net weight	0.84kg

LD030P Laser Distance Measure



Measuring	0.2m-30m
Range	Cell battery: AAA 1.5V x 2pcs
Power supply	0.09kg

LD050P Laser Distance Measure



Measuring	0.05m-50m
Range	Cell battery: AAA 1.5V x 2pcs
Power supply	0.1kg

LDO80PI Laser Distance Measure



Measuring	0.05m-80m
Range	Cell battery: AAA 1.5V x 2pcs
Power supply	0.14kg

SKR301 Laser Level



Operating range	Radius/Diameter:
	150/300mm
Rotation speed	0 - 535rpm
Levelling accuracy	+ - 10mm / 100m
Levelling range (degrees)	+ - 8
Power supply	Cell battery: 2pcs
Operating time (approx. hrs)	160



SK102Z Laser Level



Main Features:-

- Self levelling
- Horizontal aligning
- Vertical aligning
- Exact 90° angle
- Aligning at an angle
- Working in very bright conditions

Levelling accuracy	+ -3mm / 10m
Measuring Range	15m (30m with receiver)
Power supply	Cell battery: AA 1.5Vx3pcs
Net weight	475g



SK103PZ Laser Level

Main Features:-

- Provides all possible reference lines required in levelling, aligning, plumbing and squaring applications for maximum versatility.
- Water & Dust proof



Levelling accuracy	+ -3mm / 10m
Measuring Range	Upto 15m(60m with detector)
Power supply	Cell battery: AA 1.5V x 3pcs
Net weight	0.53kg



Generators

EG2250A Generator



Fuel tank	15L
Engine model	170F: (210mL)
AC output	50Hz: 2.0kVA
Max.AC output VA	50Hz: 2.2kVA
Net weight	49.8kg

EG2850A Generator



Fuel tank	15L
Engine model	170F: (210mL)
AC output	50Hz: 2.6kVA
Max.AC output VA	50Hz: 2.8kVA
Net weight	52.8kg

EG4550A Generator



Fuel tank	25L
Engine model	190F: (420mL)
AC output	50Hz: 4.0kVA
Max. AC output VA	50Hz: 4.5kVA
Net weight	95.5kg

EG5550A Generator



Fuel tank	25L
Engine model	190F: (420mL)
AC output	50Hz: 5.0kVA
Max.AC output VA	50Hz: 5.5kVA
Net weight	98.5kg

EG6050A Generator



Fuel tank	25L
Engine model	190F: (420mL)
AC output	50Hz: 5.5kVA
Max. AC output VA	50Hz: 6.0kVA
Net weight	100.5kg



GARDEN / AGRICULTURAL TOOLS

EX2650LH Multi Function Power Head



Displacement	25.4 mL
Engine power	0.77 kW / 1.1 PS
Fuel Tank Capacity	0.6 L
Dimensions (L x W x H)	975x323x241 mm
Net weight	4.6 kg*

* without blade, harness and fuel

EA3502S40B (Entry Class) Petrol Chain Saw



Standard guide bar	400mm (6")
Saw chain	Pitch: 3/8"
	Gauge: 1.1mm/1.3mm
Displacement	35.0mL
Power head weight	4.4kg

EA4301F45B Petrol Chain Saw



Chain Blade	Pitch: 3/8" Gauge: 1.3mm
Guide bar length	450mm (18")
Displacement	42.4 mL
Fuel Tank	0.48L
Power head weight	4.8 kg

DCS5200 (Semi-Professional) Petrol Chain Saw (Light Felling)



52mL

Chain blade	Pitch: 3/8" Gauge: 1.5mm
Guide bar length	450mm (18")
Displacement	52mL
Fuel Tank	0.56L
Power head weight	4.6kg

EA6100P Petrol Chain Saw



60.7mL

Chain blade	Pitch: 3/8" Gauge: 1.5mm
Guide bar length	500mm (20")
Displacement	60.7mL
Fuel Tank	0.8L
Power head weight	6.0kg

DCS7301 (Professional) Petrol Chain Saw (Felling)



72.6mL

Chain blade	Pitch: 3/8" Gauge: 1.5mm
Guide bar length	600mm (24")
Displacement	72.6mL
Fuel Tank	0.75L
Power head weight	6.3kg

DCS7901 (Professional) Petrol Chain Saw (Felling)



78.5mL

Chain blade	Pitch: 3/8" Gauge: 1.5mm
Guide bar length	700mm (28")
Displacement	78.5mL
Fuel Tank	0.42L
Power head weight	6.3kg



DCS9010 (Professional) Petrol Chain Saw (Heavy Felling)



90mL

Chain blade	Pitch: 3/8" Gauge: 1.5mm
Guide bar length	740mm (29")
Displacement	90mL
Fuel Tank	1L
Power head weight	8.2kg



EY2G50H25H Telescopic Petrol Pole Saw



MM4
Makita mini 4-Stroke Engine

360°
MULTI POSITION ENGINE

Displacement	25.4mL
Engine power	0.77kW / 1.1PS
Fuel tank	0.6L
Guide bar length	255mm (10")
Net weight	7.2kg (15.6lbs)



UC4041A Electric Chain Saw



153 **MM7**

1800W

Chain blade	Pitch: 3/8" Gauge: 1.3mm
Chain speed per min.	870m/min
Guide bar length	400mm (16")
Vibration level	4.7m/s ²
Net weight	4.7kg



UC4551A Electric Chain Saw



153 **MM7**

1800W

Chain blade	Pitch: 3/8" Gauge: 1.3mm
Chain speed per min.	870m/min
Guide bar length	450mm (18")
Vibration level	5.2m/s ²
Net weight	5.7kg



UH5261 Electric Hedge Trimmer



419 **MM7**

400W

Blade length	520mm
Strokes per min.	520mm
Dimensions	3,200spm
Net Weight	921mm x 194mm x 194mm



UH6570 Electric Hedge Trimmer



419 **MM7**

550W

Blade length	650mm
Strokes per min.	3,200spm
Dimensions	1042mm x 223mm x 206mm
Net Weight	3.7kg



UH7580 Electric Hedge Trimmer



419 **MM7**

670W

Blade length	750mm
Strokes per min.	3,000spm
Dimensions	1157mm x 223mm x 206mm
Net Weight	4.6kg



EH7500W Petrol Hedge Trimmer



23cc
22.2mL

Double Sided Blade

Blade length	750mm
Displacement	22.2mL
Fuel Tank	0.4L
Net weight	5.2kg



EH7500S Petrol Hedge Trimmer



22.2mL

Single Sided Blade

Blade length	750mm (29-1/2")
Displacement	22.2mL
Fuel Tank	0.4L
Net weight	4.7kg



EN4950H Petrol Pole Hedge Trimmer



25.4mL

MM4
Makita mini 4-Stroke Engine

360°
MULTI POSITION ENGINE

Engine Power	0.77kW / 1.1PS
Strokes per minute	4,200 spm
Displacement	25.4mL
Fuel Tank	0.6L
Net weight	6.9kg



EM2500U (Professional) Petrol String Trimmer / Brush Cutter



24.5mL

Displacement	24.5mL
Fuel tank	0.5L
Dimensions	1,770 x 620 x 410mm
Net Weight	4.5kg



RST250 Petrol String Trimmer (Entry Level)



24.5mL

Displacement	24.5mL
Fuel tank	0.5L
Dimensions	1,490 x 300 x 485mm
Net Weight	4.2kg



EM2650UH Petrol Brush Cutter (Professional)



25.4mL

MM4
Makita mini 4-Stroke Engine

360°
MULTI POSITION ENGINE

Displacement	25.4mL
Fuel tank	0.6L
Dimensions	1,765 x 620 x 474mm
Net Weight	5.5kg



RBC411U Petrol Brush Cutter (Professional)



40.2mL

Displacement	40.2mL
Fuel tank	1.1L
Dimensions	1,710 x 670 x 430mm
Net Weight	7.3kg



UR3000 Electric String Trimmer



Continuous rating input	450W
No load speed (rpm)	9,000rpm
Dimensions	1,110~1,310x 310x260mm
Net Weight	2.3kg



EM4350RH Petrol Backpack Brush Cutter



MM4
Makita mini 4-Stroke Engine

43.0mL

360°
MULTI POSITION ENGINE

Engine power	1.5kW / 2.1PS
Fuel tank	0.8L
Spindle size	M10 x 1.25LH
Dimensions (L x W x H)	358x280x587mm
Net weight	12.0kg



EE2650H Petrol Edger



MM4
Makita mini 4-Stroke Engine

Displacement	25.4mL
Engine power	0.77kW/1.1PC
Fuel Tank	0.6L
Dimensions	1,773x242x315mm
Net weight	6.6kg



BHX2500 4-Stroke Petrol Blower



MM4
Makita mini 4-Stroke Engine

24.5mL

Optional Vacuum attachment

Displacement	24.5mL
Fuel tank	0.52L
Velocity of the wind	64.6m/s (without blowing pipes)
Net Weight	4.4kg



UB0801V Blower (with vacuum kit)

with vacuum kit



1650W

Air volume	High 7.1m ³ /min Low: 3.6m ³ /min
No load speed	Low: 9,000/ High: 17,000
Net weight	3.2kg (with blower nozzle)



UB1102 Blower

303



600W

Air volume	4.1m ³ /min
Air pressure	5.7kPa (580mm H2O)
No load speed	16,000rpm
Net weight	2.0kg



UB1103 Blower

303



600W

Air volume	0-4.1m ³ /min
Air pressure	0-5.7kPa (0-580mm H2O)
No load speed	0 - 16,000rpm
Net weight	2.0kg



EB5300TH Petrol Blower



MM4
Makita mini 4-Stroke Engine

52.5mL

Displacement	52.5mL
Fuel tank	1.8L
Max. air volume	15m ³ /min (516cfm)
Max. air velocity	98m/s (205 MPH)
Spark plug	NGK CMR6H
Net weight	8.9kg (24.1lbs)



EB7660TH Petrol Blower



MM4
Makita mini 4-Stroke Engine

75.6mL

Displacement	75.6mL
Fuel tank	1.9L
Max. air volume	20m ³ /min (706cfm)
Max. air velocity	92m/s (205 MPH)
Spark plug	NGK CMR6H
Net weight	10.9kg (24.1lbs)



PM7650H Petrol Mist Blower



MM4
Makita mini 4-Stroke Engine

75.6mL

Fuel tank	1.8L
Max air volume	14.1m ³ /min
The velocity of the wind (without blower pipes)	85m/s
Dimensions	420x440x595mm
Net weight	13.3kg



ELM3320 Cordless Lawn Mower



1200W

Cutting Width	330 mm
Cutting Height	20 - 55 mm
No Load Speed (RPM)	3,100 - 3,600
Recommended mowing area	400 m ²
Grass box capacity	30 L
Wheel Size Front / Rear:	139 / 178 mm
Net weight	10.2 kg

ELM3720 Cordless Lawn Mower



1400W

Cutting Width	370 mm
Cutting Height	20 - 55 mm
No Load Speed (RPM)	3,100 - 3,600
Recommended mowing area	500 m ²
Grass box capacity	40 L
Wheel Size Front / Rear:	139 / 178 mm
Net weight	11.6 kg

ELM4110**Electric Lawn Mower (Push Type)****1600W**

Cutting width	410mm
No. of cutting positions	5
Height of cut (mm)	20, 34, 48, 62, 75mm
Grass box capacity	50L
Weight	25kg

**ELM4612****Electric Lawn Mower (Push Type)****1800W**

Cutting width	460mm
No. of cutting positions	8
Height of cut (mm)	20, 25, 30, 38, 46, 55, 64, 75mm
Grass box capacity	60L
Weight	29.5kg

**ELM4613****Electric Lawn Mower (Self Propelled)****1800W**

Cutting width	460mm
No. of cutting positions	8
Height of cut (mm)	20, 25, 30, 38, 46, 55, 64, 75mm
Grass box capacity	60L
Weight	32.5kg

**PLM4120N****Petrol Lawn Mower (Push Type)****140mL**

Engine	B&S500E, 140mL
Cutting width	410mm (16-1/8")
Cutting height	25,31,43,56,70mm
Recommended mowing area	1,000m ²
Grass box capacity	50L
Net weight	26.0kg

**PLM4620N2****Petrol Lawn Mower****150mL**

Engine	B&S625E R/S, 150mL
Cutting width	460mm (18-1/8")
Cutting height	25,31,43,56,70mm
Recommended mowing area	1,200m ²
Grass box capacity	60L
Net weight	27.6kg

**PLM4621N2****Petrol Lawn Mower (Self Propelled)****163mL**

Engine	B&S650EXI R/S, 163mL
Cutting width	460mm (18-1/8")
Cutting height	25,31,43,56,70mm
Recommended mowing area	1,400m ²
Grass box capacity	60L
Net weight	31.0kg

**PLM4622N****Petrol Lawn Mower (Self Propelled)****190mL**

Engine	B&S675EX S/R, 190mL
Cutting width	460mm (18-1/8")
Cutting height	25,31,43,56,70mm
Recommended mowing area	1,800m ²
Grass box capacity	60L
Net weight	35.4kg

**PLM5113N2****Petrol Lawn Mower (Self Propelled)****163mL**

Engine	B&S675EXI R/S, 163mL
Cutting width	510mm (20")
Cutting height	25,31,40,53,70mm
Recommended mowing area	2,000m ²
Grass box capacity	65L
Net weight	36kg

**PLM4630N2****Petrol Lawn Mower (Push Type)****163mL**

Engine	B&S675EXI R/S, 163mL
Cutting width	460mm (18-1/8")
Cutting height	25,31,43,56,70mm
Recommended mowing area	1,200m ²
Grass box capacity	60L
Net weight	30.0kg



PFO410 Submersible Pump



400W

Suction & Discharge diameter	25mm (1")
Submersion depth	5m (16ft)
Min. suction level	40mm (1-4/7")
Net weight	4.3kg

EF1550RH Sprayer



MM4
Makita mini 4-Stroke Engine

Displacement	24.5mL
Fuel Tank	0.5L
Maximum Pressure	1.18Mpa
Dimensions	354x395x570mm
Net weight	7.9kg

EVN2000 Sprayer



MM4
Makita mini 4-Stroke Engine

Displacement	24.5mL
Fuel Tank	0.5L
Maximum Pressure	2.5Mpa
Dimensions	380x420x635mm
Net weight	9.1kg

EK6100 Power Cutter



61mL

Wheel Diameter	305mm
Circumferential speed	80m/s
Max. cutting depth	110mm
Net weight	8.5kg



EK8100WS Power Cutter

with water supply kit



81mL

Wheel Diameter	405mm (16")
Circumferential speed	80m/s
Max. cutting depth	147mm
Net weight	10.6kg



EK7301WS Power Cutter

with water supply kit



73mL

Wheel diameter	355mm (14")
Engine	73mL
Max. cutting depth	122mm
Net weight	10.1kg



EK7650H Power Cutter



MM4
Makita mini 4-Stroke Engine

Wheel diameter	305mm (12")
Engine	75.6mL
Max. cutting depth	97mm
Net weight	12.7kg



EK7651H Power Cutter



MM4
Makita mini 4-Stroke Engine

Wheel diameter	355mm (14")
Engine	75.6mL
Max. cutting depth	122mm
Net weight	12.9kg





Makita Gulf FZE

P.O Box 17133, Jebel Ali Free Zone, Dubai, U.A.E.

Tel: (971) 4 8860804 Fax: (971) 4 8860805

www.makita.ae